



**MISSOURI  
HIGHWAY and TRANSPORTATION  
COMMISSION**

JEFFERSON CITY, MISSOURI

**LISTING OF BID ITEMS FOR  
HIGHWAY CONSTRUCTION**

(ENGLISH VERSION)

**EFFECTIVE October 1, 2008**

(ISSUED August 29, 2008)

## MISSOURI DEPARTMENT OF TRANSPORTATION

1

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|------------|------|-------------|--|------------------------|
| 001-10.10  | 1.00 | LUMP SUM    | AIRPORT SURFACE PREPARATION  |                        |
| 001-20.10  | 1.00 | SQUARE YARD | AIRPORT PAVEMENT REMOVAL   |                        |
| 002-01.10  | 1.00 | LUMP SUM    | AIRPORT REMOVAL OF IMPROVEMENTS                                    |                        |
| 002-02.20  | 0.10 | ACRES       | AIRPORT GRUBBING   |                        |
| 002-10.10  | 0.10 | ACRES       | AIRPORT CLEARING   |                        |
| 002-20.10  | 1.00 | CUBIC YARD  | AIRPORT UNCLASSIFIED EXCAVATION                                    |                        |
| 002-20.60  | 1.00 | CUBIC YARD  | AIRPORT CLASS A EXCAVATION   |                        |
| 002-20.70  | 1.00 | CUBIC YARD  | AIRPORT CLASS C EXCAVATION   |                        |
| 002-22.10  | 1.00 | CUBIC YARD  | AIRPORT COMPACTED EMBANKMENT                                       |                        |
| 002-22.20  | 1.00 | CUBIC YARD  | AIRPORT EMBANKMENT IN PLACE  |                        |
| 002-22.30  | 0.10 | STATION     | AIRPORT COMPACTING IN CUT  |                        |
| 002-22.40  | 0.10 | STATION     | AIRPORT LINEAR GRADING - CLASS 1                                   |                        |
| 002-50.10  | 0.10 | ACRES       | AIRPORT TEMPORARY SEEDING AND MULCHING                             |                        |
| 002-50.20  | 1.00 | LINEAR FOOT | AIRPORT TEMPORARY SLOPE DRAINS                                     |                        |
| 002-50.25  | 1.00 | LINEAR FOOT | AIRPORT TEMPORARY BERMS (TYPE B)                                   |                        |
| 002-50.30A | 1.00 | CUBIC YARD  | AIRPORT SEDIMENT BASINS  |                        |
| 002-50.40  | 0.10 | TONS        | AIRPORT FERTILIZING  |                        |
| 002-50.50  | 1.00 | EACH        | AIRPORT DITCH CHECKS   |                        |
| 002-50.60  | 1.00 | LINEAR FOOT | AIRPORT SILT FENCE   |                        |
| 002-50.70  | 1.00 | CUBIC YARD  | AIRPORT SEDIMENT REMOVAL   |                        |
| 003-13.10  | 1.00 | SQUARE YARD | AIRPORT TYPE 5 AGGREGATE BASE (3 INCHES THICK)                     |                        |
| 003-13.20  | 1.00 | SQUARE YARD | AIRPORT TYPE 5 AGGREGATE BASE (4 INCHES THICK)                     |                        |
| 003-13.30  | 1.00 | SQUARE YARD | AIRPORT TYPE 5 AGGREGATE BASE (5 INCHES THICK)                     |                        |
| 003-13.40  | 1.00 | SQUARE YARD | AIRPORT TYPE 5 AGGREGATE BASE (6 INCHES THICK)                     |                        |
| 003-13.50  | 1.00 | SQUARE YARD | AIRPORT TYPE 5 AGGREGATE BASE (7 INCHES THICK)                     |                        |
| 003-13.60  | 1.00 | SQUARE YARD | AIRPORT TYPE 5 AGGREGATE BASE (8 INCHES THICK)                     |                        |
| 003-13.70  | 1.00 | SQUARE YARD | AIRPORT TYPE 5 AGGREGATE BASE (9 INCHES THICK)                     |                        |
| 003-13.80  | 1.00 | SQUARE YARD | AIRPORT TYPE 1 AGGREGATE BASE FOR ACCESS ROAD (6 IN. THICK)        |                        |
| 003-15.10  | 1.00 | SQUARE YARD | AIRPORT FLY ASH TREATED SUBGRADE (9 IN. THICK)                     |                        |
| 003-15.20  | 1.00 | SQUARE YARD | AIRPORT FLY ASH TREATED SUBGRADE (12 IN. THICK)                    |                        |
| 003-15.30  | 0.10 | TONS        | AIRPORT FLY ASH  |                        |
| 003-16.10  | 1.00 | SQUARE YARD | AIRPORT LIME TREATED SUBGRADE (9 IN. THICK)                        |                        |
| 003-16.20  | 1.00 | SQUARE YARD | AIRPORT LIME TREATED SUBGRADE (12 IN. THICK)                       |                        |
| 003-16.30  | 0.10 | TONS        | AIRPORT LIME   |                        |
| 003-60.10  | 1.00 | TONS        | AIRPORT AGGREGATE SURFACING (CRUSHED STONE B)                      |                        |
| 004-03.10  | 0.10 | TONS        | AIRPORT ASPHALT BINDER (BITUMINOUS PAVEMENT) PG64-22 (BP-1 MIX)    |                        |
| 004-03.20  | 1.00 | TONS        | AIRPORT MINERAL AGGREGATE (BITUMINOUS PAVEMENT) PG64-22 (BP-1 MIX) |                        |
| 004-30.10  | 1.00 | GALLONS     | AIRPORT EMULSION (COLD IN-PLACE RECYCLING)                         |                        |
| 004-30.20  | 1.00 | SQUARE YARD | AIRPORT MIXING AND PLACING (COLD IN-PLACE RECYCLING)               |                        |
| 004-70.10  | 1.00 | GALLONS     | AIRPORT TACK COAT  |                        |
| 004-70.30  | 1.00 | GALLONS     | AIRPORT PRIME - LIQUID ASPHALT (RC-70 OR MC-30)                    |                        |
| 005-01.15  | 0.10 | SQUARE YARD | AIRPORT CONCRETE PAVEMENT (5 IN. THICK)                            |                        |
| 005-01.25  | 0.10 | SQUARE YARD | AIRPORT CONCRETE PAVEMENT (6 IN. THICK)                            |                        |
| 005-01.35  | 0.10 | SQUARE YARD | AIRPORT CONCRETE PAVEMENT (7 IN. THICK)                            |                        |
| 005-01.45  | 0.10 | SQUARE YARD | AIRPORT CONCRETE PAVEMENT (8 IN. THICK)                            |                        |
| 005-01.55  | 0.10 | SQUARE YARD | AIRPORT CONCRETE PAVEMENT (9 IN. THICK)                            |                        |
| 005-50.10  | 0.10 | SQUARE YARD | AIRPORT SAW-CUT GROOVING   |                        |
| 005-99.01  | 1.00 | LUMP SUM    | AIRPORT - MISC.  |                        |
| 005-99.02  | 1.00 | EACH        | AIRPORT - MISC.  |                        |
| 006-01.10  | 1.00 | LUMP SUM    | AIRPORT MOBILIZATION   |                        |
| 006-01.20  | 1.00 | LUMP SUM    | AIRPORT FIELD LABORATORY   |                        |
| 006-01.30  | 1.00 | LUMP SUM    | AIRPORT TEMPORARY MARKING, LIGHTING AND                            |                        |

| ITEM NO.  | UNIT  | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|-------|-------------|---|------------------------|
|           |       |             | BARRICADES  |                        |
| 006-01.40 | 1.00  | LUMP SUM    | AIRPORT TEMPORARY MARKING AND BARRICADES                                |                        |
| 006-01.55 | 1.00  | SQUARE FOOT | AIRPORT CONSTRUCTION SIGNS  |                        |
| 006-01.60 | 1.00  | EACH        | AIRPORT MOVABLE BARRICADE   |                        |
| 006-01.70 | 1.00  | EACH        | AIRPORT WARNING LIGHT, TYPE A   |                        |
| 006-01.80 | 1.00  | EACH        | AIRPORT WARNING LIGHT, TYPE B   |                        |
| 006-01.90 | 1.00  | EACH        | AIRPORT WARNING LIGHT, TYPE C   |                        |
| 006-10.50 | 1.00  | LINEAR FOOT | AIRPORT 5 STRAND BARBED WIRE FENCE (12 1/2 GAGE)                        |                        |
| 006-11.50 | 1.00  | EACH        | AIRPORT 16 FT. WIDE, SINGLE SWING FARM FENCE                            |                        |
| 006-11.60 | 1.00  | EACH        | AIRPORT DRIVEWAY SLIDING GATE, CHAIN-LINK                               |                        |
| 006-12.10 | 1.00  | LINEAR FOOT | AIRPORT CHAIN-LINK FENCE (48 INCH, TYPE A)                              |                        |
| 006-12.20 | 1.00  | EACH        | AIRPORT DRIVEWAY GATE, CHAIN-LINK                                       |                        |
| 006-12.30 | 1.00  | EACH        | AIRPORT WALKING GATE, CHAIN-LINK  |                        |
| 006-12.40 | 1.00  | LINEAR FOOT | AIRPORT WOVEN WIRE FENCE  |                        |
| 006-12.50 | 1.00  | EACH        | AIRPORT DRIVE GATE (WOVEN WIRE)   |                        |
| 006-30.10 | 10.00 | GALLONS     | AIRPORT BITUMINOUS MATERIAL FOR ACCESS ROAD (SEAL COAT)                 |                        |
| 006-30.20 | 1.00  | TONS        | AIRPORT ACCESS ROAD COVER AGGREGATE, GRADE 1 (FIRST APPLICATION)        |                        |
| 006-30.30 | 1.00  | TONS        | AIRPORT ACCESS ROAD COVER AGGREGATE, GRADE 2 (SECOND APPLICATION)       |                        |
| 006-40.10 | 0.10  | CUBIC YARD  | AIRPORT STRUCTURAL PORTLAND CEMENT CONCRETE                             |                        |
| 006-40.20 | 1.00  | POUND       | AIRPORT STEEL REINFORCING (STRUCTURAL CONCRETE)                         |                        |
| 006-50.10 | 1.00  | SQUARE FOOT | AIRPORT RUNWAY PAVEMENT MARKING (WHITE)                                 |                        |
| 006-50.20 | 1.00  | SQUARE FOOT | AIRPORT TAXIWAY PAVEMENT MARKING (YELLOW)                               |                        |
| 006-50.30 | 1.00  | SQUARE FOOT | AIRPORT PAVEMENT MARKING (BLACK)  |                        |
| 006-51.10 | 1.00  | SQUARE FOOT | AIRPORT PAVEMENT MARKING REMOVAL  |                        |
| 006-60.10 | 1.00  | GALLONS     | AIRPORT EMULSIFIED ASPHALT FOR SLURRY SEAL                              |                        |
| 006-60.20 | 0.10  | TONS        | AIRPORT AGGREGATE FOR SLURRY SEAL                                       |                        |
| 006-80.10 | 1.00  | CUBIC YARD  | AIRPORT ROCK LINING   |                        |
| 006-90.10 | 1.00  | EACH        | AIRCRAFT TIE-DOWN ANCHORS   |                        |
| 007-13.10 | 1.00  | LINEAR FOOT | AIRPORT GEOCOMPOSITE PAVEMENT EDGE DRAIN (12 IN.)                       |                        |
| 007-13.20 | 1.00  | LINEAR FOOT | AIRPORT GEOCOMPOSITE PAVEMENT EDGE DRAIN (18 IN.)                       |                        |
| 007-13.30 | 1.00  | LINEAR FOOT | AIRPORT CONVENTIONAL UNDERDRAIN (4 IN.)                                 |                        |
| 007-13.40 | 1.00  | LINEAR FOOT | AIRPORT PIPE-AGGREGATE PAVEMENT UNDERDRAIN                              |                        |
| 007-14.10 | 1.00  | EACH        | AIRPORT SPLASH PAD  |                        |
| 007-20.39 | 1.00  | EACH        | AIRPORT DROP INLETS   |                        |
| 007-40.12 | 1.00  | LINEAR FOOT | AIRPORT 12 IN. CORRUGATED METALLIC-COATED STEEL PIPE                    |                        |
| 007-40.15 | 1.00  | LINEAR FOOT | AIRPORT 15 IN. CORRUGATED METALLIC-COATED STEEL PIPE                    |                        |
| 007-40.18 | 1.00  | LINEAR FOOT | AIRPORT 18 IN. CORRUGATED METALLIC-COATED STEEL PIPE                    |                        |
| 007-40.21 | 1.00  | LINEAR FOOT | AIRPORT 21 IN. CORRUGATED METALLIC-COATED STEEL PIPE                    |                        |
| 007-40.24 | 1.00  | LINEAR FOOT | AIRPORT 24 IN. CORRUGATED METALLIC-COATED STEEL PIPE                    |                        |
| 007-40.30 | 1.00  | LINEAR FOOT | AIRPORT 30 IN. CORRUGATED METALLIC-COATED STEEL PIPE                    |                        |
| 007-40.36 | 1.00  | LINEAR FOOT | AIRPORT 36 IN. CORRUGATED METALLIC-COATED STEEL PIPE                    |                        |
| 007-40.42 | 1.00  | LINEAR FOOT | AIRPORT 42 IN. CORRUGATED METALLIC-COATED STEEL PIPE                    |                        |
| 007-40.48 | 1.00  | LINEAR FOOT | AIRPORT 48 IN. CORRUGATED METALLIC-COATED STEEL PIPE                    |                        |
| 007-41.12 | 1.00  | EACH        | AIRPORT 12 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION |                        |
| 007-41.15 | 1.00  | EACH        | AIRPORT 15 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION |                        |
| 007-41.18 | 1.00  | EACH        | AIRPORT 18 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECT    |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 007-41.21 | 1.00 | EACH        | AIRPORT 21 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION |                        |
| 007-41.24 | 1.00 | EACH        | AIRPORT 24 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION |                        |
| 007-41.30 | 1.00 | EACH        | AIRPORT 30 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION |                        |
| 007-41.36 | 1.00 | EACH        | AIRPORT 36 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION |                        |
| 007-41.42 | 1.00 | EACH        | AIRPORT 42 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION |                        |
| 007-41.48 | 1.00 | EACH        | AIRPORT 48 IN. CORRUGATED METALLIC-COATED STEEL PIPE FLARED END SECTION |                        |
| 007-50.12 | 1.00 | LINEAR FOOT | AIRPORT 12 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.15 | 1.00 | LINEAR FOOT | AIRPORT 15 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.18 | 1.00 | LINEAR FOOT | AIRPORT 18 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.19 | 1.00 | LINEAR FOOT | AIRPORT 18 IN. CLASS IV REINFORCED CONCRETE PIPE                        |                        |
| 007-50.21 | 1.00 | LINEAR FOOT | AIRPORT 21 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.24 | 1.00 | LINEAR FOOT | AIRPORT 24 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.25 | 1.00 | LINEAR FOOT | AIRPORT 24 IN. CLASS IV REINFORCED CONCRETE PIPE                        |                        |
| 007-50.27 | 1.00 | LINEAR FOOT | AIRPORT 27 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.30 | 1.00 | LINEAR FOOT | AIRPORT 30 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.33 | 1.00 | LINEAR FOOT | AIRPORT 33 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.36 | 1.00 | LINEAR FOOT | AIRPORT 36 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.37 | 1.00 | LINEAR FOOT | AIRPORT 36 IN. CLASS IV REINFORCED CONCRETE PIPE                        |                        |
| 007-50.42 | 1.00 | LINEAR FOOT | AIRPORT 42 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.48 | 1.00 | LINEAR FOOT | AIRPORT 48 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.60 | 1.00 | LINEAR FOOT | AIRPORT 60 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-50.72 | 1.00 | LINEAR FOOT | AIRPORT 72 IN. CLASS III REINFORCED CONCRETE PIPE                       |                        |
| 007-51.12 | 1.00 | EACH        | AIRPORT 12 IN. RCP FLARED END SECTION                                   |                        |
| 007-51.15 | 1.00 | EACH        | AIRPORT 15 IN. RCP FLARED END SECTION                                   |                        |
| 007-51.18 | 1.00 | EACH        | AIRPORT 18 IN. RCP FLARED END SECTION                                   |                        |
| 007-51.21 | 1.00 | EACH        | AIRPORT 21 IN. RCP FLARED END SECTION                                   |                        |
| 007-51.24 | 1.00 | EACH        | AIRPORT 24 IN. RCP FLARED END SECTION                                   |                        |
| 007-51.27 | 1.00 | EACH        | AIRPORT 27 IN. RCP FLARED END SECTION                                   |                        |
| 007-51.30 | 1.00 | EACH        | AIRPORT 30 IN. RCP FLARED END SECTION                                   |                        |
| 007-51.33 | 1.00 | EACH        | AIRPORT 33 IN. RCP FLARED END SECTION                                   |                        |
| 007-51.36 | 1.00 | EACH        | AIRPORT 36 IN. RCP FLARED END SECTION                                   |                        |
| 007-51.42 | 1.00 | EACH        | AIRPORT 42 IN. RCP FLARED END SECTION                                   |                        |
| 007-51.48 | 1.00 | EACH        | AIRPORT 48 IN. RCP FLARED END SECTION                                   |                        |
| 008-10.10 | 0.10 | ACRES       | AIRPORT SEEDING   |                        |
| 008-30.10 | 1.00 | SQUARE YARD | AIRPORT SODDING   |                        |
| 008-40.10 | 1.00 | CUBIC YARD  | AIRPORT TOPSOILING (OBTAINED ON SITE)                                   |                        |
| 008-40.20 | 1.00 | CUBIC YARD  | AIRPORT TOPSOILING (FURNISHED)  |                        |
| 008-60.11 | 0.10 | ACRES       | AIRPORT MULCHING  |                        |
| 008-60.12 | 0.10 | ACRES       | AIRPORT TYPE 2 OR TYPE 3 MULCH  |                        |
| 009-10.10 | 1.00 | EACH        | AIRPORT ROTATING BEACON (IN PLACE)                                      |                        |
| 009-11.10 | 1.00 | EACH        | AIRPORT HAZARD BEACON (IN PLACE)  |                        |
| 009-12.10 | 1.00 | EACH        | AIRPORT BEACON TOWER (IN PLACE)   |                        |
| 009-13.10 | 1.00 | EACH        | AIRPORT WIND CONE 12 FT (IN PLACE)                                      |                        |
| 009-13.20 | 1.00 | EACH        | AIRPORT WIND CONE 8 FT (IN PLACE)                                       |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|--|------------------------|
| 009-13.30 | 1.00 | EACH        | AIRPORT WIND CONE (RELOCATE)   |                        |
| 009-13.40 | 1.00 | EACH        | AIRPORT SEGMENTED CIRCLE   |                        |
| 009-14.10 | 1.00 | EACH        | AIRPORT OBSTRUCTION LIGHT (IN PLACE)                                     |                        |
| 009-15.10 | 1.00 | EACH        | AIRPORT PAPI, 2-BOX SYSTEM   |                        |
| 009-15.20 | 1.00 | EACH        | AIRPORT PAPI, 4-BOX SYSTEM   |                        |
| 009-15.30 | 1.00 | EACH        | AIRPORT PAPI (RELOCATE)  |                        |
| 009-16.10 | 1.00 | EACH        | AIRPORT APRON LIGHT (IN PLACE)   |                        |
| 009-20.10 | 1.00 | LINEAR FOOT | AIRPORT CABLE TRENCH   |                        |
| 009-20.11 | 1.00 | LINEAR FOOT | AIRPORT TYPE 1 CABLE TRENCH  |                        |
| 009-20.12 | 1.00 | LINEAR FOOT | AIRPORT TYPE 2 CABLE TRENCH  |                        |
| 009-20.60 | 1.00 | LINEAR FOOT | AIRPORT UNDERGROUND CABLE (1/C,#8 AWG, 5KV)                              |                        |
| 009-20.68 | 1.00 | LINEAR FOOT | AIRPORT UNDERGROUND CABLE (1/C,#10 AWG, 600V)                            |                        |
| 009-20.69 | 1.00 | LINEAR FOOT | AIRPORT UNDERGROUND CABLE (1/C,#8 AWG, 600V)                             |                        |
| 009-20.70 | 1.00 | LINEAR FOOT | AIRPORT UNDERGROUND CABLE (1/C,#6 AWG, 600V)                             |                        |
| 009-20.71 | 1.00 | LINEAR FOOT | AIRPORT UNDERGROUND CABLE (1/C,#4 AWG, 600V)                             |                        |
| 009-20.79 | 1.00 | LINEAR FOOT | AIRPORT #10 AWG BARE COPPER GROUND                                       |                        |
| 009-20.80 | 1.00 | LINEAR FOOT | AIRPORT #8 AWG BARE COPPER GROUND  |                        |
| 009-20.81 | 1.00 | LINEAR FOOT | AIRPORT #6 AWG BARE COPPER GROUND  |                        |
| 009-20.82 | 1.00 | LINEAR FOOT | AIRPORT #4 AWG BARE COPPER GROUND  |                        |
| 009-21.10 | 1.00 | LINEAR FOOT | AIRPORT SINGLE-WAY ELECTRICAL DUCT                                       |                        |
| 009-21.20 | 1.00 | LINEAR FOOT | AIRPORT MULTI-WAY ELECTRICAL DUCT  |                        |
| 009-21.30 | 1.00 | LINEAR FOOT | AIRPORT 2-4 IN. PVC CONCRETE ENCASED<br>ELECTRICAL DUCT                  |                        |
| 009-21.35 | 1.00 | LINEAR FOOT | AIRPORT 4-4 IN. PVC CONCRETE ENCASED<br>ELECTRICAL DUCT                  |                        |
| 009-21.40 | 1.00 | LINEAR FOOT | AIRPORT PVC ELECTRICAL DUCT (4 IN.)                                      |                        |
| 009-34.10 | 1.00 | EACH        | AIRPORT 4 KW CONSTANT CURRENT REGULATOR                                  |                        |
| 009-34.11 | 1.00 | EACH        | AIRPORT 7.5 KW CONSTANT CURRENT REGULATOR                                |                        |
| 009-34.12 | 1.00 | EACH        | AIRPORT 10 KW CONSTANT CURRENT REGULATOR                                 |                        |
| 009-35.10 | 1.00 | LUMP SUM    | AIRPORT ELECTRICAL VAULT ENCLOSURE,<br>REGULATORS AND CONTROLS           |                        |
| 009-40.20 | 1.00 | EACH        | AIRPORT TAXIWAY LIGHT, MEDIUM INTENSITY,<br>BASE MOUNTED (BLUE)          |                        |
| 009-40.40 | 1.00 | EACH        | AIRPORT TAXIWAY LIGHT, MEDIUM INTENSITY,<br>STAKE MOUNTED (BLUE)         |                        |
| 009-41.20 | 1.00 | EACH        | AIRPORT RUNWAY LIGHT, MEDIUM INTENSITY, BASE<br>MOUNTED (CLEAR/YELLOW)   |                        |
| 009-41.50 | 1.00 | EACH        | AIRPORT RUNWAY LIGHT, MEDIUM INTENSITY,<br>STAKE MOUNTED (CLEAR/YELLOW)  |                        |
| 009-41.65 | 1.00 | EACH        | AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY,<br>BASE MOUNTED (YELLOW)        |                        |
| 009-41.70 | 1.00 | EACH        | AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY,<br>STAKE MOUNTED (YELLOW)       |                        |
| 009-41.80 | 1.00 | EACH        | AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY,<br>BASE MOUNTED (CLEAR)         |                        |
| 009-41.90 | 1.00 | EACH        | AIRPORT RUNWAY LIGHTS, MEDIUM INTENSITY,<br>STAKE MOUNTED (CLEAR)        |                        |
| 009-42.20 | 1.00 | EACH        | AIRPORT THRESHOLD LIGHTS, MEDIUM INTENSITY,<br>STAKE MOUNTED (RED/GREEN) |                        |
| 009-42.21 | 1.00 | EACH        | AIRPORT THRESHOLD LIGHTS, MEDIUM INTENSITY,<br>BASE MOUNTED (RED/GREEN)  |                        |
| 009-42.35 | 1.00 | EACH        | AIRPORT L-867 LIGHT BASE   |                        |
| 009-42.40 | 1.00 | EACH        | AIRPORT RUNWAY END INDICATOR LIGHT (REIL)<br>SYSTEM                      |                        |
| 009-44.10 | 1.00 | EACH        | AIRPORT RETROREFLECTIVE MARKERS  |                        |
| 009-50.13 | 1.00 | EACH        | AIRPORT RUNWAY OR TAXIWAY SIGN (SIZE 1,<br>STYLE 4)                      |                        |
| 104-10.00 | 1.00 | CUBIC YARD  | TEMPORARY SURFACING  |                        |
| 104-99.10 | 0.10 | TONS        | MISC. TEMPORARY SURFACING  |                        |
| 108-00.00 | 1.00 | HOURL       | TRAINEE REIMBURSEMENT  |                        |
| 108-07.01 | 1.00 | DAY         | CONTRACT TIME ADJUSTMENT   |                        |
| 108-08.01 | 1.00 | MINUTES     | LIQUIDATED DAMAGES   |                        |
| 108-08.02 | 1.00 | HOURL       | LIQUIDATED DAMAGES   |                        |
| 108-08.03 | 1.00 | DAY         | LIQUIDATED DAMAGES   |                        |
| 109-01.35 | 1.00 | EACH        | 'POINT OF PRESENCE' SIGN   |                        |
| 109-10.00 | 1.00 | EACH        | STEEL RIGHT OF WAY MARKERS   |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|--|------------------------|
| 109-10.05 | 1.00 | EACH        | DRAIN MARKERS  |                        |
| 109-10.30 | 1.00 | EACH        | 2 IN. ALUMINUM CAP WITH MODOT R/W IMPRINT                                      |                        |
| 109-10.31 | 1.00 | EACH        | 6 FT. WHITE CARSONITE POST WITH MODOT R/W STICKER                              |                        |
| 109-10.32 | 1.00 | EACH        | 24 IN. SURVEY PIN  |                        |
| 109-10.33 | 1.00 | EACH        | 30 IN. SURVEY PIN  |                        |
| 109-10.34 | 1.00 | EACH        | LOCATION SURVEY RIGHT OF WAY MARKER  |                        |
| 109-10.35 | 1.00 | EACH        | (POINT OF PRESENCE) SIGN   |                        |
| 109-10.36 | 1.00 | EACH        | (DRIVE SMART) SIGN   |                        |
| 109-10.37 | 0.10 | DRIVE MILE  | PAVEMENT MARKING MOBILE RETROREFLECTIVITY READING                              |                        |
| 109-10.39 | 1.00 | EACH        | COMMISSION FURNISHED EMERGENCY REFERENCE MARKER                                |                        |
| 109-10.40 | 1.00 | EACH        | COMMISSION FURNISHED CHANNEL POST DELINEATOR REFLECTOR                         |                        |
| 109-40.00 | 1.00 | EACH        | FORCE ACCOUNT  |                        |
| 109-70.00 | 1.00 | LUMP SUM    | INTEREST (PROMPT PAYMENT)  |                        |
| 109-99.01 | 1.00 | LUMP SUM    | MISC.  |                        |
| 109-99.02 | 1.00 | EACH        | MISC.  |                        |
| 109-99.03 | 1.00 | LINEAR FOOT | MISC.  |                        |
| 109-99.04 | 1.00 | SQUARE FOOT | MISC.  |                        |
| 109-99.11 | 1.00 | POUND       | MISC.  |                        |
| 201-00.00 | 0.10 | ACRES       | MOWING   |                        |
| 201-30.00 | 1.00 | ACRES       | CLEARING AND GRUBBING  |                        |
| 201-99.01 | 1.00 | LUMP SUM    | MISC.  |                        |
| 201-99.02 | 1.00 | EACH        | MISC.  |                        |
| 201-99.18 | 1.00 | CYCLE       | MISC.  |                        |
| 201-99.19 | 0.10 | ACRES       | MISC.  |                        |
| 201-99.25 | 0.10 | ACRE - CYCL | MISC.  |                        |
| 201-99.26 | 0.10 | ACRE - CYCL | MISC.  |                        |
| 201-99.27 | 0.10 | ACRES       | MISC.  |                        |
| 202-20.10 | 1.00 | LUMP SUM    | REMOVAL OF IMPROVEMENTS  |                        |
| 202-40.13 | 1.00 | SQUARE FOOT | REMOVAL OF SURFACING ACM (FRIABLE)   |                        |
| 202-40.24 | 1.00 | LINEAR FOOT | REMOVAL OF THERMAL SYSTEM INSULATION ACM (FRIABLE)                             |                        |
| 202-40.27 | 1.00 | SQUARE FOOT | REMOVAL OF THERMAL SYSTEM INSULATION ACM (FRIABLE)                             |                        |
| 202-40.29 | 1.00 | SQUARE FOOT | REMOVAL OF CEILING TILE ACM (FRIABLE)  |                        |
| 202-40.38 | 1.00 | SQUARE FOOT | REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE)                                  |                        |
| 202-40.40 | 1.00 | SQUARE FOOT | REMOVAL OF MISCELLANEOUS ACM (FRIABLE)   |                        |
| 202-40.43 | 1.00 | SQUARE FOOT | REMOVAL OF MISCELLANEOUS ACM (NON-FRIABLE)                                     |                        |
| 202-40.46 | 1.00 | LINEAR FOOT | REMOVAL OF CAULKING/GLAZING COMPOUNDS (WINDOWS/DOORS) (CATEGORY II NONFRIABLE) |                        |
| 202-40.48 | 1.00 | LINEAR FOOT | REMOVAL OF CAULKING/GLAZING COMPOUNDS (OTHER) (CATEGORY II NONFRIABLE)         |                        |
| 202-40.54 | 1.00 | LINEAR FOOT | REMOVAL OF TRANSITE (CATEGORY II NON-FRIABLE)                                  |                        |
| 202-40.67 | 1.00 | SQUARE FOOT | REMOVAL OF FLOOR SHEETING ACM ON WOOD (CATEGORY I NON-FRIABLE)                 |                        |
| 202-40.70 | 1.00 | SQUARE FOOT | REMOVAL OF FLOOR SHEETING ACM ON WOOD (FRIABLE)                                |                        |
| 202-40.72 | 1.00 | SQUARE FOOT | REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (FRIABLE)                            |                        |
| 202-40.74 | 1.00 | SQUARE FOOT | REMOVAL OF FLOOR TILE ACM ON WOOD (FRIABLE)                                    |                        |
| 202-40.76 | 1.00 | SQUARE FOOT | REMOVAL OF FLOOR TILE ACM ON CONCRETE (FRIABLE)                                |                        |
| 202-40.78 | 1.00 | SQUARE FOOT | REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (FRIABLE)                     |                        |
| 202-40.91 | 1.00 | SQUARE FOOT | REMOVAL OF FLOOR SHEETING ACM ON CONCRETE (CATEGORY I NON-FRIABLE)             |                        |
| 202-40.93 | 1.00 | SQUARE FOOT | REMOVAL OF FLOOR TILE ACM ON WOOD (CATEGORY I NON-FRIABLE)                     |                        |
| 202-40.96 | 1.00 | SQUARE FOOT | REMOVAL OF FLOOR TILE ACM ON CONCRETE (CATEGORY I NON-FRIABLE)                 |                        |
| 202-40.98 | 1.00 | SQUARE FOOT | REMOVAL OF FLOOR TILE AND MASTIC ACM ON CONCRETE (CATEGORY I NON-FRIABLE)      |                        |
| 202-60.10 | 1.00 | EACH        | TANK REMOVAL AND DISPOSAL  |                        |

| ITEM NO.   | UNIT  | TYPE        | ITEM DESCRIPTION                                 | LAST UPDATED 10/1/2008 |
|------------|-------|-------------|--|------------------------|
| 202-60.20  | 1.00  | GALLONS     | HAZARDOUS RESIDUAL MATERIAL DISPOSAL             |                        |
| 202-60.27  | 1.00  | CUBIC YARD  | CONTAMINATED SOIL EXCAVATION                     |                        |
| 202-60.29A | 1.00  | TONS        | CONTAMINATED SOIL HAULING                        |                        |
| 202-60.30  | 1.00  | TONS        | CONTAMINATED SOIL DISPOSAL                       |                        |
| 202-60.40  | 1.00  | CUBIC YARD  | BACKFILL   |                        |
| 202-60.50  | 10.00 | GALLONS     | TANK PIT WATER DISPOSAL                          |                        |
| 202-70.00  | 1.00  | EACH        | DISPOSAL AND PLUGGING OF WELLS                   |                        |
| 202-70.10  | 1.00  | EACH        | RESIDENTIAL WASTEWATER LAGOON CLOSURE            |                        |
| 202-80.00  | 1.00  | EACH        | PLUGGING AND DISPOSAL OF SEPTIC TANKS            |                        |
| 202-99.01  | 1.00  | LUMP SUM    | MISC.  |                        |
| 202-99.02  | 1.00  | EACH        | MISC.  |                        |
| 202-99.03  | 1.00  | LINEAR FOOT | MISC.  |                        |
| 202-99.04  | 1.00  | SQUARE FOOT | MISC.  |                        |
| 202-99.05  | 0.10  | SQUARE YARD | MISC.  |                        |
| 202-99.07  | 0.10  | CUBIC YARD  | MISC.  |                        |
| 202-99.10  | 0.10  | TONS        | MISC.  |                        |
| 202-99.12  | 10.00 | GALLONS     | MISC.  |                        |
| 202-99.50  | 1.00  | LUMP SUM    | DEMOLITION AND REMOVAL OF BUILDINGS - PARCEL NO. |                        |
| 203-10.00  | 1.00  | CUBIC YARD  | CLASS A EXCAVATION                               |                        |
| 203-20.00  | 1.00  | CUBIC YARD  | CLASS C EXCAVATION                               |                        |
| 203-50.00  | 1.00  | CUBIC YARD  | UNCLASSIFIED EXCAVATION                          |                        |
| 203-55.00  | 1.00  | CUBIC YARD  | EMBANKMENT IN PLACE                              |                        |
| 203-60.00  | 1.00  | CUBIC YARD  | COMPACTING EMBANKMENT                            |                        |
| 203-70.75  | 0.10  | STATION     | COMPACTING IN CUT                                |                        |
| 203-70.80  | 1.00  | CUBIC YARD  | SPECIAL FILL                                     |                        |
| 203-99.01  | 1.00  | LUMP SUM    | MISC.  |                        |
| 203-99.02  | 1.00  | EACH        | MISC.  |                        |
| 203-99.03  | 1.00  | LINEAR FOOT | MISC.  |                        |
| 203-99.07  | 1.00  | CUBIC YARD  | MISC.  |                        |
| 204-10.10  | 1.00  | EACH        | EMBANKMENT CONTROL STAKE                         |                        |
| 204-20.10  | 1.00  | EACH        | SETTLEMENT GAUGE                                 |                        |
| 204-30.10  | 1.00  | EACH        | PORE PRESSURE MEASURING DEVICE                   |                        |
| 205-10.10  | 1.00  | SQUARE YARD | MODIFIED SUBGRADE                                |                        |
| 206-10.00  | 0.50  | CUBIC YARD  | CLASS 1 EXCAVATION                               |                        |
| 206-10.03  | 0.50  | CUBIC YARD  | CLASS 1 EXCAVATION IN ROCK                       |                        |
| 206-20.00  | 0.50  | CUBIC YARD  | CLASS 2 EXCAVATION                               |                        |
| 206-20.03  | 0.50  | CUBIC YARD  | CLASS 2 EXCAVATION IN ROCK                       |                        |
| 206-30.00  | 1.00  | CUBIC YARD  | CLASS 3 EXCAVATION                               |                        |
| 206-31.00  | 1.00  | CUBIC YARD  | CLASS 3 EXCAVATION IN ROCK                       |                        |
| 206-33.00  | 1.00  | CUBIC YARD  | CLASS 4 EXCAVATION                               |                        |
| 206-34.00  | 1.00  | CUBIC YARD  | CLASS 4 EXCAVATION IN ROCK                       |                        |
| 206-35.00  | 1.00  | EACH        | CULVERT CLEANOUT                                 |                        |
| 206-36.00  | 1.00  | LINEAR FOOT | SUPPLEMENTARY FOUNDATION TEST HOLES (NX)         |                        |
| 206-36.10  | 1.00  | LINEAR FOOT | SUPPLEMENTARY CORED HOLES                        |                        |
| 206-40.00  | 1.00  | CUBIC YARD  | POROUS BACKFILL                                  |                        |
| 206-45.00  | 1.00  | CUBIC YARD  | SELECT GRANULAR BACKFILL FOR STRUCTURAL SYSTEMS  |                        |
| 206-55.00  | 1.00  | LUMP SUM    | TEMPORARY SHORING                                |                        |
| 206-60.02  | 1.00  | LUMP SUM    | COFFERDAMS-BENT2                                 |                        |
| 206-60.03  | 1.00  | LUMP SUM    | COFFERDAMS-BENT3                                 |                        |
| 206-60.04  | 1.00  | LUMP SUM    | COFFERDAMS-BENT4                                 |                        |
| 206-60.05  | 1.00  | LUMP SUM    | COFFERDAMS-BENT5                                 |                        |
| 206-60.06  | 1.00  | LUMP SUM    | COFFERDAMS-BENT6                                 |                        |
| 206-60.07  | 1.00  | LUMP SUM    | COFFERDAMS-BENT7                                 |                        |
| 206-60.08  | 1.00  | LUMP SUM    | COFFERDAMS-BENT8                                 |                        |
| 206-60.09  | 1.00  | LUMP SUM    | COFFERDAMS-BENT9                                 |                        |
| 206-60.10  | 1.00  | LUMP SUM    | COFFERDAMS-BENT10                                |                        |
| 206-60.11  | 1.00  | LUMP SUM    | COFFERDAMS-BENT11                                |                        |
| 206-60.12  | 1.00  | LUMP SUM    | COFFERDAMS-BENT12                                |                        |
| 206-99.01  | 1.00  | LUMP SUM    | MISC.  |                        |
| 206-99.02  | 1.00  | EACH        | MISC.  |                        |
| 206-99.03  | 1.00  | LINEAR FOOT | MISC.  |                        |
| 206-99.04  | 1.00  | SQUARE FOOT | MISC.  |                        |
| 206-99.05  | 0.10  | SQUARE YARD | MISC.  |                        |
| 206-99.07  | 1.00  | CUBIC YARD  | MISC.  |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|------------|------|-------------|---|------------------------|
| 207-10.00  | 0.10 | STATION     | LINEAR GRADING CLASS 1                                      |                        |
| 207-20.00  | 0.10 | STATION     | LINEAR GRADING CLASS 2                                      |                        |
| 207-99.01  | 1.00 | LUMP SUM    | MISC.   |                        |
| 207-99.03  | 1.00 | LINEAR FOOT | MISC.   |                        |
| 207-99.07  | 1.00 | CUBIC YARD  | MISC.   |                        |
| 207-99.09  | 0.10 | STATION     | MISC.   |                        |
| 208-10.00  | 1.00 | 100 FEET    | INTERCEPTION DITCH  |                        |
| 209-99.05  | 0.10 | SQUARE YARD | MISC.   |                        |
| 210-10.06A | 1.00 | 100 FEET    | SUBGRADE COMPACTION (6-INCH DEPTH)                          |                        |
| 210-99.03  | 1.00 | LINEAR FOOT | MISC.   |                        |
| 211-10.00A | 1.00 | 100 FEET    | SUBGRADE SCARIFYING   |                        |
| 211-99.05  | 0.10 | SQUARE YARD | MISC.   |                        |
| 212-10.00A | 1.00 | 100 FEET    | SUBGRADING AND SHOULDERING CLASS 1                          |                        |
| 212-20.00A | 1.00 | 100 FEET    | SUBGRADING AND SHOULDERING CLASS 2                          |                        |
| 212-99.03  | 1.00 | LINEAR FOOT | MISC.   |                        |
| 212-99.09  | 0.10 | STATION     | MISC.   |                        |
| 214-20.00  | 1.00 | CUBIC YARD  | FURNISHING ROCK FILL  |                        |
| 214-30.00  | 1.00 | CUBIC YARD  | PLACING ROCK FILL   |                        |
| 215-10.00A | 1.00 | 100 FEET    | SHAPING SLOPES, CLASS I                                     |                        |
| 215-20.00A | 1.00 | 100 FEET    | SHAPING SLOPES, CLASS II                                    |                        |
| 215-99.03  | 1.00 | LINEAR FOOT | MISC.   |                        |
| 215-99.20  | 0.10 | MILE        | MISC.   |                        |
| 216-05.00  | 1.00 | LUMP SUM    | REMOVAL OF BRIDGES  |                        |
| 216-05.01  | 1.00 | LUMP SUM    | MATCH MARKING AND STORING SUPERSTRUCTURE                    |                        |
| 216-10.00  | 1.00 | SQUARE YARD | SCARIFICATION OF BRIDGE DECKS                               |                        |
| 216-15.00  | 1.00 | SQUARE FOOT | REMOVAL OF SEAL COAT  |                        |
| 216-15.01  | 1.00 | SQUARE FOOT | REMOVAL OF ASPHALT WEARING SURFACE                          |                        |
| 216-15.02  | 1.00 | SQUARE FOOT | REMOVAL OF CONCRETE WEARING SURFACE                         |                        |
| 216-20.00  | 1.00 | LINEAR FOOT | REMOVAL AND STORAGE OF EXISTING BRIDGE RAILS                |                        |
| 216-25.00  | 1.00 | SQUARE FOOT | REMOVAL OF EXISTING BRIDGE DECKS                            |                        |
| 216-30.00  | 1.00 | SQUARE FOOT | PARTIAL REMOVAL OF EXISTING BRIDGE DECKS                    |                        |
| 216-35.00  | 1.00 | LUMP SUM    | PARTIAL REMOVAL OF CULVERT CONCRETE                         |                        |
| 216-35.01  | 1.00 | LUMP SUM    | PARTIAL REMOVAL OF CULVERT-BRIDGE CONCRETE                  |                        |
| 216-35.02  | 1.00 | LUMP SUM    | PARTIAL REMOVAL OF SUBSTRUCTURE CONCRETE                    |                        |
| 216-40.00  | 1.00 | LINEAR FOOT | CURB REMOVAL  |                        |
| 216-45.00  | 1.00 | LINEAR FOOT | REMOVAL OF EXISTING EXPANSION JOINTS &<br>ADJACENT CONCRETE |                        |
| 216-50.00  | 1.00 | LINEAR FOOT | REMOVAL OF EXISTING EXPANSION JOINT SEAL OR<br>SEALANT      |                        |
| 216-55.00  | 1.00 | LUMP SUM    | REMOVAL OF CATHODIC PROTECTION SYSTEM                       |                        |
| 216-99.01  | 1.00 | LUMP SUM    | MISC.   |                        |
| 216-99.02  | 1.00 | EACH        | MISC.   |                        |
| 216-99.03  | 1.00 | LINEAR FOOT | MISC.   |                        |
| 216-99.04  | 1.00 | SQUARE FOOT | MISC.   |                        |
| 216-99.05  | 0.10 | SQUARE YARD | MISC.   |                        |
| 217-10.00  | 1.00 | CUBIC YARD  | HYDRAULIC EMBANKMENT  |                        |
| 302-13.11  | 1.00 | SQUARE YARD | STABILIZED PERMEABLE BASE (4IN. THICK)                      |                        |
| 303-06.00  | 1.00 | SQUARE YARD | FURNISHING ROCK BASE MATERIAL                               |                        |
| 303-06.10A | 1.00 | SQUARE YARD | PLACING ROCK BASE (18 IN. THICK)                            |                        |
| 303-99.05  | 0.10 | SQUARE YARD | MISC. ROCK BASE   |                        |
| 304-01.33  | 1.00 | SQUARE YARD | TYPE 1 AGGREGATE FOR BASE (3 IN. THICK)                     |                        |
| 304-01.43  | 1.00 | SQUARE YARD | TYPE 1 AGGREGATE FOR BASE (4 IN. THICK)                     |                        |
| 304-01.53  | 1.00 | SQUARE YARD | TYPE 1 AGGREGATE FOR BASE (5 IN. THICK)                     |                        |
| 304-01.63  | 1.00 | SQUARE YARD | TYPE 1 AGGREGATE FOR BASE (6 IN. THICK)                     |                        |
| 304-01.73  | 1.00 | SQUARE YARD | TYPE 1 AGGREGATE FOR BASE (7 IN. THICK)                     |                        |
| 304-01.83  | 1.00 | SQUARE YARD | TYPE 1 AGGREGATE FOR BASE (8 IN. THICK)                     |                        |
| 304-01.93  | 1.00 | SQUARE YARD | TYPE 1 AGGREGATE FOR BASE (9 IN. THICK)                     |                        |
| 304-05.04  | 1.00 | SQUARE YARD | TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)                     |                        |
| 304-99.01  | 0.10 | LUMP SUM    | MISC.   |                        |
| 304-99.05  | 0.10 | SQUARE YARD | MISC.   |                        |
| 304-99.07  | 1.00 | CUBIC YARD  | MISC.   |                        |
| 304-99.09  | 0.10 | STATION     | MISC.   |                        |
| 304-99.10  | 0.10 | TONS        | MISC.   |                        |
| 310-10.02  | 1.00 | TONS        | GRAVEL (A)  |                        |
| 310-10.03  | 1.00 | SQUARE YARD | GRAVEL (A)  |                        |
| 310-20.02  | 1.00 | TONS        | CRUSHED STONE (B)   |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION                                       | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|--|------------------------|
| 310-20.03 | 1.00 | SQUARE YARD | CRUSHED STONE (B)                                      |                        |
| 310-30.02 | 1.00 | TONS        | CHAT (C)   |                        |
| 310-30.03 | 1.00 | SQUARE YARD | CHAT (C)   |                        |
| 310-50.02 | 1.00 | TONS        | GRAVEL (A) OR CRUSHED STONE (B)                        |                        |
| 310-50.03 | 1.00 | SQUARE YARD | GRAVEL (A) OR CRUSHED STONE (B)                        |                        |
| 310-60.02 | 1.00 | TONS        | GRAVEL (A) OR CHAT (C)                                 |                        |
| 310-60.03 | 1.00 | SQUARE YARD | GRAVEL (A) OR CHAT (C)                                 |                        |
| 310-70.02 | 1.00 | TONS        | GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)            |                        |
| 310-70.03 | 1.00 | SQUARE YARD | GRAVEL (A) OR CRUSHED STONE (B) OR CHAT (C)            |                        |
| 310-80.01 | 1.00 | CUBIC YARD  | SALVAGED SURFACING                                     |                        |
| 310-99.05 | 0.10 | SQUARE YARD | MISC.  |                        |
| 310-99.07 | 1.00 | CUBIC YARD  | MISC.  |                        |
| 310-99.10 | 0.10 | TONS        | MISC.  |                        |
| 401-01.01 | 0.10 | SQUARE YARD | 8 INCHES, BITUMINOUS PAVEMENT                          |                        |
| 401-01.02 | 0.10 | SQUARE YARD | 9 INCHES, BITUMINOUS PAVEMENT                          |                        |
| 401-01.03 | 0.10 | SQUARE YARD | 10 INCHES, BITUMINOUS PAVEMENT                         |                        |
| 401-01.04 | 0.10 | SQUARE YARD | 11 INCHES, BITUMINOUS PAVEMENT                         |                        |
| 401-01.05 | 0.10 | SQUARE YARD | 5 3/4 INCHES, BITUMINOUS PAVEMENT                      |                        |
| 401-01.06 | 0.10 | SQUARE YARD | 6 INCHES, BITUMINOUS PAVEMENT                          |                        |
| 401-01.07 | 0.10 | SQUARE YARD | 7 INCHES, BITUMINOUS PAVEMENT                          |                        |
| 401-01.50 | 0.10 | SQUARE YARD | TYPE A2 SHOULDER                                       |                        |
| 401-01.51 | 0.10 | SQUARE YARD | TYPE A3 SHOULDER                                       |                        |
| 401-05.00 | 1.00 | EACH        | SAMPLE OF COMPACTED PLANT MIX BITUMINOUS BASE          |                        |
| 401-12.09 | 0.10 | TONS        | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)            |                        |
| 401-12.11 | 0.10 | TONS        | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-2)            |                        |
| 401-12.13 | 0.10 | TONS        | BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-3)            |                        |
| 401-12.14 | 0.10 | TONS        | BITUMINOUS PAVEMENT MIXTURE PG70-22, (BP-3)            |                        |
| 401-30.00 | 0.10 | TONS        | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE)             |                        |
| 401-30.10 | 0.10 | TONS        | BITUMINOUS PAVEMENT MIXTURE PG64-22 (BASE WIDENING)    |                        |
| 401-99.01 | 1.00 | LUMP SUM    | MISC.  |                        |
| 401-99.05 | 0.10 | SQUARE YARD | MISC.  |                        |
| 401-99.10 | 0.10 | TONS        | MISC.  |                        |
| 402-05.00 | 1.00 | EACH        | SAMPLE OF COMPACTED BITUMINOUS PAVEMENT                |                        |
| 402-05.20 | 0.10 | TONS        | BITUMINOUS PAVEMENT MIXTURE PG64-22 (SURFACE LEVELING) |                        |
| 402-99.05 | 0.10 | SQUARE YARD | MISC.  |                        |
| 402-99.10 | 0.10 | TONS        | MISC.  |                        |
| 403-00.01 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP095C MIX)       |                        |
| 403-00.02 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP095B MIX)       |                        |
| 403-00.03 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095C MIX)       |                        |
| 403-00.04 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095B MIX)       |                        |
| 403-00.05 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095C MIX)       |                        |
| 403-00.06 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095B MIX)       |                        |
| 403-00.07 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP095BSM MIX)     |                        |
| 403-00.09 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP095BSM MIX)     |                        |
| 403-01.01 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125C MIX)       |                        |
| 403-01.03 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125C MIX)       |                        |
| 403-01.07 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP125CLP MIX)     |                        |
| 403-01.09 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP125CLP MIX)     |                        |
| 403-01.16 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125B MIX)       |                        |
| 403-01.24 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP125BLP MIX)     |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 403-01.30 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 70-22<br>(SP125BSM MIX)       |                        |
| 403-01.32 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 76-22<br>(SP125BSM MIX)       |                        |
| 403-01.36 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 76-22<br>(SP125BSMR MIX)      |                        |
| 403-02.06 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP190C MIX)            |                        |
| 403-02.08 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP190C MIX)            |                        |
| 403-02.14 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP190B MIX)            |                        |
| 403-02.17 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP190B MIX)            |                        |
| 403-03.01 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP250E MIX)            |                        |
| 403-03.06 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP250C MIX)            |                        |
| 403-03.08 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 70-22 (SP250C MIX)            |                        |
| 403-03.14 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 64-22 (SP250B MIX)            |                        |
| 403-03.17 | 0.10 | TONS        | ASPHALTIC CONCRETE MIXTURE PG 76-22 (SP250B MIX)            |                        |
| 403-04.01 | 0.10 | SQUARE YARD | 8 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C                |                        |
| 403-04.02 | 0.10 | SQUARE YARD | 9 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C                |                        |
| 403-04.03 | 0.10 | SQUARE YARD | 10 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C               |                        |
| 403-04.04 | 0.10 | SQUARE YARD | 11 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C               |                        |
| 403-04.09 | 0.10 | SQUARE YARD | 12 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C               |                        |
| 403-04.10 | 0.10 | SQUARE YARD | 13 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C               |                        |
| 403-04.11 | 0.10 | SQUARE YARD | 14 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C               |                        |
| 403-04.12 | 0.10 | SQUARE YARD | 15 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C               |                        |
| 403-04.13 | 0.10 | SQUARE YARD | 16 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C               |                        |
| 403-04.14 | 0.10 | SQUARE YARD | 17 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C               |                        |
| 403-04.15 | 0.10 | SQUARE YARD | 19 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125C               |                        |
| 403-04.18 | 0.10 | SQUARE YARD | 8 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP              |                        |
| 403-04.19 | 0.10 | SQUARE YARD | 9 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP              |                        |
| 403-04.20 | 0.10 | SQUARE YARD | 10 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP             |                        |
| 403-04.21 | 0.10 | SQUARE YARD | 11 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP             |                        |
| 403-04.22 | 0.10 | SQUARE YARD | 12 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM |                        |
| 403-04.23 | 0.10 | SQUARE YARD | 13 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM |                        |
| 403-04.24 | 0.10 | SQUARE YARD | 14 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM |                        |
| 403-04.25 | 0.10 | SQUARE YARD | 15 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP             |                        |
| 403-04.26 | 0.10 | SQUARE YARD | 16 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP             |                        |
| 403-04.27 | 0.10 | SQUARE YARD | 17 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP             |                        |
| 403-04.28 | 0.10 | SQUARE YARD | 19 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125CLP OR SP125BSM |                        |
| 403-04.31 | 0.10 | SQUARE YARD | 13 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125B               |                        |
| 403-04.33 | 0.10 | SQUARE YARD | 15 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125B               |                        |
| 403-04.34 | 0.10 | SQUARE YARD | 17 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125B               |                        |
| 403-04.35 | 0.10 | SQUARE YARD | 18 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125B               |                        |
| 403-04.36 | 0.10 | SQUARE YARD | 20 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125B               |                        |
| 403-04.41 | 0.10 | SQUARE YARD | 15 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125BLP OR SP125BSM |                        |
| 403-04.42 | 0.10 | SQUARE YARD | 17 INCHES, ASPHALTIC CONCRETE PAVEMENT SP125BLP OR SP125BSM |                        |

| ITEM NO.  | UNIT  | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|-----------|-------|-------------|--|------------------------|
| 403-04.43 | 0.10  | SQUARE YARD | 18 INCHES, ASPHALTIC CONCRETE PAVEMENT<br>SP125BLP OR SP125BSM |                        |
| 403-04.44 | 0.10  | SQUARE YARD | 20 INCHES, ASPHALTIC CONCRETE PAVEMENT<br>SP125BLP OR SP125BSM |                        |
| 403-05.00 | 1.00  | EACH        | SAMPLE OF COMPACTED ASPHALTIC CONCRETE                         |                        |
| 403-10.50 | 1.00  | SQUARE YARD | ALTERNATE ASPHALTIC CONCRETE WEARING SURFACE<br>(BRIDGE)       |                        |
| 403-99.02 | 1.00  | EACH        | MISC.  |                        |
| 403-99.03 | 1.00  | LINEAR FOOT | MISC.  |                        |
| 403-99.04 | 1.00  | SQUARE FOOT | MISC.  |                        |
| 403-99.05 | 0.10  | SQUARE YARD | MISC.  |                        |
| 403-99.10 | 0.10  | TONS        | MISC.  |                        |
| 403-99.11 | 0.10  | POUND       | MISC.  |                        |
| 405-10.03 | 10.00 | GALLONS     | LIQUID ASPHALT MC 250  |                        |
| 405-10.11 | 10.00 | GALLONS     | EMULSIFIED ASPHALT, HOT IN-PLACE RECYCLING                     |                        |
| 405-10.12 | 10.00 | GALLONS     | EMULSIFIED ASPHALT, COLD IN-PLACE RECYCLING                    |                        |
| 405-10.13 | 10.00 | GALLONS     | EMULSIFIED ASPHALT, FULL DEPTH RECLAMATION                     |                        |
| 405-30.00 | 0.01  | MILE        | PROCESSING RECLAIMED ASPHALT                                   |                        |
| 405-50.01 | 1.00  | SQUARE YARD | 1 INCH, HOT IN-PLACE RECYCLING                                 |                        |
| 405-50.02 | 1.00  | SQUARE YARD | 2 INCHES, HOT IN-PLACE RECYCLING                               |                        |
| 405-50.05 | 1.00  | SQUARE YARD | COLD IN-PLACE RECYCLING  |                        |
| 405-50.10 | 1.00  | SQUARE YARD | FULL DEPTH RECLAMATION   |                        |
| 405-99.03 | 1.00  | LINEAR FOOT | MISC.  |                        |
| 405-99.05 | 0.10  | SQUARE YARD | MISC.  |                        |
| 405-99.10 | 0.10  | TONS        | MISC.  |                        |
| 405-99.12 | 10.00 | GALLONS     | MISC.  |                        |
| 405-99.20 | 0.01  | MILE        | MISC.  |                        |
| 407-10.05 | 10.00 | GALLONS     | TACK COAT  |                        |
| 407-99.12 | 0.10  | GALLONS     | MISC.  |                        |
| 408-10.10 | 10.00 | GALLONS     | PRIME-LIQUID ASPHALT RC 70 OR MC 30                            |                        |
| 408-10.11 | 10.00 | GALLONS     | PRIME-LIQUID ASPHALT RC 70                                     |                        |
| 408-10.12 | 10.00 | GALLONS     | PRIME-LIQUID ASPHALT RC 250                                    |                        |
| 408-10.13 | 10.00 | GALLONS     | PRIME-LIQUID ASPHALT RC 800                                    |                        |
| 408-10.14 | 10.00 | GALLONS     | PRIME-LIQUID ASPHALT RC 3000                                   |                        |
| 408-10.15 | 10.00 | GALLONS     | PRIME-LIQUID ASPHALT MC 30                                     |                        |
| 408-10.16 | 10.00 | GALLONS     | PRIME-LIQUID ASPHALT MC 70                                     |                        |
| 408-10.17 | 10.00 | GALLONS     | PRIME-LIQUID ASPHALT MC 250                                    |                        |
| 408-10.18 | 10.00 | GALLONS     | PRIME-LIQUID ASPHALT MC 800                                    |                        |
| 408-10.19 | 10.00 | GALLONS     | PRIME-LIQUID ASPHALT MC 3000                                   |                        |
| 408-10.21 | 10.00 | GALLONS     | PRIME-EMULSIFIED ASPHALT RS-1                                  |                        |
| 408-10.22 | 10.00 | GALLONS     | PRIME-EMULSIFIED ASPHALT RS-2                                  |                        |
| 408-10.23 | 10.00 | GALLONS     | PRIME-EMULSIFIED ASPHALT MS-1                                  |                        |
| 408-10.24 | 10.00 | GALLONS     | PRIME-EMULSIFIED ASPHALT MS-2                                  |                        |
| 408-10.25 | 10.00 | GALLONS     | PRIME-EMULSIFIED ASPHALT MS-2H                                 |                        |
| 408-10.26 | 10.00 | GALLONS     | PRIME-EMULSIFIED ASPHALT SS-1                                  |                        |
| 408-10.27 | 10.00 | GALLONS     | PRIME-EMULSIFIED ASPHALT SS-1H                                 |                        |
| 408-20.00 | 1.00  | CUBIC YARD  | SANDING PRIMER   |                        |
| 408-99.12 | 0.10  | GALLONS     | MISC.  |                        |
| 409-40.00 | 1.00  | SQUARE YARD | SEAL COAT, GRADE A   |                        |
| 409-40.10 | 1.00  | SQUARE YARD | SEAL COAT, GRADE B   |                        |
| 409-40.20 | 1.00  | SQUARE YARD | SEAL COAT, GRADE C   |                        |
| 409-99.05 | 0.10  | SQUARE YARD | MISC.  |                        |
| 409-99.10 | 0.10  | TONS        | MISC.  |                        |
| 413-10.00 | 1.00  | SQUARE YARD | MICROSURFACING, TYPE II  |                        |
| 413-11.00 | 1.00  | SQUARE YARD | MICROSURFACING, TYPE III                                       |                        |
| 413-12.00 | 1.00  | SQUARE YARD | MICROSURFACING, TYPE IIIR                                      |                        |
| 413-20.00 | 1.00  | SQUARE YARD | SCRUB SEAL   |                        |
| 413-30.00 | 1.00  | SQUARE YARD | ULTRATHIN BONDED WEARING SURFACE, TYPE A                       |                        |
| 413-31.00 | 1.00  | SQUARE YARD | ULTRATHIN BONDED WEARING SURFACE, TYPE B                       |                        |
| 413-32.00 | 1.00  | SQUARE YARD | ULTRATHIN BONDED WEARING SURFACE, TYPE C                       |                        |
| 413-40.00 | 1.00  | GALLONS     | BITUMINOUS FOG SEAL  |                        |
| 413-50.00 | 1.00  | LINEAR FOOT | BITUMINOUS PAVEMENT CRACK SEALING                              |                        |
| 413-60.00 | 1.00  | LINEAR FOOT | PCCP JOINT/CRACK SEALING                                       |                        |
| 413-70.00 | 1.00  | LINEAR FOOT | BITUMINOUS PAVEMENT CRACK FILLING                              |                        |
| 413-80.00 | 1.00  | LINEAR FOOT | PCCP CRACK FILLING   |                        |
| 413-99.03 | 1.00  | LINEAR FOOT | MISC.  |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|------------|------|-------------|--|------------------------|
| 413-99.05  | 1.00 | SQUARE YARD | MISC.  |                        |
| 413-99.12  | 1.00 | GALLONS     | MISC.  |                        |
| 502-11.06  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT ( 6 IN. NON-REINF)                         |                        |
| 502-11.07  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT ( 7 IN. NON-REINF)                         |                        |
| 502-11.08  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT ( 8 IN. NON-REINF)                         |                        |
| 502-11.09  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT ( 9 IN. NON-REINF)                         |                        |
| 502-11.10  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (10 IN. NON-REINF)                         |                        |
| 502-11.11  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (11 INCH NON-REINFORCED)                   |                        |
| 502-11.12  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (12 INCH NON-REINFORCED)                   |                        |
| 502-11.13  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (13 INCH NON-REINFORCED)                   |                        |
| 502-11.14  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (14 INCH NON-REINFORCED)                   |                        |
| 502-13.05  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (5 3/4 IN. NON-REINFORCED, 15 FT. JOINTS)  |                        |
| 502-13.06  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (6 IN. NON-REINFORCED, 15 FT. JOINTS)      |                        |
| 502-13.07  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (7 IN. NON-REINFORCED, 15 FT. JOINTS)      |                        |
| 502-13.08  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (8 IN. NON-REINFORCED, 15 FT. JOINTS)      |                        |
| 502-13.09  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (9 IN. NON-REINFORCED 15 FT. JOINTS)       |                        |
| 502-13.10  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (10 IN. NON-REINFORCED 15 FT. JOINTS)      |                        |
| 502-13.11  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (11 IN. NON-REINFORCED 15 FT. JOINTS)      |                        |
| 502-13.12  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (12 IN. NON-REINFORCED 15 FT. JOINTS)      |                        |
| 502-13.13  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (13 IN. NON-REINFORCED 15 FT. JOINTS)      |                        |
| 502-13.14  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (14 IN. NON-REINFORCED 15 FT. JOINTS)      |                        |
| 502-13.30  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (6 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)  |                        |
| 502-13.31  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (7 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)  |                        |
| 502-13.32  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (8 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)  |                        |
| 502-13.33  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (9 1/2 IN. NON-REINFORCED, 15 FT. JOINTS)  |                        |
| 502-13.34  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (10 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) |                        |
| 502-13.35  | 0.10 | SQUARE YARD | CONCRETE PAVEMENT (11 1/2 IN. NON-REINFORCED, 15 FT. JOINTS) |                        |
| 502-13.40  | 0.10 | SQUARE YARD | TYPE A2 SHOULDER   |                        |
| 502-13.41  | 0.10 | SQUARE YARD | TYPE A3 SHOULDER   |                        |
| 502-15.00  | 1.00 | CUBIC YARD  | BONDED OVERLAY   |                        |
| 502-15.01  | 0.10 | SQUARE YARD | BONDED OVERLAY PLACEMENT                                     |                        |
| 502-15.02  | 1.00 | SQUARE YARD | SURFACE PREPARATION  |                        |
| 502-20.00  | 1.00 | LINEAR FOOT | CONCRETE PAVEMENT NEOPRENE JOINT SEAL                        |                        |
| 502-40.06  | 0.10 | SQUARE YARD | CONCRETE BASE ( 6 IN. NON-REINF)                             |                        |
| 502-40.07  | 0.10 | SQUARE YARD | CONCRETE BASE ( 7 IN. NON-REINF)                             |                        |
| 502-40.08  | 0.10 | SQUARE YARD | CONCRETE BASE ( 8 IN. NON-REINF)                             |                        |
| 502-40.09  | 0.10 | SQUARE YARD | CONCRETE BASE ( 9 IN. NON-REINF)                             |                        |
| 502-40.10  | 0.10 | SQUARE YARD | CONCRETE BASE ( 10 IN. NON-REINF)                            |                        |
| 502-99.02  | 1.00 | EACH        | MISC.  |                        |
| 502-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 502-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 502-99.07  | 1.00 | CUBIC YARD  | MISC.  |                        |
| 503-10.00A | 1.00 | SQUARE YARD | BRIDGE APPROACH SLAB   |                        |
| 503-10.10  | 1.00 | SQUARE YARD | BRIDGE APPROACH SLAB (BRIDGE)                                |                        |
| 503-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 504-10.00  | 0.10 | SQUARE YARD | CONCRETE APPROACH PAVEMENT                                   |                        |
| 504-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 505-00.01  | 1.00 | SQUARE YARD | ALTERNATE CONCRETE WEARING SURFACE                           |                        |
| 505-10.00  | 1.00 | SQUARE YARD | LOW SLUMP CONCRETE WEARING SURFACE                           |                        |
| 505-20.00  | 1.00 | SQUARE YARD | LATEX MODIFIED CONCRETE WEARING SURFACE                      |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|------------|------|-------------|--|------------------------|
| 505-20.01  | 1.00 | SQUARE YARD | LATEX MODIFIED HIGH EARLY STRENGTH CONCRETE WEARING SURFACE                            |                        |
| 505-30.00  | 1.00 | SQUARE YARD | SILICA FUME CONCRETE WEARING SURFACE   |                        |
| 505-99.05  | 1.00 | SQUARE YARD | MISC.  |                        |
| 506-10.04  | 0.10 | SQUARE YARD | ULTRATHIN CONCRETE WHITETOPPING (4 IN. NON-REINFORCED)                                 |                        |
| 506-10.05  | 0.10 | SQUARE YARD | ULTRATHIN CONCRETE WHITETOPPING (5 IN. NON-REINFORCED)                                 |                        |
| 506-10.30  | 0.10 | CUBIC YARD  | ULTRATHIN CONCRETE WHITETOPPING  |                        |
| 506-10.40  | 0.10 | SQUARE YARD | ULTRATHIN CONCRETE WHITETOPPING  |                        |
| 506-20.30  | 0.10 | CUBIC YARD  | UNBONDED CONCRETE OVERLAY  |                        |
| 506-20.31  | 0.10 | SQUARE YARD | UNBONDED CONCRETE OVERLAY PLACEMENT, 8 IN.   |                        |
| 506-20.50  | 1.00 | SQUARE YARD | SURFACE PREPARATION  |                        |
| 506-99.02  | 0.10 | EACH        | MISC.  |                        |
| 506-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 601-10.00A | 1.00 | LUMP SUM    | TYPE 2 FIELD LABORATORIES  |                        |
| 601-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 601-99.02  | 1.00 | EACH        | MISC.  |                        |
| 602-10.00  | 1.00 | EACH        | DRAIN MARKER   |                        |
| 602-20.00  | 1.00 | EACH        | STEEL RIGHT-OF-WAY MARKER  |                        |
| 602-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 602-99.02  | 1.00 | EACH        | MISC.  |                        |
| 603-10.10  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 1)   |                        |
| 603-10.11  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 2) (UNDER 1 IN./25MM DIA)                        |                        |
| 603-10.12  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 2) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) |                        |
| 603-10.13  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 2) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) |                        |
| 603-10.14  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 2) (3 IN./75 MM DIA AND ABOVE)                   |                        |
| 603-10.15  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 3)   |                        |
| 603-10.16  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 4) (UNDER 1 IN./25MM DIA)                        |                        |
| 603-10.17  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 4) (1 IN./50 MM DIA TO LESS THAN 2 IN./50MM DIA) |                        |
| 603-10.18  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 4) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) |                        |
| 603-10.19  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 4) (3 IN./75 MM DIA AND ABOVE)                   |                        |
| 603-10.20  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 5) (UNDER 1 IN./25MM DIA)                        |                        |
| 603-10.21  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 5) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) |                        |
| 603-10.22  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 5) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) |                        |
| 603-10.23  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 5) (3 IN./75 MM DIA AND ABOVE)                   |                        |
| 603-10.24  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 6) (UNDER 1 IN./25MM DIA)                        |                        |
| 603-10.25  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 6) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) |                        |
| 603-10.26  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 6) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) |                        |
| 603-10.27  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 6) (3 IN./75 MM DIA AND ABOVE)                   |                        |
| 603-10.28  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 7) (UNDER 1 IN./25MM DIA)                        |                        |
| 603-10.29  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 7) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) |                        |
| 603-10.30  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 7) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) |                        |
| 603-10.31  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 7) (3 IN./75 MM DIA AND ABOVE)                   |                        |
| 603-10.32  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 8) (UNDER 1 IN./25MM DIA)                        |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|------------|------|-------------|--|------------------------|
| 603-10.33  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 8) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) |                        |
| 603-10.34  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 8) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) |                        |
| 603-10.35  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 8) (3 IN./75 MM DIA AND ABOVE)                   |                        |
| 603-10.36  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 9) (UNDER 1 IN./25MM DIA)                        |                        |
| 603-10.37  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 9) (1 IN./25 MM DIA TO LESS THAN 2 IN./50MM DIA) |                        |
| 603-10.38  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 9) (2 IN./50 MM DIA TO LESS THAN 3 IN./75MM DIA) |                        |
| 603-10.39  | 1.00 | EACH        | RELOCATING SERVICE CONNECTIONS (CLASS 9) (3 IN./75 MM DIA AND ABOVE)                   |                        |
| 603-80.00  | 1.00 | CUBIC YARD  | ROCK EXCAVATION  |                        |
| 603-99.01  | 1.00 | LUMP SUM    | WATER  |                        |
| 603-99.02  | 1.00 | EACH        | WATER  |                        |
| 603-99.03  | 1.00 | LINEAR FOOT | WATER  |                        |
| 603-99.07  | 1.00 | CUBIC YARD  | WATER  |                        |
| 603-99.13  | 1.00 | FOOT        | WATER  |                        |
| 603-99.21  | 1.00 | LUMP SUM    | SEWER  |                        |
| 603-99.22  | 1.00 | EACH        | SEWER  |                        |
| 603-99.23  | 1.00 | LINEAR FOOT | SEWER  |                        |
| 603-99.24  | 1.00 | CUBIC YARD  | SEWER  |                        |
| 603-99.25  | 1.00 | SQUARE YARD | SEWER  |                        |
| 603-99.31  | 1.00 | LUMP SUM    | GAS  |                        |
| 603-99.32  | 1.00 | EACH        | GAS  |                        |
| 603-99.33  | 1.00 | LINEAR FOOT | GAS  |                        |
| 603-99.37  | 1.00 | CUBIC YARD  | GAS  |                        |
| 604-20.10  | 1.00 | EACH        | ADJUSTING MANHOLE  |                        |
| 604-20.20  | 1.00 | EACH        | ADJUSTING BASIN OR INLET   |                        |
| 604-30.10  | 1.00 | LINEAR FOOT | ADJUSTING HOUSE SEWER CONNECTIONS  |                        |
| 604-30.20  | 1.00 | EACH        | ENCASEMENT FOR HOUSE SEWER CONNECTIONS   |                        |
| 604-40.11  | 1.00 | EACH        | PIPE COLLAR, TYPE A  |                        |
| 604-40.12  | 1.00 | EACH        | PIPE COLLAR, TYPE B  |                        |
| 604-40.13  | 1.00 | EACH        | PIPE COLLAR, TYPE C  |                        |
| 604-60.12A | 1.00 | LINEAR FOOT | 12 IN. SLOTTED DRAIN   |                        |
| 604-60.15A | 1.00 | LINEAR FOOT | 15 IN. SLOTTED DRAIN   |                        |
| 604-60.18A | 1.00 | LINEAR FOOT | 18 IN. SLOTTED DRAIN   |                        |
| 604-60.24A | 1.00 | LINEAR FOOT | 24 IN. SLOTTED DRAIN   |                        |
| 604-60.30A | 1.00 | LINEAR FOOT | 30 IN. SLOTTED DRAIN   |                        |
| 604-60.36A | 1.00 | LINEAR FOOT | 36 IN. SLOTTED DRAIN   |                        |
| 604-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 604-99.02  | 1.00 | EACH        | MISC.  |                        |
| 604-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 604-99.04  | 1.00 | SQUARE FOOT | MISC.  |                        |
| 604-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 604-99.07  | 0.10 | CUBIC YARD  | MISC.  |                        |
| 604-99.13  | 1.00 | FOOT        | MISC.  |                        |
| 605-10.18A | 1.00 | LINEAR FOOT | PIPE AGGREGATE PAVEMENT CROSS DRAIN  |                        |
| 605-20.10A | 1.00 | LINEAR FOOT | STRUCTURAL UNDERDRAIN  |                        |
| 605-30.20A | 1.00 | LINEAR FOOT | FRENCH UNDERDRAIN  |                        |
| 605-30.30A | 1.00 | LINEAR FOOT | PIPE AGGREGATE PAVEMENT EDGE DRAIN   |                        |
| 605-40.10  | 1.00 | LINEAR FOOT | GEOCOMPOSITE PAVEMENT EDGE DRAIN   |                        |
| 605-40.20  | 1.00 | EACH        | OUTLET PIPES AND SPLASH PADS   |                        |
| 605-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 605-99.02  | 1.00 | EACH        | MISC.  |                        |
| 605-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 605-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 605-99.09  | 0.10 | STATION     | MISC.  |                        |
| 606-01.10  | 1.00 | EACH        | BULLNOSE GUARDRAIL SYSTEM  |                        |
| 606-10.10  | 1.00 | LINEAR FOOT | GUARDRAIL TYPE A   |                        |
| 606-10.11A | 1.00 | LINEAR FOOT | GUARDRAIL TYPE A, 7 FT. POST, 3 FT. - 1.5 IN SPACING                                   |                        |
| 606-10.14  | 1.00 | LINEAR FOOT | GUARDRAIL TYPE A WITH RUBRAIL  |                        |
| 606-10.20  | 1.00 | LINEAR FOOT | GUARDRAIL TYPE B   |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|------------|------|-------------|--|------------------------|
| 606-10.40  | 1.00 | LINEAR FOOT | GUARDRAIL TYPE D   |                        |
| 606-10.50  | 1.00 | LINEAR FOOT | GUARDRAIL TYPE E, 6 FT. POST, 3 FT.-1.5 IN. SPACING  |                        |
| 606-10.51  | 1.00 | LINEAR FOOT | GUARDRAIL TYPE E, 7 FT. POST   |                        |
| 606-10.54  | 1.00 | LINEAR FOOT | GUARDRAIL TYPE E, 6 FT POST, 6 FT.-3 IN. SPACING   |                        |
| 606-20.00  | 1.00 | EACH        | BRIDGE ANCHOR SECTION (BRUSH CURB)   |                        |
| 606-21.00  | 1.00 | EACH        | BRIDGE ANCHOR SECTION (CURB TYPE)  |                        |
| 606-22.00  | 1.00 | EACH        | BRIDGE ANCHOR SECTION, 6 FT. OR 1830 MM POSTS (SAFETY BARRIER CURB) (ROADWAY AND REHABILITATION WORK ONLY) |                        |
| 606-22.02  | 1.00 | EACH        | BRIDGE ANCHOR SECTION, 7 FT. OR 2135 MM POSTS (SAFETY BARRIER CURB) (ROADWAY AND REHABILITATION WORK ONLY) |                        |
| 606-22.04  | 1.00 | EACH        | BRIDGE ANCHOR SECTION, 6 FT. OR 1830 MM POSTS (SAFETY BARRIER CURB) (NEW CONSTRUCTION ONLY)                |                        |
| 606-23.00  | 1.00 | EACH        | TRANSITION SECTION, 6 FT. OR 1830 MM POSTS   |                        |
| 606-23.01  | 1.00 | EACH        | TRANSITION SECTION, 7 FT. OR 2135 MM POSTS   |                        |
| 606-24.00  | 1.00 | EACH        | BRIDGE ANCHOR SECTION (THRIE BEAM)   |                        |
| 606-24.01  | 1.00 | EACH        | BRIDGE ANCHOR SECTION, 7 FT. OR 2135 MM POSTS  |                        |
| 606-24.05  | 1.00 | EACH        | BRIDGE ANCHOR SECTION, 1830 MM POSTS   |                        |
| 606-25.00  | 1.00 | EACH        | THRIE BEAM ANCHOR SECTION (MODIFIED TYPE-C CONCRETE BARRIER)   |                        |
| 606-30.00  | 1.00 | EACH        | TERMINAL SECTION - GUARDRAIL   |                        |
| 606-30.10  | 1.00 | EACH        | BREAKAWAY CABLE TERMINAL   |                        |
| 606-30.15  | 1.00 | EACH        | TYPE A CRASHWORTHY END TERMINAL  |                        |
| 606-30.16  | 1.00 | EACH        | TYPE B CRASHWORTHY END TERMINAL  |                        |
| 606-30.17  | 1.00 | EACH        | TYPE C CRASHWORTHY END TERMINAL  |                        |
| 606-40.00  | 1.00 | LINEAR FOOT | ONE-STRAND CABLE - ACCESS RESTRAINT  |                        |
| 606-41.00  | 1.00 | LINEAR FOOT | MEDIAN GUARD CABLE 3 - STRAND  |                        |
| 606-41.06  | 1.00 | LINEAR FOOT | ROADSIDE GUARD CABLE 3 - STRAND (16 FT. POST SPACING)  |                        |
| 606-41.08  | 1.00 | LINEAR FOOT | ROADSIDE GUARD CABLE 3 - STRAND (4 FT. POST SPACING)   |                        |
| 606-41.10  | 1.00 | EACH        | ANCHOR ASSEMBLY, GUARD CABLE 3-STRAND  |                        |
| 606-41.11  | 1.00 | EACH        | ANCHOR ASSEMBLY, GUARD CABLE 3 - STRAND TO GUARDRAIL TRANSITION  |                        |
| 606-45.00  | 1.00 | CUBIC YARD  | AGGREGATE BEDDING FOR 3 - STRAND GUARD CABLE   |                        |
| 606-61.00  | 1.00 | LINEAR FOOT | GUARDRAIL TYPE A (SALVAGED BEAM)   |                        |
| 606-62.00  | 1.00 | EACH        | GUARDRAIL BEAM   |                        |
| 606-63.00  | 1.00 | EACH        | GUARDRAIL POST   |                        |
| 606-64.00  | 1.00 | LINEAR FOOT | GUARDRAIL, RELOCATED AND MODIFIED  |                        |
| 606-66.10  | 1.00 | EACH        | END ANCHOR   |                        |
| 606-66.20  | 1.00 | EACH        | GUARDRAIL ANCHOR, EMBEDDED   |                        |
| 606-66.30  | 1.00 | EACH        | GUARDRAIL ANCHOR, ROCK FACE  |                        |
| 606-66.40  | 1.00 | EACH        | GUARDRAIL DELINEATOR, WHITE  |                        |
| 606-66.41  | 1.00 | EACH        | GUARDRAIL DELINEATOR, AMBER  |                        |
| 606-66.42  | 1.00 | EACH        | GUARDRAIL DELINEATOR, WHITE/RED  |                        |
| 606-66.45  | 1.00 | EACH        | GUARD CABLE DELINEATOR, WHITE  |                        |
| 606-66.46  | 1.00 | EACH        | GUARD CABLE DELINEATOR, AMBER  |                        |
| 606-66.47  | 1.00 | EACH        | GUARDRAIL DELINEATOR, AMBER/RED  |                        |
| 606-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 606-99.02  | 1.00 | EACH        | MISC.  |                        |
| 606-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 606-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 607-10.11A | 1.00 | LINEAR FOOT | CHAIN-LINK FENCE (48 IN.)  |                        |
| 607-10.12A | 1.00 | LINEAR FOOT | CHAIN-LINK FENCE (60 IN.)  |                        |
| 607-10.13A | 1.00 | LINEAR FOOT | CHAIN-LINK FENCE (72 IN.)  |                        |
| 607-10.30  | 1.00 | EACH        | WALK GATE (CHAIN-LINK)   |                        |
| 607-10.40  | 1.00 | EACH        | DRIVE GATE (CHAIN-LINK)  |                        |
| 607-10.43A | 1.00 | LINEAR FOOT | 3-STRAND BARBED WIRE EXTENSION FOR CHAIN-LINK FENCE  |                        |
| 607-10.50  | 1.00 | LINEAR FOOT | CHAIN-LINK FENCE (RETAINING WALLS)   |                        |
| 607-10.54  | 1.00 | LINEAR FOOT | (42 IN.) PROPERTY FENCE (STRUCTURES)   |                        |
| 607-10.55  | 1.00 | LINEAR FOOT | (60 IN.) PROPERTY FENCE (STRUCTURES)   |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION                                   | LAST UPDATED 10/1/2008 |
|------------|------|-------------|--|------------------------|
| 607-10.56  | 1.00 | LINEAR FOOT | (72 IN.) PROPERTY FENCE (STRUCTURES)               |                        |
| 607-10.57  | 1.00 | LINEAR FOOT | (84 IN.) PROPERTY FENCE (STRUCTURES)               |                        |
| 607-10.58  | 1.00 | LINEAR FOOT | (96 IN.) PROPERTY FENCE (STRUCTURES)               |                        |
| 607-10.60  | 1.00 | LINEAR FOOT | PEDESTRIAN FENCE (STRUCTURES)                      |                        |
| 607-10.65  | 1.00 | LINEAR FOOT | (60 IN.) PEDESTRIAN FENCE (STRUCTURES)             |                        |
| 607-10.66  | 1.00 | LINEAR FOOT | (72 IN.) PEDESTRIAN FENCE (STRUCTURES)             |                        |
| 607-10.67  | 1.00 | LINEAR FOOT | (112 IN.) CURVED TOP PEDESTRIAN FENCE (STRUCTURES) |                        |
| 607-20.10  | 1.00 | LINEAR FOOT | WOVEN WIRE FENCE                                   |                        |
| 607-20.20  | 1.00 | EACH        | WALK GATE (WOVEN WIRE)                             |                        |
| 607-20.30  | 1.00 | EACH        | DRIVE GATE (WOVEN WIRE)                            |                        |
| 607-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 607-99.02  | 1.00 | EACH        | MISC.  |                        |
| 607-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 608-10.00  | 0.10 | SQUARE YARD | CONCRETE MEDIAN                                    |                        |
| 608-10.10  | 0.10 | SQUARE YARD | CONCRETE CURB RAMP                                 |                        |
| 608-30.03  | 0.10 | SQUARE YARD | 3 IN. CONCRETE MEDIAN STRIP                        |                        |
| 608-30.04  | 0.10 | SQUARE YARD | 4 IN. CONCRETE MEDIAN STRIP                        |                        |
| 608-30.06  | 0.10 | SQUARE YARD | 6 IN. CONCRETE MEDIAN STRIP                        |                        |
| 608-30.08  | 0.10 | SQUARE YARD | 8 IN. CONCRETE MEDIAN STRIP                        |                        |
| 608-50.07  | 0.10 | SQUARE YARD | PAVED APPROACH, 7 IN.                              |                        |
| 608-50.08  | 0.10 | SQUARE YARD | PAVED APPROACH, 8 IN.                              |                        |
| 608-60.04  | 0.10 | SQUARE YARD | CONCRETE SIDEWALK, 4 IN.                           |                        |
| 608-60.07  | 0.10 | SQUARE YARD | CONCRETE SIDEWALK, 7 IN.                           |                        |
| 608-60.08  | 0.10 | SQUARE YARD | CONCRETE SIDEWALK, 8 IN.                           |                        |
| 608-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 608-99.02  | 1.00 | EACH        | MISC.  |                        |
| 608-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 608-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 609-10.10  | 1.00 | LINEAR FOOT | CONCRETE CURB (6 IN. HEIGHT AND UNDER) TYPE S      |                        |
| 609-10.11  | 1.00 | LINEAR FOOT | CONCRETE CURB (OVER 6 IN. HEIGHT) TYPE S           |                        |
| 609-10.41  | 1.00 | LINEAR FOOT | CONCRETE GUTTER TYPE A                             |                        |
| 609-10.42  | 1.00 | LINEAR FOOT | CONCRETE GUTTER TYPE B                             |                        |
| 609-10.51  | 1.00 | LINEAR FOOT | CURB AND GUTTER TYPE A                             |                        |
| 609-10.52  | 1.00 | LINEAR FOOT | CURB AND GUTTER TYPE B                             |                        |
| 609-10.55  | 1.00 | LINEAR FOOT | CONCRETE CURB AND GUTTER (4 INCH)                  |                        |
| 609-10.60  | 0.10 | SQUARE YARD | PAVED DITCH  |                        |
| 609-20.11  | 1.00 | LINEAR FOOT | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE A      |                        |
| 609-20.12  | 1.00 | LINEAR FOOT | INTEGRAL CURB (6 IN. HEIGHT AND UNDER) TYPE B      |                        |
| 609-20.13  | 1.00 | LINEAR FOOT | INTEGRAL CURB TYPE M                               |                        |
| 609-20.14  | 1.00 | LINEAR FOOT | INTEGRAL CURB TYPE N                               |                        |
| 609-20.15  | 1.00 | LINEAR FOOT | INTEGRAL CURB TYPE O                               |                        |
| 609-20.21  | 1.00 | LINEAR FOOT | INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE A           |                        |
| 609-20.22  | 1.00 | LINEAR FOOT | INTEGRAL CURB (OVER 6 IN. HEIGHT) TYPE B           |                        |
| 609-20.31  | 1.00 | LINEAR FOOT | CONCRETE CURB LOW PROFILE TYPE E                   |                        |
| 609-20.32  | 1.00 | LINEAR FOOT | CONCRETE CURB LOW PROFILE TYPE F                   |                        |
| 609-30.10  | 1.00 | LINEAR FOOT | ASPHALT CURB                                       |                        |
| 609-30.15  | 1.00 | LINEAR FOOT | ASPHALT CURB (4 INCH)                              |                        |
| 609-40.10  | 1.00 | EACH        | DRAIN BASIN  |                        |
| 609-60.00  | 1.00 | SQUARE YARD | DITCH LINER  |                        |
| 609-60.10A | 1.00 | CUBIC YARD  | FURNISHING TYPE 1 ROCK DITCH LINER                 |                        |
| 609-60.20  | 1.00 | CUBIC YARD  | FURNISHING TYPE 2 ROCK DITCH LINER                 |                        |
| 609-60.30A | 1.00 | CUBIC YARD  | FURNISHING TYPE 3 ROCK DITCH LINER                 |                        |
| 609-60.40A | 1.00 | CUBIC YARD  | FURNISHING TYPE 4 ROCK DITCH LINER                 |                        |
| 609-60.41  | 1.00 | CUBIC YARD  | PLACING TYPE 1 ROCK DITCH LINER                    |                        |
| 609-60.42  | 1.00 | CUBIC YARD  | PLACING TYPE 2 ROCK DITCH LINER                    |                        |
| 609-60.43  | 1.00 | CUBIC YARD  | PLACING TYPE 3 ROCK DITCH LINER                    |                        |
| 609-60.44  | 1.00 | CUBIC YARD  | PLACING TYPE 4 ROCK DITCH LINER                    |                        |
| 609-60.50  | 1.00 | CUBIC YARD  | BEDDING MATERIAL FOR ROCK DITCH LINER              |                        |
| 609-70.00  | 1.00 | CUBIC YARD  | ROCK LINING  |                        |
| 609-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 609-99.02  | 1.00 | EACH        | MISC.  |                        |
| 609-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 609-99.07  | 1.00 | CUBIC YARD  | MISC.  |                        |
| 610-10.10  | 0.10 | CUBIC YARD  | RUBBLE MASONRY-IN MORTAR                           |                        |
| 610-10.20  | 0.10 | CUBIC YARD  | RUBBLE MASONRY-DRY                                 |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|------------|------|-------------|--|------------------------|
| 610-20.10  | 1.00 | CUBIC FOOT  | BRICK MASONRY  |                        |
| 610-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 610-99.04  | 1.00 | SQUARE FOOT | MISC.  |                        |
| 610-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 611-30.10  | 1.00 | CUBIC YARD  | FURNISHING TYPE 1 ROCK BLANKET   |                        |
| 611-30.20  | 1.00 | CUBIC YARD  | FURNISHING TYPE 2 ROCK BLANKET   |                        |
| 611-30.30  | 1.00 | CUBIC YARD  | PLACING TYPE 1 ROCK BLANKET  |                        |
| 611-30.40  | 1.00 | CUBIC YARD  | PLACING TYPE 2 ROCK BLANKET  |                        |
| 611-50.10A | 1.00 | SQUARE YARD | LIGHT STONE REVETMENT  |                        |
| 611-50.30A | 1.00 | SQUARE YARD | HEAVY STONE REVETMENT  |                        |
| 611-60.10A | 1.00 | SQUARE YARD | SLOPE PROTECTION   |                        |
| 611-70.00A | 1.00 | CUBIC YARD  | GABIONS  |                        |
| 611-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 611-99.07  | 1.00 | CUBIC YARD  | MISC.  |                        |
| 611-99.09  | 0.10 | STATION     | MISC.  |                        |
| 611-99.10  | 0.10 | TONS        | MISC.  |                        |
| 612-20.08  | 1.00 | EACH        | IMPACT ATTENUATOR (8 SAND BARRELS)   |                        |
| 612-20.09  | 1.00 | EACH        | IMPACT ATTENUATOR (9 SAND BARRELS)   |                        |
| 612-20.10  | 1.00 | EACH        | IMPACT ATTENUATOR (10 SAND BARRELS)  |                        |
| 612-20.12  | 1.00 | EACH        | IMPACT ATTENUATOR (12 SAND BARRELS)  |                        |
| 612-20.14  | 1.00 | EACH        | IMPACT ATTENUATOR (14 SAND BARRELS)  |                        |
| 612-20.17  | 1.00 | EACH        | IMPACT ATTENUATOR (17 SAND BARRELS)  |                        |
| 612-20.19  | 1.00 | EACH        | IMPACT ATTENUATOR (19 SAND BARRELS)  |                        |
| 612-20.20  | 1.00 | EACH        | REPLACEMENT SAND BARREL  |                        |
| 612-20.30  | 1.00 | EACH        | IMPACT ATTENUATOR (RELOCATION)   |                        |
| 612-30.00  | 1.00 | EACH        | TRUCK MOUNTED ATTENUATOR (TMA)   |                        |
| 612-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 612-99.02  | 1.00 | EACH        | MISC.  |                        |
| 612-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 612-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 613-10.10  | 0.10 | SQUARE YARD | FURNISHING AND PLACING CONCRETE MATERIAL FOR FULL DEPTH PAVEMENT REPAIR                        |                        |
| 613-10.12  | 1.00 | SQUARE YARD | SUBGRADE COMPACTION (6 IN. DEPTH) (PAVEMENT REPAIR)  |                        |
| 613-10.13  | 1.00 | SQUARE YARD | TYPE 1 OR 5 AGGREGATE FOR BASE (4 IN. THICK) (PAVEMENT REPAIR)                                 |                        |
| 613-10.14  | 1.00 | LINEAR FOOT | FULL DEPTH PAVEMENT REPAIR SAW CUT (FOR PERIMETER AND INTERNAL SAW CUTS)                       |                        |
| 613-10.15  | 1.00 | EACH        | DOWEL BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR               |                        |
| 613-10.17  | 1.00 | EACH        | DOWEL BAR (FURNISHING AND INSTALLATING WITH BASKETS) FOR FULL DEPTH PAVEMENT REPAIR            |                        |
| 613-10.18  | 1.00 | EACH        | TIE BAR (DRILLING, FURNISHING AND INSTALLATION) FOR FULL DEPTH PAVEMENT REPAIR (TYPE L JOINTS) |                        |
| 613-20.14  | 1.00 | LINEAR FOOT | CLASS A PARTIAL DEPTH PAVEMENT REPAIR SAW CUTS (FOR RESEALING JOINTS AND CRACKS)               |                        |
| 613-20.18  | 0.10 | CUBIC YARD  | FURNISHING AND PLACING CONCRETE MATERIAL FOR CLASS A PARTIAL DEPTH PAVEMENT REPAIR             |                        |
| 613-20.19  | 0.10 | SQUARE YARD | REMOVAL FOR CLASS A PARTIAL DEPTH PAVEMENT REPAIR  |                        |
| 613-30.18  | 0.10 | TONS        | FURNISHING AND PLACING BITUMINOUS MATERIAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR           |                        |
| 613-30.19  | 0.10 | SQUARE YARD | REMOVAL FOR CLASS B PARTIAL DEPTH PAVEMENT REPAIR  |                        |
| 613-40.01  | 1.00 | EACH        | DOWEL BAR RETROFIT   |                        |
| 613-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 613-99.02  | 1.00 | EACH        | MISC.  |                        |
| 613-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 613-99.04  | 1.00 | SQUARE FOOT | MISC.  |                        |
| 613-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 613-99.07  | 0.10 | CUBIC YARD  | MISC.  |                        |
| 613-99.10  | 0.10 | TONS        | MISC.  |                        |
| 614-10.21  | 1.00 | EACH        | GRATE AND BEARING PLATE (3 FT. X 2 FT. OR 914 MM X 610 MM)                                     |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 614-10.22 | 1.00 | EACH        | GRATE AND BEARING PLATE (3 FT. X 3 FT. OR 914 MM X 914 MM)                  |                        |
| 614-10.23 | 1.00 | EACH        | GRATE AND BEARING PLATE (5 FT. X 2 FT. OR 1524 MM X 610 MM)                 |                        |
| 614-10.24 | 1.00 | EACH        | GRATE AND BEARING PLATE (5 FT. X 3 FT. OR 1524 MM X 914 MM)                 |                        |
| 614-10.25 | 1.00 | EACH        | GRATE AND BEARING PLATE (3 FT. - 1 IN. X 2 FT. - 1 IN. OR 940 MM X 635 MM)  |                        |
| 614-10.26 | 1.00 | EACH        | GRATE AND BEARING PLATE (3 FT. - 1 IN. X 3 FT. - 1 IN. OR 940 MM X 940 MM)  |                        |
| 614-10.27 | 1.00 | EACH        | GRATE AND BEARING PLATE (5 FT. - 1 IN. X 2 FT. - 1 IN. OR 1549 MM X 635 MM) |                        |
| 614-10.28 | 1.00 | EACH        | GRATE AND BEARING PLATE (5 FT. - 1 IN. X 3 FT. - 1 IN. OR 1549 MM X 940 MM) |                        |
| 614-11.20 | 1.00 | EACH        | CURVED VANE GRATE AND FRAME (2 FT. X 2 FT. OR 600MM X 600MM)                |                        |
| 614-11.21 | 1.00 | EACH        | CURVED VANE GRATE AND FRAME (4 FT X 2 FT OR 1200MM X 600MM)                 |                        |
| 614-20.10 | 1.00 | EACH        | 12 IN. OR 300MM AUTO FLOODGATE (TYPE 1)                                     |                        |
| 614-20.11 | 1.00 | EACH        | 15 IN. OR 375 MM AUTO FLOODGATE (TYPE 1)                                    |                        |
| 614-20.12 | 1.00 | EACH        | 18 IN. OR 450 MM AUTO FLOODGATE (TYPE 1)                                    |                        |
| 614-20.13 | 1.00 | EACH        | 21 IN. OR 525MM AUTO FLOODGATE (TYPE 1)                                     |                        |
| 614-20.14 | 1.00 | EACH        | 24 IN. OR 600MM AUTO FLOODGATE (TYPE 1)                                     |                        |
| 614-20.15 | 1.00 | EACH        | 27 IN. OR 675 MM AUTO FLOODGATE (TYPE 1)                                    |                        |
| 614-20.16 | 1.00 | EACH        | 30 IN. OR 750 MM AUTO FLOODGATE (TYPE 1)                                    |                        |
| 614-20.17 | 1.00 | EACH        | 36 IN. OR 900 MM AUTO FLOODGATE (TYPE 1)                                    |                        |
| 614-20.18 | 1.00 | EACH        | 42 IN. OR 1050 MM AUTO FLOODGATE (TYPE 1)                                   |                        |
| 614-20.19 | 1.00 | EACH        | 48 IN. OR 1200 MM AUTO FLOODGATE (TYPE 1)                                   |                        |
| 614-20.20 | 1.00 | EACH        | 12 IN. OR 300 MM AUTO FLOODGATE (TYPE 2)                                    |                        |
| 614-20.21 | 1.00 | EACH        | 15 IN. OR 375 MM AUTO FLOODGATE (TYPE 2)                                    |                        |
| 614-20.22 | 1.00 | EACH        | 18 IN. OR 450 MM AUTO FLOODGATE (TYPE 2)                                    |                        |
| 614-20.23 | 1.00 | EACH        | 21 IN. OR 525 MM AUTO FLOODGATE (TYPE 2)                                    |                        |
| 614-20.24 | 1.00 | EACH        | 24 IN. OR 600 MM AUTO FLOODGATE (TYPE 2)                                    |                        |
| 614-20.25 | 1.00 | EACH        | 27 IN. OR 675 MM AUTO FLOODGATE (TYPE 2)                                    |                        |
| 614-20.26 | 1.00 | EACH        | 30 IN. OR 750 MM AUTO FLOODGATE (TYPE 2)                                    |                        |
| 614-20.27 | 1.00 | EACH        | 36 IN. OR 900 MM AUTO FLOODGATE (TYPE 2)                                    |                        |
| 614-20.28 | 1.00 | EACH        | 42 IN. OR 1050 MM AUTO FLOODGATE (TYPE 2)                                   |                        |
| 614-20.29 | 1.00 | EACH        | 48 IN. OR 1200 MM AUTO FLOODGATE (TYPE 2)                                   |                        |
| 614-30.10 | 1.00 | EACH        | MANHOLE FRAME AND COVER, TYPE 1-A   |                        |
| 614-30.11 | 1.00 | EACH        | MANHOLE FRAME AND COVER, TYPE 1-B   |                        |
| 614-30.12 | 1.00 | EACH        | MANHOLE FRAME AND COVER, TYPE 2   |                        |
| 614-30.13 | 1.00 | EACH        | MANHOLE FRAME AND COVER, TYPE 3   |                        |
| 614-30.14 | 1.00 | EACH        | MANHOLE FRAME AND COVER, TYPE 4   |                        |
| 614-30.20 | 1.00 | EACH        | CURB INLET  |                        |
| 614-99.02 | 1.00 | EACH        | MISC.   |                        |
| 614-99.11 | 0.10 | POUND       | MISC.   |                        |
| 615-10.00 | 1.00 | MONTH       | OFFICE FOR ENGINEER   |                        |
| 615-10.05 | 1.00 | LUMP SUM    | WATER TRANSPORTATION FOR ENGINEER   |                        |
| 615-99.01 | 1.00 | LUMP SUM    | MISC.   |                        |
| 615-99.14 | 1.00 | MONTH       | MISC.   |                        |
| 616-10.05 | 1.00 | SQUARE FOOT | CONSTRUCTION SIGNS  |                        |
| 616-10.07 | 1.00 | EACH        | SPEED LIMIT AND STROBE LIGHT ASSEMBLY                                       |                        |
| 616-10.10 | 1.00 | SQUARE FOOT | RELOCATED SIGNS   |                        |
| 616-10.20 | 1.00 | EACH        | CHANNELIZER (DRUM-LIKE)   |                        |
| 616-10.21 | 1.00 | EACH        | CHANNELIZER (DRUM-LIKE) WITH LIGHT  |                        |
| 616-10.22 | 1.00 | EACH        | CHANNELIZER (CONES)   |                        |
| 616-10.24 | 1.00 | EACH        | CHANNELIZER (TRIM LINE) WITH LIGHT  |                        |
| 616-10.25 | 1.00 | EACH        | CHANNELIZER (TRIM LINE)   |                        |
| 616-10.26 | 1.00 | EACH        | CHANNELIZER (VERTICAL PANEL)  |                        |
| 616-10.27 | 1.00 | EACH        | CHANNELIZER (VERTICAL PANEL) WITH LIGHT                                     |                        |
| 616-10.28 | 1.00 | EACH        | CHANNELIZER   |                        |
| 616-10.30 | 1.00 | EACH        | TYPE III MOVEABLE BARRICADE   |                        |
| 616-10.31 | 1.00 | EACH        | TYPE III MOVEABLE BARRICADE WITH LIGHT                                      |                        |
| 616-10.33 | 1.00 | EACH        | DIRECTIONAL INDICATOR BARRICADE   |                        |
| 616-10.34 | 1.00 | EACH        | DIRECTIONAL INDICATOR BARRICADE WITH LIGHT                                  |                        |
| 616-10.40 | 1.00 | EACH        | FLASHING ARROW PANEL  |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|------------|------|-------------|--|------------------------|
| 616-10.47  | 1.00 | EACH        | TYPE III OBJECT MARKER   |                        |
| 616-10.51  | 1.00 | EACH        | WARNING LIGHT, TYPE A  |                        |
| 616-10.52  | 1.00 | EACH        | WARNING LIGHT, TYPE B  |                        |
| 616-10.53  | 1.00 | EACH        | WARNING LIGHT, TYPE C  |                        |
| 616-10.70  | 1.00 | EACH        | TUBULAR MARKER   |                        |
| 616-10.95  | 1.00 | EACH        | RADAR SPEED ADVISORY SYSTEM  |                        |
| 616-10.96  | 1.00 | EACH        | CHANGEABLE MESSAGE SIGN, COMMISSION<br>FURNISHED / RETAINED  |                        |
| 616-10.98  | 1.00 | EACH        | CHANGEABLE MESSAGE SIGN, CONTRACTOR<br>FURNISHED, CONTRACTOR RETAINED  |                        |
| 616-11.20  | 1.00 | EACH        | INSTALLING 'DRIVE SMART' SIGN  |                        |
| 616-11.33  | 1.00 | EACH        | INSTALLING 'POINT OF PRESENCE' SIGN  |                        |
| 616-20.00  | 1.00 | EACH        | WORK ZONE TRAFFIC SIGNALS  |                        |
| 616-20.10  | 1.00 | LUMP SUM    | WORK ZONE LIGHTING   |                        |
| 616-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 616-99.02  | 1.00 | EACH        | MISC.  |                        |
| 616-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 616-99.04  | 0.10 | SQUARE FOOT | MISC.  |                        |
| 616-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 616-99.15  | 1.00 | HOURL       | MISC.  |                        |
| 617-10.00  | 1.00 | LINEAR FOOT | CONCRETE TRAFFIC BARRIER, TYPE A   |                        |
| 617-20.00  | 1.00 | LINEAR FOOT | CONCRETE TRAFFIC BARRIER, TYPE B   |                        |
| 617-20.01  | 1.00 | LINEAR FOOT | CONCRETE TRAFFIC BARRIER, TYPE B (MODIFIED)  |                        |
| 617-30.00  | 1.00 | LINEAR FOOT | CONCRETE TRAFFIC BARRIER, TYPE C   |                        |
| 617-31.00  | 1.00 | LINEAR FOOT | CONCRETE TRAFFIC BARRIER, TYPE D   |                        |
| 617-31.01  | 1.00 | LINEAR FOOT | CONCRETE TRAFFIC BARRIER, TYPE D (MODIFIED)  |                        |
| 617-36.00C | 1.00 | LINEAR FOOT | TEMPORARY CONCRETE TRAFFIC BARRIER, TYPE F,<br>CONTRACTOR FURNISHED / RETAINED                               |                        |
| 617-36.02A | 1.00 | LINEAR FOOT | TEMPORARY CONCRETE TRAFFIC BARRIER, TYPE F,<br>CONTRACTOR FURNISHED / COMMISSION RETAINED                    |                        |
| 617-37.00  | 1.00 | LINEAR FOOT | TEMPORARY CONCRETE TRAFFIC BARRIER WITH<br>ANCHORING SYSTEM, TYPE F, CONTRACTOR<br>FURNISHED / RETAINED      |                        |
| 617-37.02  | 1.00 | LINEAR FOOT | TEMPORARY CONCRETE TRAFFIC BARRIER WITH<br>ANCHORING SYSTEM, TYPE F, CONT. FURN. /<br>COMM. RETAINED         |                        |
| 617-37.04  | 1.00 | LINEAR FOOT | TEMPORARY CONCRETE TRAFFIC BARRIER WITH<br>ANCHORING SYSTEM, TYPE F, COMMISSION<br>FURNISHED / RETAINED      |                        |
| 617-38.00  | 1.00 | LINEAR FOOT | TEMPORARY CONCRETE TRAFFIC BARRIER WITH<br>TIE-DOWN STRAP SYSTEM, TYPE F, CONTRACTOR<br>FURNISHED / RETAINED |                        |
| 617-38.02  | 1.00 | LINEAR FOOT | TEMPORARY CONCRETE TRAFFIC BARRIER WITH<br>TIE-DOWN STRAP SYSTEM, TYPE F, CONT. FURN. /<br>COMM. RETAINED    |                        |
| 617-38.04  | 1.00 | LINEAR FOOT | TEMPORARY CONCRETE TRAFFIC BARRIER WITH<br>TIE-DOWN STRAP SYSTEM, TYPE F, COMMISSION<br>FURNISHED / RETAINED |                        |
| 617-40.00  | 1.00 | EACH        | TEMPORARY CONCRETE BARRIER HEIGHT TRANSITION   |                        |
| 617-50.10  | 1.00 | LINEAR FOOT | RELOCATING TEMPORARY CONCRETE TRAFFIC BARRIER  |                        |
| 617-50.11  | 1.00 | LINEAR FOOT | RELOCATING TEMPORARY CONCRETE TRAFFIC<br>BARRIER WITH ANCHORING SYSTEM                                       |                        |
| 617-50.12  | 1.00 | LINEAR FOOT | RELOCATING TEMPORARY CONCRETE TRAFFIC<br>BARRIER WITH TIE-DOWN STRAP SYSTEM                                  |                        |
| 617-50.20  | 1.00 | EACH        | RELOCATING TEMPORARY CONCRETE TRAFFIC<br>BARRIER HEIGHT TRANSITION   |                        |
| 617-60.00A | 1.00 | LINEAR FOOT | TEMPORARY CONCRETE TRAFFIC BARRIER, TYPE F<br>COMMISSION FURNISHED / RETAINED                                |                        |
| 617-70.00A | 1.00 | EACH        | TEMPORARY CONCRETE BARRIER HEIGHT TRANSITION,<br>COMMISSION FURNISHED / RETAINED                             |                        |
| 617-80.01  | 1.00 | EACH        | TRAFFIC BARRIER DELINEATOR, WHITE  |                        |
| 617-80.02  | 1.00 | EACH        | TRAFFIC BARRIER DELINEATOR, AMBER  |                        |
| 617-80.03  | 1.00 | EACH        | TRAFFIC BARRIER DELINEATOR, AMBER/AMBER  |                        |
| 617-80.04  | 1.00 | EACH        | TRAFFIC BARRIER DELINEATOR, WHITE/WHITE  |                        |
| 617-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 617-99.02  | 1.00 | EACH        | MISC.  |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|------------|------|-------------|---|------------------------|
| 617-99.03  | 1.00 | LINEAR FOOT | MISC.   |                        |
| 617-99.05  | 0.10 | SQUARE YARD | MISC.   |                        |
| 618-10.00  | 1.00 | LUMP SUM    | MOBILIZATION  |                        |
| 618-99.01  | 1.00 | LUMP SUM    | MISC.   |                        |
| 618-99.02  | 1.00 | EACH        | MISC.   |                        |
| 618-99.16  | 1.00 | DOLLARS     | MISC.   |                        |
| 619-10.00  | 1.00 | LINEAR FOOT | PAVEMENT EDGE TREATMENT   |                        |
| 619-99.01  | 1.00 | LUMP SUM    | MISC.   |                        |
| 620-02.24  | 1.00 | LINEAR FOOT | TYPE 1 PREFORMED MARKING TAPE, 24 IN., YELLOW   |                        |
| 620-03.06  | 1.00 | LINEAR FOOT | TYPE 1 PREFORMED MARKING TAPE, 6 IN., WHITE   |                        |
| 620-03.07  | 1.00 | LINEAR FOOT | TYPE 1 PREFORMED MARKING TAPE, 6 IN., YELLOW  |                        |
| 620-03.08  | 1.00 | LINEAR FOOT | TYPE 1 PREFORMED MARKING TAPE, 8 IN., WHITE   |                        |
| 620-03.09  | 1.00 | LINEAR FOOT | TYPE 1 PREFORMED MARKING TAPE, 12 IN., WHITE  |                        |
| 620-04.24  | 1.00 | LINEAR FOOT | TYPE 1 PREFORMED MARKING TAPE, 24 IN., WHITE  |                        |
| 620-05.00A | 1.00 | EACH        | TYPE 1 PREFORMED LEFT/RIGHT ARROW   |                        |
| 620-15.00  | 1.00 | EACH        | TYPE 1 PREFORMED STRAIGHT ARROW   |                        |
| 620-16.00A | 1.00 | EACH        | TYPE 1 PREFORMED COMBINATION STRAIGHT-LEFT/RIGHT ARROW                                    |                        |
| 620-25.00  | 1.00 | EACH        | TYPE 1 PREFORMED WORD (ONLY)  |                        |
| 620-30.00  | 1.00 | EACH        | TYPE 1 PREFORMED RAILROAD CROSSING MARKER   |                        |
| 620-50.01B | 1.00 | LINEAR FOOT | TYPE 1 PREFORMED MARKING TAPE, 4 IN. WHITE  |                        |
| 620-50.03B | 1.00 | LINEAR FOOT | TYPE 1 PREFORMED MARKING TAPE, 4 IN. YELLOW   |                        |
| 620-50.05  | 1.00 | EACH        | TYPE 1 PREFORMED WHITE MIDBLOCK, 30 IN. OR 750MM WIDE FOR 10 FT. OR 3.0 M LANE            |                        |
| 620-50.06  | 1.00 | EACH        | TYPE 1 PREFORMED WHITE MIDBLOCK, 33 IN. OR 825MM WIDE FOR 11 FT. OR 3.3M LANE             |                        |
| 620-50.07  | 1.00 | EACH        | TYPE 1 PREFORMED WHITE MIDBLOCK, 36 IN. OR 900MM WIDE FOR 12 FT. OR 3.6 M LANE            |                        |
| 620-50.08  | 1.00 | EACH        | TYPE 1 PREFORMED OFF RAMP WRONG WAY ARROW   |                        |
| 620-51.01A | 1.00 | LINEAR FOOT | TYPE 2 PREFORMED MARKING TAPE (GROOVED), 4 IN., WHITE                                     |                        |
| 620-51.03A | 1.00 | LINEAR FOOT | TYPE 2 PREFORMED MARKING TAPE (GROOVED), 4 IN., YELLOW                                    |                        |
| 620-51.05  | 1.00 | LINEAR FOOT | TYPE 2 PREFORMED MARKING TAPE (GROOVED), 6 IN., WHITE                                     |                        |
| 620-51.18  | 1.00 | LINEAR FOOT | TYPE 2 PREFORMED MARKING TAPE (GROOVED), 12 IN., WHITE                                    |                        |
| 620-51.20  | 1.00 | LINEAR FOOT | TYPE 2 PREFORMED MARKING TAPE (GROOVED), 24 IN., WHITE                                    |                        |
| 620-51.21  | 1.00 | LINEAR FOOT | TYPE 2 PREFORMED MARKING TAPE (GROOVED), 24 IN., YELLOW                                   |                        |
| 620-51.30  | 1.00 | EACH        | TYPE 2 PREFORMED MARKING TAPE (GROOVED), LEFT/RIGHT ARROW                                 |                        |
| 620-51.31  | 1.00 | EACH        | TYPE 2 PREFORMED MARKING TAPE (GROOVED), STRAIGHT ARROW                                   |                        |
| 620-51.32  | 1.00 | EACH        | TYPE 2 PREFORMED MARKING TAPE (GROOVED), COMBINATION STRAIGHT-LEFT/RIGHT ARROW            |                        |
| 620-51.33  | 1.00 | EACH        | TYPE 2 PREFORMED MARKING TAPE (GROOVED), WORD (ONLY)                                      |                        |
| 620-51.34  | 1.00 | EACH        | TYPE 2 PREFORMED MARKING TAPE (GROOVED), RAILROAD CROSSING MARKER                         |                        |
| 620-51.35  | 1.00 | EACH        | TYPE 2 PREFORMED WHITE MIDBLOCK (GROOVED), 30 IN. OR 750 MM WIDE FOR 10 FT. OR 3.0 M LANE |                        |
| 620-51.36  | 1.00 | EACH        | TYPE 2 PREFORMED WHITE MIDBLOCK (GROOVED), 33 IN. OR 825 MM WIDE FOR 11 FT. OR 3.3 M LANE |                        |
| 620-51.37  | 1.00 | EACH        | TYPE 2 PREFORMED WHITE MIDBLOCK (GROOVED), 36 IN. OR 900 MM WIDE FOR 12 FT. OR 3.6 M LANE |                        |
| 620-51.38  | 1.00 | EACH        | TYPE 2 PREFORMED MARKING TAPE (GROOVED), OFF RAMP WRONG WAY ARROW                         |                        |
| 620-51.39  | 1.00 | EACH        | TYPE 2 PREFORMED MARKING TAPE (GROOVED), 12 IN. WHITE, YIELD LINE TRIANGLES               |                        |
| 620-51.40  | 1.00 | EACH        | TYPE 2 PREFORMED MARKING TAPE (GROOVED), 24 IN. WHITE, YIELD LINE TRIANGLES               |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|------------|------|-------------|---|------------------------|
| 620-53.01B | 1.00 | LINEAR FOOT | PREFORMED REMOVABLE MARKING TAPE 4 IN., WHITE   |                        |
| 620-53.03B | 1.00 | LINEAR FOOT | PREFORMED REMOVABLE MARKING TAPE 4 IN.,<br>YELLOW   |                        |
| 620-53.09  | 1.00 | LINEAR FOOT | PREFORMED REMOVABLE MARKING TAPE, 24 IN.,<br>WHITE  |                        |
| 620-53.15A | 1.00 | LINEAR FOOT | PREFORMED REMOVABLE MARKING TAPE 8 IN., WHITE   |                        |
| 620-53.16A | 1.00 | LINEAR FOOT | PREFORMED REMOVABLE MARKING TAPE 8 IN.,<br>YELLOW   |                        |
| 620-53.20  | 1.00 | LINEAR FOOT | PREFORMED REMOVABLE MARKING TAPE, 12 IN.,<br>WHITE  |                        |
| 620-53.26A | 1.00 | LINEAR FOOT | PREFORMED SHORT TERM MARKING TAPE 8 IN.,<br>WHITE   |                        |
| 620-53.27A | 1.00 | LINEAR FOOT | PREFORMED SHORT TERM MARKING TAPE 8 IN.,<br>YELLOW  |                        |
| 620-53.30  | 1.00 | LINEAR FOOT | PREFORMED SHORT TERM MARKING TAPE, 12 IN.,<br>WHITE   |                        |
| 620-54.01B | 1.00 | LINEAR FOOT | PREFORMED SHORT TERM MARKING TAPE 4 IN. WHITE   |                        |
| 620-54.03B | 1.00 | LINEAR FOOT | PREFORMED SHORT TERM MARKING TAPE 4 IN.,<br>YELLOW  |                        |
| 620-54.25  | 1.00 | LINEAR FOOT | PREFORMED SHORT TERM MARKING TAPE 24 IN.,<br>WHITE  |                        |
| 620-54.40A | 1.00 | EACH        | PREFORMED SHORT TERM MARKING TAPE LEFT/RIGHT<br>ARROW   |                        |
| 620-54.42  | 1.00 | EACH        | PREFORMED SHORT TERM MARKING TAPE STRAIGHT<br>ARROW   |                        |
| 620-54.43A | 1.00 | EACH        | PREFORMED SHORT TERM MARKING TAPE<br>COMBINATION STRAIGHT- LEFT/RIGHT ARROW                         |                        |
| 620-59.00  | 1.00 | LINEAR FOOT | 4 IN. WHITE HIGH BUILD ACRYLIC WATERBORNE<br>PAVEMENT MARKING PAINT                                 |                        |
| 620-59.01  | 1.00 | LINEAR FOOT | 4 IN. YELLOW HIGH BUILD ACRYLIC WATERBORNE<br>PAVEMENT MARKING PAINT                                |                        |
| 620-59.02  | 1.00 | LINEAR FOOT | 6 IN. WHITE HIGH BUILD ACRYLIC WATERBORNE<br>PAVEMENT MARKING PAINT                                 |                        |
| 620-59.03  | 1.00 | LINEAR FOOT | 6 IN. YELLOW HIGH BUILD ACRYLIC WATERBORNE<br>PAVEMENT MARKING PAINT                                |                        |
| 620-59.04  | 1.00 | LINEAR FOOT | 8 IN. WHITE HIGH BUILD ACRYLIC WATERBORNE<br>PAVEMENT MARKING PAINT                                 |                        |
| 620-59.06  | 1.00 | LINEAR FOOT | 12 IN. WHITE HIGH BUILD ACRYLIC WATERBORNE<br>PAVEMENT MARKING PAINT                                |                        |
| 620-59.08  | 1.00 | LINEAR FOOT | 24 IN. WHITE HIGH BUILD ACRYLIC WATERBORNE<br>PAVEMENT MARKING PAINT (HASH BARS)                    |                        |
| 620-59.09  | 1.00 | LINEAR FOOT | 24 IN. YELLOW HIGH BUILD ACRYLIC WATERBORNE<br>PAVEMENT MARKING PAINT (HASH BARS)                   |                        |
| 620-59.21  | 1.00 | LINEAR FOOT | 4 IN. YELLOW WET REFLECTIVE HIGH BUILD<br>ACRYLIC WATERBORNE PAVEMENT MARKING PAINT                 |                        |
| 620-59.22  | 1.00 | LINEAR FOOT | 6 IN. WHITE WET REFLECTIVE HIGH BUILD<br>ACRYLIC WATERBORNE PAVEMENT MARKING PAINT                  |                        |
| 620-59.23  | 1.00 | LINEAR FOOT | 6 IN. YELLOW WET REFLECTIVE HIGH BUILD<br>ACRYLIC WATERBORNE PAVEMENT MARKING PAINT                 |                        |
| 620-59.26  | 1.00 | LINEAR FOOT | 12 IN. WHITE WET REFLECTIVE HIGH BUILD<br>ACRYLIC WATERBORNE PAVEMENT MARKING PAINT                 |                        |
| 620-59.28  | 1.00 | LINEAR FOOT | 24 IN. WHITE WET REFLECTIVE HIGH BUILD<br>ACRYLIC WATERBORNE PAVEMENT MARKING PAINT<br>(HASH BARS)  |                        |
| 620-59.29  | 1.00 | LINEAR FOOT | 24 IN. YELLOW WET REFLECTIVE HIGH BUILD<br>ACRYLIC WATERBORNE PAVEMENT MARKING PAINT<br>(HASH BARS) |                        |
| 620-59.35  | 1.00 | LINEAR FOOT | 9 IN. BLACK ACRYLIC WATERBORNE CONTRAST<br>PAVEMENT MARKING PAINT                                   |                        |
| 620-60.00B | 1.00 | LINEAR FOOT | 4 IN. WHITE ACRYLIC WATERBORNE PAVEMENT<br>MARKING PAINT  |                        |
| 620-60.01B | 1.00 | LINEAR FOOT | 4 IN. YELLOW ACRYLIC WATERBORNE PAVEMENT<br>MARKING PAINT   |                        |
| 620-61.06  | 1.00 | LINEAR FOOT | ACRYLIC WATERBORNE PAVEMENT MARKING PAINT, 6<br>IN., WHITE  |                        |
| 620-61.08  | 1.00 | LINEAR FOOT | ACRYLIC WATERBORNE PAVEMENT MARKING PAINT, 8  |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|------------|------|-------------|---|------------------------|
|            |      |             | IN., WHITE  |                        |
| 620-61.19  | 1.00 | LINEAR FOOT | ACRYLIC WATERBORNE PAVEMENT MARKING PAINT, 6 IN., YELLOW  |                        |
| 620-61.20  | 1.00 | LINEAR FOOT | ACRYLIC WATERBORNE PAVEMENT MARKING PAINT, 8 IN., YELLOW  |                        |
| 620-61.22  | 1.00 | LINEAR FOOT | ACRYLIC WATERBORNE PAVEMENT MARKING PAINT, 12 IN., WHITE  |                        |
| 620-61.24  | 1.00 | LINEAR FOOT | ACRYLIC WATERBORNE PAVEMENT MARKING PAINT, 24 IN., WHITE  |                        |
| 620-61.25  | 1.00 | LINEAR FOOT | ACRYLIC WATERBORNE PAVEMENT MARKING PAINT, 24 IN., YELLOW   |                        |
| 620-61.50A | 1.00 | LINEAR FOOT | 4 IN. WHITE ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT   |                        |
| 620-61.51A | 1.00 | LINEAR FOOT | 4 IN. YELLOW ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT  |                        |
| 620-61.71A | 1.00 | EACH        | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, LEFT / RIGHT ARROW   |                        |
| 620-61.73  | 1.00 | EACH        | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, STRAIGHT ARROW   |                        |
| 620-61.74A | 1.00 | EACH        | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, COMBINATION STRAIGHT-LEFT/RIGHT ARROW                        |                        |
| 620-61.76  | 1.00 | LINEAR FOOT | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, 6 IN., WHITE   |                        |
| 620-61.77  | 1.00 | EACH        | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, RAILROAD CROSSING MARKER                                     |                        |
| 620-61.78  | 1.00 | LINEAR FOOT | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, 8 IN., WHITE   |                        |
| 620-61.80  | 1.00 | EACH        | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, WHITE MIDBLOCK 30 IN. OR 750MM WIDE FOR 10 FT. OR 3.0 M LANE |                        |
| 620-61.81  | 1.00 | EACH        | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, WHITE MIDBLOCK 33 IN. OR 825MM WIDE FOR 11 FT. OR 3.3 M LANE |                        |
| 620-61.82  | 1.00 | EACH        | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, WHITE MIDBLOCK 36 IN. OR 900MM WIDE FOR 12 FT. OR 3.6 M LANE |                        |
| 620-61.83  | 1.00 | EACH        | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, WORD (ONLY)  |                        |
| 620-61.84  | 1.00 | EACH        | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, OFF RAMP WRONG WAY ARROW (WHITE)                             |                        |
| 620-61.85  | 1.00 | LINEAR FOOT | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, 24 IN., WHITE  |                        |
| 620-61.86  | 1.00 | LINEAR FOOT | ACRYLIC COPOLYMER FAST DRY PAVEMENT MARKING PAINT, 24 IN., YELLOW   |                        |
| 620-70.01  | 1.00 | LINEAR FOOT | PAVEMENT MARKING REMOVAL  |                        |
| 620-80.64  | 1.00 | EACH        | TEMPORARY RAISED PAVEMENT MARKER, TYPE 1  |                        |
| 620-80.65  | 1.00 | EACH        | TEMPORARY RAISED PAVEMENT MARKER, TYPE 2  |                        |
| 620-80.70  | 1.00 | EACH        | REMOVAL OF SNOWPLOWABLE RAISED PAVEMENT MARKER  |                        |
| 620-80.75  | 1.00 | EACH        | REMOVAL AND REPLACEMENT OF SNOWPLOWABLE RAISED PAVEMENT MARKER REFLECTORS                                       |                        |
| 620-99.01  | 1.00 | LUMP SUM    | MISC.   |                        |
| 620-99.02  | 1.00 | EACH        | MISC.   |                        |
| 620-99.03  | 1.00 | LINEAR FOOT | MISC.   |                        |
| 620-99.17  | 0.10 | 100 FEET    | MISC.   |                        |
| 620-99.20  | 0.01 | MILE        | MISC.   |                        |
| 621-46.00A | 1.00 | CUBIC YARD  | FLOWABLE BACKFILL   |                        |
| 622-10.01  | 1.00 | SQUARE YARD | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3 IN. THICK OR LESS)                                  |                        |
| 622-10.03  | 1.00 | SQUARE YARD | COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (GREATER THAN 3 IN. THICK)                             |                        |
| 622-10.11  | 1.00 | SQUARE YARD | COLD MILLING CONCRETE PAVEMENT FOR REMOVAL OF SURFACE   |                        |
| 622-20.10  | 1.00 | SQUARE YARD | COLDMILLING BITUMINOUS PAVEMENT FOR DRIVING SURFACE   |                        |
| 622-30.10  | 1.00 | SQUARE YARD | DIAMOND GRINDING (CONCRETE PAVEMENT)  |                        |

| ITEM NO.   | UNIT  | TYPE        | ITEM DESCRIPTION                                 | LAST UPDATED 10/1/2008 |
|------------|-------|-------------|--|------------------------|
| 622-30.11  | 1.00  | SQUARE YARD | CONCRETE PLANING (BITUMINOUS OVERLAY)            |                        |
| 622-40.10  | 1.00  | SQUARE YARD | MODIFIED COLD MILLING (DEPTH TRANSITIONS)        |                        |
| 622-99.03  | 1.00  | LINEAR FOOT | MISC.  |                        |
| 622-99.05  | 0.10  | SQUARE YARD | MISC.  |                        |
| 622-99.09  | 0.10  | STATION     | MISC.  |                        |
| 623-30.00  | 1.00  | SQUARE YARD | EPOXY POLYMER CONCRETE OVERLAY                   |                        |
| 623-40.00  | 1.00  | CUBIC FOOT  | POLYMER CONCRETE                                 |                        |
| 623-99.05  | 1.00  | SQUARE YARD | MISC.  |                        |
| 624-01.01A | 1.00  | SQUARE YARD | SUBSURFACE DRAINAGE GEOTEXTILE                   |                        |
| 624-01.02A | 1.00  | SQUARE YARD | TEMPORARY SILT FENCE GEOTEXTILE                  |                        |
| 624-01.03A | 1.00  | SQUARE YARD | PERMANENT EROSION CONTROL GEOTEXTILE             |                        |
| 624-01.04A | 1.00  | SQUARE YARD | SEPARATION GEOTEXTILE                            |                        |
| 624-99.05  | 0.10  | SQUARE YARD | MISC.  |                        |
| 625-20.00  | 1.00  | EACH        | DRILLED HOLE                                     |                        |
| 625-30.00  | 0.10  | TONS        | FLY ASH  |                        |
| 625-35.00  | 0.10  | TONS        | PORTLAND CEMENT                                  |                        |
| 625-40.00  | 1.00  | EACH        | DEFLECTION TESTING                               |                        |
| 625-50.00  | 1.00  | POUND       | POLYURETHANE MATERIAL                            |                        |
| 625-99.11  | 1.00  | POUND       | MISC.  |                        |
| 625-99.12  | 10.00 | GALLONS     | MISC.  |                        |
| 626-10.00A | 0.10  | STATION     | BITUMINOUS SHOULDER RUMBLE STRIP                 |                        |
| 626-10.01  | 0.10  | STATION     | BITUMINOUS CENTERLINE RUMBLE STRIP               |                        |
| 626-20.00A | 0.10  | STATION     | PORTLAND CEMENT CONCRETE SHOULDER RUMBLE STRIP   |                        |
| 626-20.01  | 0.10  | STATION     | PORTLAND CEMENT CONCRETE CENTERLINE RUMBLE STRIP |                        |
| 626-99.03  | 1.00  | LINEAR FOOT | MISC.  |                        |
| 626-99.05  | 1.00  | SQUARE YARD | MISC.  |                        |
| 626-99.09  | 0.10  | STATION     | MISC.  |                        |
| 627-40.00  | 1.00  | LUMP SUM    | CONTRACTOR FURNISHED SURVEYING AND STAKING       |                        |
| 627-99.01  | 1.00  | LUMP SUM    | MISC.  |                        |
| 701-11.00  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (1 FT. 0 IN. DIA.)                |                        |
| 701-11.01  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (1 FT. 6 IN. DIA.)                |                        |
| 701-11.02  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (2 FT. 0 IN. DIA.)                |                        |
| 701-11.03  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (2 FT. 6 IN. DIA.)                |                        |
| 701-11.04  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (3 FT. 0 IN. DIA.)                |                        |
| 701-11.05  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (3 FT. 6 IN. DIA.)                |                        |
| 701-11.06  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (4 FT. 0 IN. DIA.)                |                        |
| 701-11.07  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (4 FT. 6 IN. DIA.)                |                        |
| 701-11.08  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (5 FT. 0 IN. DIA.)                |                        |
| 701-11.09  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (5 FT. 6 IN. DIA.)                |                        |
| 701-11.10  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (6 FT. 0 IN. DIA.)                |                        |
| 701-11.11  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (6 FT. 6 IN. DIA.)                |                        |
| 701-11.12  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (7 FT. 0 IN. DIA.)                |                        |
| 701-11.13  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (7 FT. 6 IN. DIA.)                |                        |
| 701-11.14  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (8 FT. 0 IN. DIA.)                |                        |
| 701-11.15  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (8 FT. 6 IN. DIA.)                |                        |
| 701-11.16  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (9 FT. 0 IN. DIA.)                |                        |
| 701-11.17  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (9 FT. 6 IN. DIA.)                |                        |
| 701-11.18  | 0.10  | LINEAR FOOT | DRILLED SHAFTS (10 FT. 0 IN. DIA.)               |                        |
| 701-12.00  | 0.10  | LINEAR FOOT | ROCK SOCKETS (1 FT 0 IN. DIA.)                   |                        |
| 701-12.01  | 0.10  | LINEAR FOOT | ROCK SOCKETS (1 FT 6 IN. DIA.)                   |                        |
| 701-12.02  | 0.10  | LINEAR FOOT | ROCK SOCKETS (2 FT 0 IN. DIA.)                   |                        |
| 701-12.03  | 0.10  | LINEAR FOOT | ROCK SOCKETS (2 FT 6IN. DIA.)                    |                        |
| 701-12.04  | 0.10  | LINEAR FOOT | ROCK SOCKETS (3 FT 0 IN. DIA.)                   |                        |
| 701-12.05  | 0.10  | LINEAR FOOT | ROCK SOCKETS (3 FT 6 IN. DIA.)                   |                        |
| 701-12.06  | 0.10  | LINEAR FOOT | ROCK SOCKETS (4 FT 0 IN. DIA.)                   |                        |
| 701-12.07  | 0.10  | LINEAR FOOT | ROCK SOCKETS (4 FT 6 IN. DIA.)                   |                        |
| 701-12.08  | 0.10  | LINEAR FOOT | ROCK SOCKETS (5 FT 0 IN. DIA.)                   |                        |
| 701-12.09  | 0.10  | LINEAR FOOT | ROCK SOCKETS (5 FT 6 IN. DIA.)                   |                        |
| 701-12.10  | 0.10  | LINEAR FOOT | ROCK SOCKETS (6 FT 0 IN. DIA.)                   |                        |
| 701-12.11  | 0.10  | LINEAR FOOT | ROCK SOCKETS (6 FT 6 IN. DIA.)                   |                        |
| 701-12.12  | 0.10  | LINEAR FOOT | ROCK SOCKETS (7 FT 0 IN. DIA.)                   |                        |
| 701-12.13  | 0.10  | LINEAR FOOT | ROCK SOCKETS (7 FT. 6 IN. DIA.)                  |                        |
| 701-12.14  | 0.10  | LINEAR FOOT | ROCK SOCKETS (8 FT. 0 IN. DIA.)                  |                        |
| 701-12.15  | 0.10  | LINEAR FOOT | ROCK SOCKETS (8 FT. 6 IN. DIA.)                  |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|--|------------------------|
| 701-12.16 | 0.10 | LINEAR FOOT | ROCK SOCKETS (9 FT. 0 IN. DIA.)                            |                        |
| 701-12.17 | 0.10 | LINEAR FOOT | ROCK SOCKETS (9 FT. 6 IN. DIA.)                            |                        |
| 701-13.00 | 1.00 | EACH        | SUPPLEMENTARY TELEVISION CAMERA INSPECTION                 |                        |
| 701-14.00 | 0.10 | LINEAR FOOT | FOUNDATION INSPECTION HOLES                                |                        |
| 701-15.00 | 0.10 | LINEAR FOOT | CONCRETE CORING  |                        |
| 701-16.00 | 1.00 | EACH        | SONIC LOGGING TESTING                                      |                        |
| 701-17.00 | 1.00 | EACH        | DRILLED SHAFT LOAD TESTS                                   |                        |
| 701-99.01 | 1.00 | LUMP SUM    | MISC.  |                        |
| 701-99.02 | 1.00 | EACH        | MISC.  |                        |
| 701-99.03 | 0.10 | LINEAR FOOT | MISC.  |                        |
| 702-10.10 | 1.00 | LINEAR FOOT | STRUCTURAL STEEL PILES (10 IN.)                            |                        |
| 702-10.12 | 1.00 | LINEAR FOOT | STRUCTURAL STEEL PILES (12 IN.)                            |                        |
| 702-10.14 | 1.00 | LINEAR FOOT | STRUCTURAL STEEL PILES (14 IN.)                            |                        |
| 702-11.14 | 1.00 | LINEAR FOOT | CAST-IN-PLACE CONCRETE PILES (14 IN)                       |                        |
| 702-11.16 | 1.00 | LINEAR FOOT | CAST-IN-PLACE CONCRETE PILES (16 IN)                       |                        |
| 702-11.20 | 1.00 | LINEAR FOOT | CAST-IN-PLACE CONCRETE PILES (20 IN)                       |                        |
| 702-11.24 | 1.00 | LINEAR FOOT | CAST-IN-PLACE CONCRETE PILES (24 IN)                       |                        |
| 702-30.00 | 1.00 | LINEAR FOOT | TEST PILES   |                        |
| 702-40.00 | 1.00 | EACH        | LOADING TESTS  |                        |
| 702-50.01 | 1.00 | EACH        | DYNAMIC PILE TESTING                                       |                        |
| 702-50.02 | 1.00 | EACH        | PILE WAVE ANALYSIS   |                        |
| 702-50.03 | 1.00 | LINEAR FOOT | PILOT HOLE   |                        |
| 702-60.00 | 1.00 | LINEAR FOOT | PRE-BORE FOR PILING  |                        |
| 702-70.00 | 1.00 | EACH        | PILE POINT REINFORCEMENT                                   |                        |
| 702-99.02 | 1.00 | EACH        | MISC.  |                        |
| 702-99.03 | 1.00 | LINEAR FOOT | MISC.  |                        |
| 702-99.07 | 1.00 | CUBIC YARD  | MISC.  |                        |
| 703-10.04 | 1.00 | SQUARE YARD | DIAMOND GRINDING   |                        |
| 703-10.05 | 1.00 | SQUARE YARD | TRANSVERSE DIAMOND GROOVING                                |                        |
| 703-20.00 | 0.10 | CUBIC YARD  | CLASS B CONCRETE (CULVERTS-BRIDGE)                         |                        |
| 703-20.01 | 0.10 | CUBIC YARD  | CLASS B CONCRETE (CULVERTS)                                |                        |
| 703-20.02 | 0.10 | CUBIC YARD  | CLASS B CONCRETE (MISC)                                    |                        |
| 703-20.03 | 0.10 | CUBIC YARD  | CLASS B CONCRETE (SUBSTRUCTURE)                            |                        |
| 703-20.09 | 0.10 | CUBIC YARD  | CLASS B CONCRETE (RETAINING WALLS)                         |                        |
| 703-20.25 | 1.00 | EACH        | DEADMAN ANCHORAGE ASSEMBLY                                 |                        |
| 703-30.01 | 0.10 | CUBIC YARD  | SEAL CONCRETE  |                        |
| 703-40.01 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE   |                        |
| 703-40.02 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (SUPERSTRUCTURE ON STEEL AND CONCRETE)  |                        |
| 703-40.03 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (SUBSTRUCTURE)                          |                        |
| 703-40.04 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (SUPERSTRUCTURE ON STEEL)               |                        |
| 703-40.05 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (SUPERSTRUCTURE VOIDED SLABS)           |                        |
| 703-40.06 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE BOX GIRDER)    |                        |
| 703-40.07 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE TEE GIRDER)    |                        |
| 703-40.08 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (SUPERSTRUCTURE SOLID SLAB)             |                        |
| 703-40.09 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (RETAINING WALLS)                       |                        |
| 703-40.10 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (SUPERSTRUCTURE CONCRETE ON I - GIRDER) |                        |
| 703-40.20 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (SUPERSTRUCTURE)                        |                        |
| 703-40.30 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (BARRIER CURBS)                         |                        |
| 703-40.40 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (CULVERTS-BRIDGE)                       |                        |
| 703-40.41 | 0.10 | CUBIC YARD  | CLASS B-1 CONCRETE (CULVERTS)                              |                        |
| 703-42.02 | 0.10 | CUBIC YARD  | CLASS B-2 CONCRETE (SUPERSTRUCTURE ON STEEL AND CONCRETE)  |                        |
| 703-42.04 | 0.10 | CUBIC YARD  | CLASS B-2 CONCRETE (SUPERSTRUCTURE ON STEEL)               |                        |
| 703-42.05 | 0.10 | CUBIC YARD  | CLASS B-2 CONCRETE (SUPERSTRUCTURE VOIDED SLABS)           |                        |
| 703-42.06 | 0.10 | CUBIC YARD  | CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE BOX GIRDER)    |                        |
| 703-42.07 | 0.10 | CUBIC YARD  | CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE TEE GIRDER)    |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|------------|------|-------------|--|------------------------|
| 703-42.08  | 0.10 | CUBIC YARD  | CLASS B-2 CONCRETE (SUPERSTRUCTURE SOLID SLAB)             |                        |
| 703-42.10  | 0.10 | CUBIC YARD  | CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE ON I - GIRDER) |                        |
| 703-42.11  | 0.10 | CUBIC YARD  | CLASS B-2 CONCRETE (SUPERSTRUCTURE CONCRETE ON BOX GIRDER) |                        |
| 703-42.12  | 1.00 | SQUARE YARD | SLAB ON STEEL  |                        |
| 703-42.13  | 1.00 | SQUARE YARD | SLAB ON CONCRETE I-GIRDER                                  |                        |
| 703-42.14  | 0.10 | CUBIC YARD  | CLASS B-2 CONCRETE   |                        |
| 703-42.15  | 1.00 | LINEAR FOOT | SAFETY BARRIER CURB  |                        |
| 703-42.18  | 1.00 | SQUARE YARD | SLAB ON CONCRETE BULB-TEE GIRDER                           |                        |
| 703-42.19A | 1.00 | LINEAR FOOT | BARRIER CURB (TYPE D)                                      |                        |
| 703-42.20  | 1.00 | SQUARE YARD | SLAB ON SEMI-DEEP ABUTMENT                                 |                        |
| 703-42.26  | 1.00 | SQUARE YARD | REINFORCED CONCRETE SLAB OVERLAY                           |                        |
| 703-42.30  | 0.10 | CUBIC YARD  | CLASS B-2 CONCRETE (POST-TENSIONED OVERLAY)                |                        |
| 703-44.10  | 1.00 | LINEAR FOOT | MEDIAN BARRIER CURB  |                        |
| 703-44.11  | 1.00 | LINEAR FOOT | MEDIAN BARRIER CURB (TYPE C)                               |                        |
| 703-44.12  | 1.00 | LINEAR FOOT | MEDIAN BARRIER CURB TRANSITION                             |                        |
| 703-44.13  | 1.00 | LINEAR FOOT | MEDIAN BARRIER CURB TRANSITION (TYPE C)                    |                        |
| 703-44.20  | 1.00 | SQUARE FOOT | RAISED MEDIAN BARRIER                                      |                        |
| 703-44.30  | 1.00 | SQUARE FOOT | SIDEWALK (BRIDGES)   |                        |
| 703-45.35  | 1.00 | LINEAR FOOT | CURB MODIFICATION  |                        |
| 703-46.00  | 1.00 | LINEAR FOOT | CURB BLOCKOUT  |                        |
| 703-46.10  | 1.00 | LINEAR FOOT | CORRAL CURB  |                        |
| 703-46.20  | 1.00 | SQUARE YARD | FORM LINERS  |                        |
| 703-60.00A | 0.10 | CUBIC YARD  | CLASS A -1 CONCRETE  |                        |
| 703-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 703-99.02  | 1.00 | EACH        | MISC.  |                        |
| 703-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 703-99.04  | 1.00 | SQUARE FOOT | MISC.  |                        |
| 703-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 703-99.07  | 0.10 | CUBIC YARD  | MISC.  |                        |
| 704-01.01  | 1.00 | SQUARE FOOT | SUBSTRUCTURE REPAIR (FORMED)                               |                        |
| 704-01.02  | 1.00 | SQUARE FOOT | SUBSTRUCTURE REPAIR (UNFORMED)                             |                        |
| 704-01.03  | 1.00 | SQUARE FOOT | SUPERSTRUCTURE REPAIR (UNFORMED)                           |                        |
| 704-01.04  | 1.00 | SQUARE FOOT | REPAIRING CONCRETE DECK (HALF-SOLING)                      |                        |
| 704-01.05  | 1.00 | CUBIC YARD  | PARTIAL DEPTH REPAIR                                       |                        |
| 704-01.06  | 1.00 | SQUARE FOOT | FULL DEPTH REPAIR  |                        |
| 704-01.07  | 1.00 | LINEAR FOOT | SLAB EDGE REPAIR (BRIDGES)                                 |                        |
| 704-01.08  | 1.00 | SQUARE FOOT | MODIFIED DECK REPAIR                                       |                        |
| 704-01.09  | 1.00 | SQUARE YARD | TOTAL SURFACE HYDRO DEMOLITION                             |                        |
| 704-01.10  | 1.00 | LINEAR FOOT | EPOXY PRESSURE INJECTING                                   |                        |
| 704-01.11  | 1.00 | EACH        | DECK GIRDER END REPAIR                                     |                        |
| 704-01.12  | 1.00 | SQUARE FOOT | DECK REPAIR WITH VOID TUBE REPLACEMENT                     |                        |
| 704-01.13  | 1.00 | SQUARE FOOT | CLEAN AND EPOXY SEAL                                       |                        |
| 704-01.61  | 1.00 | EACH        | DECK GIRDER END REPAIR                                     |                        |
| 704-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 704-99.02  | 1.00 | EACH        | MISC.  |                        |
| 704-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 704-99.04  | 1.00 | SQUARE FOOT | MISC.  |                        |
| 704-99.05  | 1.00 | SQUARE YARD | MISC.  |                        |
| 704-99.07  | 0.10 | CUBIC YARD  | MISC.  |                        |
| 705-60.00  | 1.00 | LINEAR FOOT | TYPE 2 (32 IN.), PRESTRESSED CONCRETE I-GIRDER             |                        |
| 705-60.01  | 1.00 | LINEAR FOOT | TYPE 3 (39 IN.), PRESTRESSED CONCRETE I-GIRDER             |                        |
| 705-60.02  | 1.00 | LINEAR FOOT | TYPE 4 (45 IN.), PRESTRESSED CONCRETE I-GIRDER             |                        |
| 705-60.03  | 1.00 | LINEAR FOOT | TYPE 6 (54 IN.), PRESTRESSED CONCRETE I-GIRDER             |                        |
| 705-60.10  | 1.00 | LINEAR FOOT | TYPE 8 (63 IN.), PRESTRESSED CONCRETE BULB TEE             |                        |
| 705-60.11  | 1.00 | LINEAR FOOT | TYPE 7 (72 IN.), PRESTRESSED CONCRETE BULB TEE             |                        |
| 705-60.20  | 1.00 | LINEAR FOOT | NU 29 (750), PRESTRESSED CONCRETE NU-GIRDER                |                        |
| 705-60.21  | 1.00 | LINEAR FOOT | NU 35 (900), PRESTRESSED CONCRETE NU-GIRDER                |                        |

| ITEM NO.  | UNIT  | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|-------|-------------|---|------------------------|
| 705-60.22 | 1.00  | LINEAR FOOT | NU 43 (1100), PRESTRESSED CONCRETE NU-GIRDER                    |                        |
| 705-60.23 | 1.00  | LINEAR FOOT | NU 53 (1350), PRESTRESSED CONCRETE NU-GIRDER                    |                        |
| 705-60.24 | 1.00  | LINEAR FOOT | NU 63 (1600), PRESTRESSED CONCRETE NU-GIRDER                    |                        |
| 705-60.25 | 1.00  | LINEAR FOOT | NU 70 (1800), PRESTRESSED CONCRETE NU-GIRDER                    |                        |
| 705-60.26 | 1.00  | LINEAR FOOT | NU 78 (2000), PRESTRESSED CONCRETE NU-GIRDER                    |                        |
| 705-60.27 | 1.00  | LINEAR FOOT | NU 94 (2400), PRESTRESSED CONCRETE NU-GIRDER                    |                        |
| 705-60.30 | 1.00  | LINEAR FOOT | 11 IN., PRESTRESSED CONCRETE SOLID SLAB BEAM                    |                        |
| 705-60.31 | 1.00  | LINEAR FOOT | 12 IN., PRESTRESSED CONCRETE SOLID SLAB BEAM                    |                        |
| 705-60.40 | 1.00  | LINEAR FOOT | 15 IN., PRESTRESSED CONCRETE VOIDED SLAB BEAM                   |                        |
| 705-60.41 | 1.00  | LINEAR FOOT | 17 IN., PRESTRESSED CONCRETE VOIDED SLAB BEAM                   |                        |
| 705-60.42 | 1.00  | LINEAR FOOT | 18 IN., PRESTRESSED CONCRETE VOIDED SLAB BEAM                   |                        |
| 705-60.43 | 1.00  | LINEAR FOOT | 21 IN., PRESTRESSED CONCRETE VOIDED SLAB BEAM                   |                        |
| 705-60.50 | 1.00  | LINEAR FOOT | 27 IN., PRESTRESSED CONCRETE BOX GIRDER BEAM                    |                        |
| 705-60.51 | 1.00  | LINEAR FOOT | 33 IN., PRESTRESSED CONCRETE BOX GIRDER BEAM                    |                        |
| 705-60.52 | 1.00  | LINEAR FOOT | 39 IN., PRESTRESSED CONCRETE BOX GIRDER BEAM                    |                        |
| 705-60.53 | 1.00  | LINEAR FOOT | 42 IN., PRESTRESSED CONCRETE BOX GIRDER BEAM                    |                        |
| 705-60.60 | 1.00  | LINEAR FOOT | TYPE 16, PRESTRESSED CONCRETE DOUBLE-TEE                        |                        |
| 705-60.61 | 1.00  | LINEAR FOOT | TYPE 22, PRESTRESSED CONCRETE DOUBLE-TEE                        |                        |
| 705-60.62 | 1.00  | LINEAR FOOT | TYPE 30, PRESTRESSED CONCRETE DOUBLE-TEE                        |                        |
| 705-99.01 | 1.00  | LUMP SUM    | MISC.   |                        |
| 705-99.02 | 1.00  | EACH        | MISC.   |                        |
| 705-99.03 | 1.00  | LINEAR FOOT | MISC.   |                        |
| 705-99.04 | 1.00  | SQUARE FOOT | MISC.   |                        |
| 705-99.05 | 1.00  | SQUARE YARD | MISC.   |                        |
| 706-10.00 | 10.00 | POUND       | REINFORCING STEEL   |                        |
| 706-10.20 | 10.00 | POUND       | REINFORCING STEEL (CULVERTS-BRIDGE)                             |                        |
| 706-10.30 | 10.00 | POUND       | REINFORCING STEEL (CULVERTS)                                    |                        |
| 706-10.40 | 10.00 | POUND       | REINFORCING STEEL (RETAINING WALL)                              |                        |
| 706-10.60 | 10.00 | POUND       | REINFORCING STEEL (BRIDGES)                                     |                        |
| 706-10.70 | 1.00  | EACH        | MECHANICAL BAR SPLICE   |                        |
| 706-99.02 | 1.00  | EACH        | MISC.   |                        |
| 706-99.03 | 1.00  | LINEAR FOOT | MISC.   |                        |
| 706-99.11 | 1.00  | POUND       | MISC.   |                        |
| 707-10.00 | 1.00  | LUMP SUM    | CONDUIT SYSTEM ON STRUCTURE                                     |                        |
| 707-10.30 | 1.00  | LUMP SUM    | CONDUIT SYSTEM ON STRUCTURE (TELEPHONE)                         |                        |
| 707-10.40 | 1.00  | LUMP SUM    | CATHODIC PROTECTION SYSTEM                                      |                        |
| 707-99.01 | 1.00  | LUMP SUM    | MISC.   |                        |
| 707-99.02 | 1.00  | EACH        | MISC.   |                        |
| 707-99.03 | 1.00  | LINEAR FOOT | MISC.   |                        |
| 710-10.00 | 10.00 | POUND       | REINFORCING STEEL (EPOXY COATED)                                |                        |
| 710-10.10 | 10.00 | POUND       | EPOXY COATED TIE BARS (DRILLED AND INSTALLED)                   |                        |
| 710-10.20 | 10.00 | POUND       | EPOXY COATED TIE BARS (PLACED AND FASTENED)                     |                        |
| 710-10.30 | 1.00  | EACH        | DOWEL WITH SUPPORT ASSEMBLY                                     |                        |
| 710-99.02 | 1.00  | EACH        | MISC.   |                        |
| 710-99.11 | 1.00  | POUND       | MISC.   |                        |
| 711-01.00 | 1.00  | LUMP SUM    | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (URETHANE)        |                        |
| 711-02.00 | 1.00  | LUMP SUM    | PROTECTIVE COATING - CONCRETE BENTS AND PIERS (EPOXY)           |                        |
| 711-03.00 | 1.00  | LUMP SUM    | CONCRETE AND MASONRY PROTECTION SYSTEM                          |                        |
| 711-04.00 | 1.00  | LUMP SUM    | SACRIFICIAL GRAFFITI PROTECTION SYSTEM                          |                        |
| 711-05.00 | 1.00  | LUMP SUM    | TEMPORARY COATING - CONCRETE BENTS AND PIERS (WEATHERING STEEL) |                        |
| 711-06.00 | 1.00  | LUMP SUM    | AESTHETIC CONCRETE STAIN  |                        |
| 711-07.00 | 1.00  | SQUARE YARD | PENETRATING SEALER  |                        |
| 711-10.00 | 1.00  | SQUARE YARD | WATERPROOFING   |                        |
| 711-10.01 | 1.00  | SQUARE YARD | WATERPROOFING MEMBRANE  |                        |
| 711-99.01 | 1.00  | LUMP SUM    | MISC.   |                        |
| 711-99.04 | 1.00  | SQUARE FOOT | MISC.   |                        |
| 711-99.05 | 1.00  | SQUARE YARD | MISC.   |                        |
| 712-09.00 | 1.00  | LINEAR FOOT | EXPANSION DEVICE (FINGER PLATE)                                 |                        |
| 712-09.15 | 1.00  | LINEAR FOOT | EXPANSION DEVICE (FLAT PLATE)                                   |                        |
| 712-10.00 | 10.00 | POUND       | FABRICATED STRUCTURAL CARBON STEEL (MISC)                       |                        |
| 712-10.10 | 10.00 | POUND       | FABRICATED STRUCTURAL CARBON STEEL (I-BEAM)                     |                        |
| 712-10.20 | 10.00 | POUND       | FABRICATED STRUCTURAL CARBON STEEL (PLATE GIRDER)               |                        |

| ITEM NO.  | UNIT   | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|-----------|--------|-------------|--|------------------------|
| 712-10.30 | 10.00  | POUND       | FABRICATED STRUCTURAL CARBON STEEL (TRUSSES)                           |                        |
| 712-10.40 | 10.00  | POUND       | FABRICATED STRUCTURAL CARBON STEEL (CONCRETE)                          |                        |
| 712-10.50 | 10.00  | POUND       | FABRICATED STRUCTURAL CARBON STEEL (BOX GIRDER)                        |                        |
| 712-10.60 | 1.00   | LUMP SUM    | FABRICATED SIGN SUPPORT BRACKETS                                       |                        |
| 712-11.00 | 10.00  | POUND       | FABRICATED STRUCTURAL LOW ALLOY STEEL (MISC)                           |                        |
| 712-11.11 | 10.00  | POUND       | FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 50          |                        |
| 712-11.13 | 10.00  | POUND       | FABRICATED STRUCTURAL LOW ALLOY STEEL (I-BEAM) A709, GRADE 50W         |                        |
| 712-11.21 | 10.00  | POUND       | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50    |                        |
| 712-11.22 | 10.00  | POUND       | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709, GRADE 50W   |                        |
| 712-11.23 | 10.00  | POUND       | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709 GRADE HPS70W |                        |
| 712-11.24 | 10.00  | POUND       | FABRICATED STRUCTURAL LOW ALLOY STEEL (PLATE GIRDER) A709 GRADE HPS50W |                        |
| 712-11.30 | 10.00  | POUND       | FABRICATED STRUCTURAL LOW ALLOY STEEL (TRUSSES)                        |                        |
| 712-11.40 | 10.00  | POUND       | FABRICATED STRUCTURAL LOW ALLOY STEEL (CONCRETE)                       |                        |
| 712-11.51 | 10.00  | POUND       | FABRICATED STRUCTURAL LOW ALLOY STEEL (BOX GIRDER) A709, GRADE 50      |                        |
| 712-11.52 | 10.00  | POUND       | FABRICATED STRUCTURAL LOW ALLOY STEEL (BOX GIRDER) A709, GRADE 50W     |                        |
| 712-11.60 | 1.00   | SQUARE FOOT | STEEL GRID FLOOR (HALF CONCRETE FILLED)                                |                        |
| 712-11.61 | 1.00   | SQUARE FOOT | STEEL GRID FLOOR (CONCRETE FILLED)                                     |                        |
| 712-12.50 | 1.00   | LUMP SUM    | STRENGTHENING EXISTING STRINGERS                                       |                        |
| 712-13.00 | 10.00  | POUND       | FABRICATED STRUCTURAL STEEL BEARINGS                                   |                        |
| 712-20.00 | 10.00  | POUND       | CARBON STEEL CASTINGS  |                        |
| 712-22.00 | 10.00  | POUND       | GRAY IRON CASTINGS   |                        |
| 712-23.00 | 1.00   | LINEAR FOOT | BRIDGE RAIL (TWO TUBE STRUCTURAL STEEL)                                |                        |
| 712-30.00 | 1.00   | EACH        | STEEL BAR DAM  |                        |
| 712-31.00 | 1.00   | EACH        | CLEANING AND COATING EXISTING BEARINGS                                 |                        |
| 712-31.10 | 1.00   | EACH        | BEARING REMOVAL FOR INSPECTION   |                        |
| 712-31.15 | 1.00   | EACH        | SURFACE FINISHING BEARING ROCKER                                       |                        |
| 712-31.20 | 1.00   | EACH        | CLEANING, LUBRICATING AND COATING BEARING                              |                        |
| 712-31.30 | 1.00   | EACH        | REHABILITATE BEARING   |                        |
| 712-31.40 | 10.00  | POUND       | NEW BEARING MATERIALS  |                        |
| 712-31.50 | 1.00   | EACH        | ANCHOR BOLT REPLACEMENT  |                        |
| 712-32.00 | 1.00   | EACH        | REMOVING, COATING AND REINSTALLING LIGHT STANDARDS (BRIDGES)           |                        |
| 712-32.10 | 1.00   | EACH        | EARTH QUAKE RESTRAINER ASSEMBLIES                                      |                        |
| 712-33.00 | 1.00   | LUMP SUM    | EXISTING DIAPHRAGM CONNECTIONS TO FLANGE                               |                        |
| 712-33.01 | 1.00   | EACH        | STEEL INTERMEDIATE DIAPHRAGM FOR P/S CONCRETE GIRDERS                  |                        |
| 712-35.00 | 1.00   | LINEAR FOOT | RAILING FOR STEPS  |                        |
| 712-36.10 | 1.00   | EACH        | SLAB DRAIN   |                        |
| 712-36.11 | 1.00   | EACH        | SLAB DRAIN WITH GRATE  |                        |
| 712-36.20 | 1.00   | LUMP SUM    | DRAINAGE SYSTEM (ON STRUCTURE)   |                        |
| 712-51.00 | 1.00   | LUMP SUM    | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL                     |                        |
| 712-51.01 | 1.00   | LUMP SUM    | SURFACE PREPARATION FOR OVERCOATING STRUCTURAL STEEL                   |                        |
| 712-51.02 | 1.00   | LUMP SUM    | SURFACE PREPARATION FOR APPLYING EPOXY-MASTIC PRIMER                   |                        |
| 712-51.10 | 1.00   | LUMP SUM    | FIELD APPLICATION OF INORGANIC ZINC PRIMER                             |                        |
| 712-51.11 | 1.00   | LUMP SUM    | INTERMEDIATE FIELD COAT (SYSTEM G)                                     |                        |
| 712-51.12 | 1.00   | LUMP SUM    | FINISH FIELD COAT (SYSTEM G)   |                        |
| 712-51.13 | 1.00   | LUMP SUM    | INTERMEDIATE FIELD COAT (SYSTEM H)                                     |                        |
| 712-51.14 | 1.00   | LUMP SUM    | FINISH FIELD COAT (SYSTEM H)   |                        |
| 712-52.00 | 100.00 | SQUARE FOOT | SURFACE PREPARATION FOR RECOATING STRUCTURAL STEEL                     |                        |

| ITEM NO.   | UNIT   | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|------------|--------|-------------|---|------------------------|
| 712-52.01  | 100.00 | SQUARE FOOT | SURFACE PREPARATION FOR OVERCOATING<br>STRUCTURAL STEEL |                        |
| 712-52.10  | 100.00 | SQUARE FOOT | FIELD APPLICATION OF INORGANIC ZINC PRIMER              |                        |
| 712-53.15A | 0.10   | TONS        | INTERMEDIATE FIELD COAT (SYSTEM G)                      |                        |
| 712-53.20A | 0.10   | TONS        | FINISH FIELD COAT (SYSTEM G)                            |                        |
| 712-53.35A | 0.10   | TONS        | INTERMEDIATE FIELD COAT (SYSTEM H)                      |                        |
| 712-53.40A | 0.10   | TONS        | FINISH FIELD COAT (SYSTEM H)                            |                        |
| 712-53.65A | 100.00 | SQUARE FOOT | INTERMEDIATE FIELD COAT (SYSTEM G)                      |                        |
| 712-53.70A | 100.00 | SQUARE FOOT | FINISH FIELD COAT (SYSTEM G)                            |                        |
| 712-53.85A | 100.00 | SQUARE FOOT | INTERMEDIATE FIELD COAT (SYSTEM H)                      |                        |
| 712-53.90A | 100.00 | SQUARE FOOT | FINISH FIELD COAT (SYSTEM H)                            |                        |
| 712-59.00  | 1.00   | LUMP SUM    | CALCIUM SULFONATE RUST PENETRATING SEALER               |                        |
| 712-59.01  | 1.00   | LUMP SUM    | CALCIUM SULFONATE PRIMER                                |                        |
| 712-59.02  | 1.00   | LUMP SUM    | CALCIUM SULFONATE TOPCOAT                               |                        |
| 712-59.20  | 100.00 | SQUARE FOOT | CALCIUM SULFONATE PRIMER                                |                        |
| 712-59.21  | 100.00 | SQUARE FOOT | CALCIUM SULFONATE TOPCOAT                               |                        |
| 712-59.30  | 0.10   | TONS        | CALCIUM SULFONATE PRIMER                                |                        |
| 712-59.31  | 0.10   | TONS        | CALCIUM SULFONATE TOPCOAT                               |                        |
| 712-59.60  | 1.00   | LUMP SUM    | ALUMINUM EPOXY-MASTIC PRIMER                            |                        |
| 712-59.61  | 1.00   | LUMP SUM    | GRAY EPOXY-MASTIC PRIMER                                |                        |
| 712-60.00  | 1.00   | LINEAR FOOT | NON-DESTRUCTIVE TESTING                                 |                        |
| 712-99.01  | 1.00   | LUMP SUM    | MISC.   |                        |
| 712-99.02  | 1.00   | EACH        | MISC.   |                        |
| 712-99.03  | 1.00   | LINEAR FOOT | MISC.   |                        |
| 712-99.04  | 0.10   | SQUARE FOOT | MISC.   |                        |
| 712-99.05  | 0.10   | SQUARE YARD | MISC.   |                        |
| 712-99.10  | 0.10   | TONS        | MISC.   |                        |
| 712-99.11  | 0.10   | POUND       | MISC.   |                        |
| 713-30.00  | 1.00   | LINEAR FOOT | BRIDGE GUARD RAIL (W-BEAM)                              |                        |
| 713-40.00  | 1.00   | LINEAR FOOT | BRIDGE GUARD RAIL (THRIE BEAM)                          |                        |
| 713-99.03A | 1.00   | LINEAR FOOT | MISC.   |                        |
| 715-10.01  | 1.00   | EACH        | VERTICAL DRAIN AT END BENTS                             |                        |
| 715-99.02  | 1.00   | EACH        | MISC.   |                        |
| 716-10.00  | 1.00   | EACH        | PLAIN NEOPRENE BEARING PAD                              |                        |
| 716-10.01  | 1.00   | LINEAR FOOT | PLAIN NEOPRENE BEARING PAD                              |                        |
| 716-10.02  | 1.00   | EACH        | LAMINATED NEOPRENE BEARING PAD                          |                        |
| 716-10.03  | 1.00   | EACH        | LAMINATED NEOPRENE BEARING PAD (TAPERED)                |                        |
| 716-20.00  | 1.00   | EACH        | LAMINATED NEOPRENE BEARING PAD ASSEMBLY                 |                        |
| 716-30.00  | 1.00   | EACH        | TYPE N PTFE BEARING                                     |                        |
| 716-40.00  | 1.00   | EACH        | POT BEARING   |                        |
| 716-99.01  | 1.00   | LUMP SUM    | MISC.   |                        |
| 716-99.02  | 1.00   | EACH        | MISC.   |                        |
| 716-99.03  | 1.00   | LINEAR FOOT | MISC.   |                        |
| 717-00.01  | 1.00   | LINEAR FOOT | ALTERNATE EXPANSION JOINT SYSTEM                        |                        |
| 717-10.01  | 1.00   | LINEAR FOOT | PREFORMED COMPRESSION SEAL EXPANSION JOINT<br>SYSTEM    |                        |
| 717-10.02  | 1.00   | LINEAR FOOT | PREFORMED COMPRESSION SEAL                              |                        |
| 717-20.01  | 1.00   | LINEAR FOOT | STRIP SEAL EXPANSION JOINT SYSTEM                       |                        |
| 717-20.02  | 1.00   | LINEAR FOOT | STRIP SEAL  |                        |
| 717-30.01  | 1.00   | LINEAR FOOT | SILICONE EXPANSION JOINT SEALANT SYSTEM                 |                        |
| 717-30.02  | 1.00   | LINEAR FOOT | SILICONE EXPANSION JOINT SEALANT                        |                        |
| 717-99.03  | 1.00   | LINEAR FOOT | MISC.   |                        |
| 718-10.10  | 1.00   | LUMP SUM    | FURNISHING SUPERSTRUCTURE                               |                        |
| 718-10.11  | 1.00   | LUMP SUM    | PARTIAL FURNISHING OF SUPERSTRUCTURE                    |                        |
| 718-10.20  | 1.00   | LUMP SUM    | TRANSPORTING AND ERECTING SUPERSTRUCTURE                |                        |
| 718-10.30  | 1.00   | LUMP SUM    | REMOVING AND STORING SUPERSTRUCTURE                     |                        |
| 718-99.01  | 1.00   | LUMP SUM    | MISC.   |                        |
| 718-99.02  | 1.00   | EACH        | MISC.   |                        |
| 719-99.01  | 1.00   | LUMP SUM    | MISC.   |                        |
| 720-10.00  | 1.00   | SQUARE FOOT | MECHANICALLY STABILIZED EARTH WALL SYSTEMS              |                        |
| 720-11.00  | 1.00   | SQUARE YARD | FORM LINERS FOR MSE WALL SYSTEMS                        |                        |
| 720-99.01  | 1.00   | LUMP SUM    | MISC.   |                        |
| 720-99.04  | 1.00   | SQUARE FOOT | MISC.   |                        |
| 720-99.05  | 1.00   | SQUARE YARD | MISC.   |                        |
| 725-03.12A | 1.00   | LINEAR FOOT | 12 IN. PIPE GROUP B                                     |                        |
| 725-03.15A | 1.00   | LINEAR FOOT | 15 IN. PIPE GROUP B                                     |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|------------|------|-------------|---|------------------------|
| 725-03.18A | 1.00 | LINEAR FOOT | 18 IN. PIPE GROUP B   |                        |
| 725-03.21A | 1.00 | LINEAR FOOT | 21 IN. PIPE GROUP B   |                        |
| 725-03.24A | 1.00 | LINEAR FOOT | 24 IN. PIPE GROUP B   |                        |
| 725-03.30A | 1.00 | LINEAR FOOT | 30 IN. PIPE GROUP B   |                        |
| 725-03.36A | 1.00 | LINEAR FOOT | 36 IN. PIPE GROUP B   |                        |
| 725-03.42A | 1.00 | LINEAR FOOT | 42 IN. PIPE GROUP B   |                        |
| 725-03.48A | 1.00 | LINEAR FOOT | 48 IN. PIPE GROUP B   |                        |
| 725-03.54A | 1.00 | LINEAR FOOT | 54 IN. PIPE GROUP B   |                        |
| 725-03.60A | 1.00 | LINEAR FOOT | 60 IN. PIPE GROUP B   |                        |
| 725-03.66A | 1.00 | LINEAR FOOT | 66 IN. PIPE GROUP B   |                        |
| 725-03.72A | 1.00 | LINEAR FOOT | 72 IN. PIPE GROUP B   |                        |
| 725-03.78A | 1.00 | LINEAR FOOT | 78 IN. PIPE GROUP B   |                        |
| 725-03.84A | 1.00 | LINEAR FOOT | 84 IN. PIPE GROUP B   |                        |
| 725-04.12  | 1.00 | LINEAR FOOT | 12 IN. PIPE GROUP C   |                        |
| 725-04.15  | 1.00 | LINEAR FOOT | 15 IN. PIPE GROUP C   |                        |
| 725-04.18  | 1.00 | LINEAR FOOT | 18 IN. PIPE GROUP C   |                        |
| 725-04.21  | 1.00 | LINEAR FOOT | 21 IN. PIPE GROUP C   |                        |
| 725-04.24  | 1.00 | LINEAR FOOT | 24 IN. PIPE GROUP C   |                        |
| 725-04.30  | 1.00 | LINEAR FOOT | 30 IN. PIPE GROUP C   |                        |
| 725-04.36  | 1.00 | LINEAR FOOT | 36 IN. PIPE GROUP C   |                        |
| 725-04.42  | 1.00 | LINEAR FOOT | 42 IN. PIPE GROUP C   |                        |
| 725-04.48  | 1.00 | LINEAR FOOT | 48 IN. PIPE GROUP C   |                        |
| 725-04.54  | 1.00 | LINEAR FOOT | 54 IN. PIPE GROUP C   |                        |
| 725-04.60  | 1.00 | LINEAR FOOT | 60 IN. PIPE GROUP C   |                        |
| 725-04.66  | 1.00 | LINEAR FOOT | 66 IN. PIPE GROUP C   |                        |
| 725-04.72  | 1.00 | LINEAR FOOT | 72 IN. PIPE GROUP C   |                        |
| 725-04.78  | 1.00 | LINEAR FOOT | 78 IN. PIPE GROUP C   |                        |
| 725-04.84  | 1.00 | LINEAR FOOT | 84 IN. PIPE GROUP C   |                        |
| 725-10.00  | 1.00 | EACH        | CORRUGATED METAL PIPE PILE SPACERS                            |                        |
| 725-20.02  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-2        |                        |
| 725-20.03  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-3        |                        |
| 725-20.04  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-4        |                        |
| 725-20.05  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-5        |                        |
| 725-20.06  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-6/B-6A   |                        |
| 725-20.07  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-7/B-7A   |                        |
| 725-20.08  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-8/B-8A   |                        |
| 725-20.09  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-9/B-9A   |                        |
| 725-20.10  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-10/B-10A |                        |
| 725-20.11  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-11/B-11A |                        |
| 725-20.12  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-12/B-12A |                        |
| 725-20.13  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-13/B-13A |                        |
| 725-20.14  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-14/B-14A |                        |
| 725-20.15  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-15/B-15A |                        |
| 725-20.16  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-16/B-16A |                        |
| 725-20.17  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-17/B-17A |                        |
| 725-20.18  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-18/B-18A |                        |
| 725-20.19  | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-19/B-19A |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 725-20.20 | 1.00 | LINEAR FOOT | CORRUGATED METALLIC-COATED STEEL PIPE-ARCH<br>TYPE B-20/B-20A   |                        |
| 725-40.15 | 1.00 | EACH        | 15 IN. OR 375 MM CORRUGATED METALLIC-COATED<br>STEEL DROP INLET |                        |
| 725-40.18 | 1.00 | EACH        | 18 IN. OR 450 MM CORRUGATED METALLIC-COATED<br>STEEL DROP INLET |                        |
| 725-40.24 | 1.00 | EACH        | 24 IN. OR 600 MM CORRUGATED METALLIC-COATED<br>STEEL DROP INLET |                        |
| 725-50.18 | 1.00 | EACH        | 18 IN./450 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL  |                        |
| 725-50.24 | 1.00 | EACH        | 24 IN./ 600 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL |                        |
| 725-50.30 | 1.00 | EACH        | 30 IN./ 750 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL |                        |
| 725-50.36 | 1.00 | EACH        | 36 IN./ 900 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL |                        |
| 725-50.42 | 1.00 | EACH        | 42 IN./1050 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL |                        |
| 725-50.48 | 1.00 | EACH        | 48 IN./1200 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL |                        |
| 725-50.54 | 1.00 | EACH        | 54 IN./1350 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL |                        |
| 725-50.60 | 1.00 | EACH        | 60 IN./1500 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL |                        |
| 725-50.66 | 1.00 | EACH        | 66 IN./1650 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL |                        |
| 725-50.72 | 1.00 | EACH        | 72 IN./1800 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL |                        |
| 725-50.78 | 1.00 | EACH        | 78 IN./1950 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL |                        |
| 725-50.84 | 1.00 | EACH        | 84 IN./2100 MM CORRUGATED METALLIC-COATED<br>STEEL CURTAIN WALL |                        |
| 725-51.02 | 1.00 | EACH        | CORRUGATED METALLIC-COATED STEEL CURTAIN<br>WALL, TYPE B-2      |                        |
| 725-51.03 | 1.00 | EACH        | CORRUGATED METALLIC-COATED STEEL CURTAIN<br>WALL, TYPE B-3      |                        |
| 725-51.04 | 1.00 | EACH        | CORRUGATED METALLIC-COATED STEEL CURTAIN<br>WALL, TYPE B-4      |                        |
| 725-51.05 | 1.00 | EACH        | CORRUGATED METALLIC-COATED STEEL CURTAIN<br>WALL, TYPE B-5      |                        |
| 725-51.06 | 1.00 | EACH        | CORRUGATED METALLIC-COATED STEEL CURTAIN<br>WALL, TYPE B-6      |                        |
| 725-51.07 | 1.00 | EACH        | CORRUGATED METALLIC-COATED STEEL CURTAIN<br>WALL, TYPE B-7      |                        |
| 725-51.08 | 1.00 | EACH        | CORRUGATED METALLIC-COATED STEEL CURTAIN<br>WALL, TYPE B-8      |                        |
| 725-51.09 | 1.00 | EACH        | CORRUGATED METALLIC-COATED STEEL CURTAIN<br>WALL, TYPE B-9      |                        |
| 725-51.10 | 1.00 | EACH        | CORRUGATED METALLIC-COATED STEEL CURTAIN<br>WALL, TYPE B-10     |                        |
| 725-52.00 | 1.00 | LINEAR FOOT | PIPE LINER FOR EXISTING CULVERT                                 |                        |
| 725-99.02 | 1.00 | EACH        | MISC.   |                        |
| 725-99.03 | 1.00 | LINEAR FOOT | MISC.   |                        |
| 726-11.02 | 1.00 | LINEAR FOOT | 102 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT             |                        |
| 726-11.08 | 1.00 | LINEAR FOOT | 108 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT             |                        |
| 726-11.60 | 1.00 | LINEAR FOOT | 60 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT              |                        |
| 726-11.66 | 1.00 | LINEAR FOOT | 66 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT              |                        |
| 726-11.72 | 1.00 | LINEAR FOOT | 72 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT              |                        |
| 726-11.78 | 1.00 | LINEAR FOOT | 78 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT              |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION                                      | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 726-11.84 | 1.00 | LINEAR FOOT | 84 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT    |                        |
| 726-11.90 | 1.00 | LINEAR FOOT | 90 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT    |                        |
| 726-11.96 | 1.00 | LINEAR FOOT | 96 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT    |                        |
| 726-12.02 | 1.00 | LINEAR FOOT | 102 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT  |                        |
| 726-12.08 | 1.00 | LINEAR FOOT | 108 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT  |                        |
| 726-12.12 | 1.00 | LINEAR FOOT | 12 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.15 | 1.00 | LINEAR FOOT | 15 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.18 | 1.00 | LINEAR FOOT | 18 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.21 | 1.00 | LINEAR FOOT | 21 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.24 | 1.00 | LINEAR FOOT | 24 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.27 | 1.00 | LINEAR FOOT | 27 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.30 | 1.00 | LINEAR FOOT | 30 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.33 | 1.00 | LINEAR FOOT | 33 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.36 | 1.00 | LINEAR FOOT | 36 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.42 | 1.00 | LINEAR FOOT | 42 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.48 | 1.00 | LINEAR FOOT | 48 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.54 | 1.00 | LINEAR FOOT | 54 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.60 | 1.00 | LINEAR FOOT | 60 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.66 | 1.00 | LINEAR FOOT | 66 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.72 | 1.00 | LINEAR FOOT | 72 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.78 | 1.00 | LINEAR FOOT | 78 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.84 | 1.00 | LINEAR FOOT | 84 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.90 | 1.00 | LINEAR FOOT | 90 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-12.96 | 1.00 | LINEAR FOOT | 96 IN. CLASS II REINFORCED CONCRETE PIPE<br>CULVERT   |                        |
| 726-13.02 | 1.00 | LINEAR FOOT | 102 IN. CLASS III REINFORCED CONCRETE PIPE<br>CULVERT |                        |
| 726-13.08 | 1.00 | LINEAR FOOT | 108 IN. CLASS III REINFORCED CONCRETE PIPE<br>CULVERT |                        |
| 726-13.12 | 1.00 | LINEAR FOOT | 12 IN. CLASS III REINFORCED CONCRETE PIPE<br>CULVERT  |                        |
| 726-13.15 | 1.00 | LINEAR FOOT | 15 IN. CLASS III REINFORCED CONCRETE PIPE<br>CULVERT  |                        |
| 726-13.18 | 1.00 | LINEAR FOOT | 18 IN. CLASS III REINFORCED CONCRETE PIPE<br>CULVERT  |                        |
| 726-13.21 | 1.00 | LINEAR FOOT | 21 IN. CLASS III REINFORCED CONCRETE PIPE<br>CULVERT  |                        |
| 726-13.24 | 1.00 | LINEAR FOOT | 24 IN. CLASS III REINFORCED CONCRETE PIPE<br>CULVERT  |                        |
| 726-13.27 | 1.00 | LINEAR FOOT | 27 IN. CLASS III REINFORCED CONCRETE PIPE<br>CULVERT  |                        |
| 726-13.30 | 1.00 | LINEAR FOOT | 30 IN. CLASS III REINFORCED CONCRETE PIPE<br>CULVERT  |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION                                  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 726-13.33 | 1.00 | LINEAR FOOT | 33 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-13.36 | 1.00 | LINEAR FOOT | 36 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-13.42 | 1.00 | LINEAR FOOT | 42 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-13.48 | 1.00 | LINEAR FOOT | 48 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-13.54 | 1.00 | LINEAR FOOT | 54 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-13.60 | 1.00 | LINEAR FOOT | 60 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-13.66 | 1.00 | LINEAR FOOT | 66 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-13.72 | 1.00 | LINEAR FOOT | 72 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-13.78 | 1.00 | LINEAR FOOT | 78 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-13.84 | 1.00 | LINEAR FOOT | 84 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-13.90 | 1.00 | LINEAR FOOT | 90 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-13.96 | 1.00 | LINEAR FOOT | 96 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-14.02 | 1.00 | LINEAR FOOT | 102 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-14.08 | 1.00 | LINEAR FOOT | 108 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT |                        |
| 726-14.12 | 1.00 | LINEAR FOOT | 12 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.15 | 1.00 | LINEAR FOOT | 15 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.18 | 1.00 | LINEAR FOOT | 18 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.21 | 1.00 | LINEAR FOOT | 21 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.24 | 1.00 | LINEAR FOOT | 24 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.27 | 1.00 | LINEAR FOOT | 27 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.30 | 1.00 | LINEAR FOOT | 30 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.33 | 1.00 | LINEAR FOOT | 33 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.36 | 1.00 | LINEAR FOOT | 36 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.42 | 1.00 | LINEAR FOOT | 42 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.48 | 1.00 | LINEAR FOOT | 48 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.54 | 1.00 | LINEAR FOOT | 54 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.60 | 1.00 | LINEAR FOOT | 60 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.66 | 1.00 | LINEAR FOOT | 66 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.72 | 1.00 | LINEAR FOOT | 72 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.78 | 1.00 | LINEAR FOOT | 78 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.84 | 1.00 | LINEAR FOOT | 84 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.90 | 1.00 | LINEAR FOOT | 90 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |
| 726-14.96 | 1.00 | LINEAR FOOT | 96 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT  |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 726-15.02 | 1.00 | LINEAR FOOT | 102 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT               |                        |
| 726-15.08 | 1.00 | LINEAR FOOT | 108 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT               |                        |
| 726-15.12 | 1.00 | LINEAR FOOT | 12 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.15 | 1.00 | LINEAR FOOT | 15 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.18 | 1.00 | LINEAR FOOT | 18 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.21 | 1.00 | LINEAR FOOT | 21 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.24 | 1.00 | LINEAR FOOT | 24 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.27 | 1.00 | LINEAR FOOT | 27 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.30 | 1.00 | LINEAR FOOT | 30 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.33 | 1.00 | LINEAR FOOT | 33 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.36 | 1.00 | LINEAR FOOT | 36 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.42 | 1.00 | LINEAR FOOT | 42 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.48 | 1.00 | LINEAR FOOT | 48 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.54 | 1.00 | LINEAR FOOT | 54 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.60 | 1.00 | LINEAR FOOT | 60 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.66 | 1.00 | LINEAR FOOT | 66 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.72 | 1.00 | LINEAR FOOT | 72 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.78 | 1.00 | LINEAR FOOT | 78 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.84 | 1.00 | LINEAR FOOT | 84 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.90 | 1.00 | LINEAR FOOT | 90 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-15.96 | 1.00 | LINEAR FOOT | 96 IN. CLASS V REINFORCED CONCRETE PIPE<br>CULVERT                |                        |
| 726-21.02 | 1.00 | LINEAR FOOT | 102 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-21.08 | 1.00 | LINEAR FOOT | 108 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-21.60 | 1.00 | LINEAR FOOT | 60 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-21.66 | 1.00 | LINEAR FOOT | 66 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT(GASKET TYPE)   |                        |
| 726-21.72 | 1.00 | LINEAR FOOT | 72 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT(GASKET TYPE)   |                        |
| 726-21.78 | 1.00 | LINEAR FOOT | 78 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT(GASKET TYPE)   |                        |
| 726-21.84 | 1.00 | LINEAR FOOT | 84 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT(GASKET TYPE)   |                        |
| 726-21.90 | 1.00 | LINEAR FOOT | 90 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT(GASKET TYPE)   |                        |
| 726-21.96 | 1.00 | LINEAR FOOT | 96 IN. CLASS I REINFORCED CONCRETE PIPE<br>CULVERT(GASKET TYPE)   |                        |
| 726-22.02 | 1.00 | LINEAR FOOT | 102 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT(GASKET TYPE)    |                        |
| 726-22.08 | 1.00 | LINEAR FOOT | 108 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT(GASKET TYPE)    |                        |
| 726-22.12 | 1.00 | LINEAR FOOT | 12 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT(GASKET TYPE)     |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 726-22.15 | 1.00 | LINEAR FOOT | 15 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT(GASKET TYPE)   |                        |
| 726-22.18 | 1.00 | LINEAR FOOT | 18 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.21 | 1.00 | LINEAR FOOT | 21 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.24 | 1.00 | LINEAR FOOT | 24 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.27 | 1.00 | LINEAR FOOT | 27 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.30 | 1.00 | LINEAR FOOT | 30 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.33 | 1.00 | LINEAR FOOT | 33 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.36 | 1.00 | LINEAR FOOT | 36 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.42 | 1.00 | LINEAR FOOT | 42 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET PIPE)  |                        |
| 726-22.48 | 1.00 | LINEAR FOOT | 48 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.54 | 1.00 | LINEAR FOOT | 54 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.60 | 1.00 | LINEAR FOOT | 60 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.66 | 1.00 | LINEAR FOOT | 66 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.72 | 1.00 | LINEAR FOOT | 72 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.78 | 1.00 | LINEAR FOOT | 78 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.84 | 1.00 | LINEAR FOOT | 84 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.90 | 1.00 | LINEAR FOOT | 90 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-22.96 | 1.00 | LINEAR FOOT | 96 IN. CLASS II REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE)  |                        |
| 726-23.02 | 1.00 | LINEAR FOOT | 102 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT(GASKET TYPE) |                        |
| 726-23.08 | 1.00 | LINEAR FOOT | 108 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT(GASKET TYPE) |                        |
| 726-23.12 | 1.00 | LINEAR FOOT | 12 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT(GASKET TYPE)  |                        |
| 726-23.15 | 1.00 | LINEAR FOOT | 15 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT(GASKET TYPE)  |                        |
| 726-23.18 | 1.00 | LINEAR FOOT | 18 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-23.21 | 1.00 | LINEAR FOOT | 21 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-23.24 | 1.00 | LINEAR FOOT | 24 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-23.27 | 1.00 | LINEAR FOOT | 27 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-23.30 | 1.00 | LINEAR FOOT | 30 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-23.33 | 1.00 | LINEAR FOOT | 33 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-23.36 | 1.00 | LINEAR FOOT | 36 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-23.42 | 1.00 | LINEAR FOOT | 42 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-23.48 | 1.00 | LINEAR FOOT | 48 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-23.54 | 1.00 | LINEAR FOOT | 54 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE) |                        |
| 726-23.60 | 1.00 | LINEAR FOOT | 60 IN. CLASS III REINFORCED CONC. PIPE<br>CULVERT (GASKET TYPE) |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|--|------------------------|
| 726-23.66 | 1.00 | LINEAR FOOT | 66 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE) |                        |
| 726-23.72 | 1.00 | LINEAR FOOT | 72 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE) |                        |
| 726-23.78 | 1.00 | LINEAR FOOT | 78 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE) |                        |
| 726-23.84 | 1.00 | LINEAR FOOT | 84 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE) |                        |
| 726-23.90 | 1.00 | LINEAR FOOT | 90 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE) |                        |
| 726-23.96 | 1.00 | LINEAR FOOT | 96 IN. CLASS III REINFORCED CONC. PIPE CULVERT (GASKET TYPE) |                        |
| 726-24.02 | 1.00 | LINEAR FOOT | 102 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE) |                        |
| 726-24.08 | 1.00 | LINEAR FOOT | 108 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE) |                        |
| 726-24.12 | 1.00 | LINEAR FOOT | 12 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.15 | 1.00 | LINEAR FOOT | 15 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.18 | 1.00 | LINEAR FOOT | 18 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.21 | 1.00 | LINEAR FOOT | 21 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.24 | 1.00 | LINEAR FOOT | 24 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.30 | 1.00 | LINEAR FOOT | 30 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.33 | 1.00 | LINEAR FOOT | 33 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.36 | 1.00 | LINEAR FOOT | 36 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.42 | 1.00 | LINEAR FOOT | 42 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.48 | 1.00 | LINEAR FOOT | 48 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.54 | 1.00 | LINEAR FOOT | 54 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.60 | 1.00 | LINEAR FOOT | 60 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.66 | 1.00 | LINEAR FOOT | 66 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.72 | 1.00 | LINEAR FOOT | 72 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.78 | 1.00 | LINEAR FOOT | 78 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.84 | 1.00 | LINEAR FOOT | 84 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.90 | 1.00 | LINEAR FOOT | 90 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-24.96 | 1.00 | LINEAR FOOT | 96 IN. CLASS IV REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-25.02 | 1.00 | LINEAR FOOT | 102 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-25.08 | 1.00 | LINEAR FOOT | 108 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)  |                        |
| 726-25.12 | 1.00 | LINEAR FOOT | 12 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)   |                        |
| 726-25.15 | 1.00 | LINEAR FOOT | 15 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)   |                        |
| 726-25.18 | 1.00 | LINEAR FOOT | 18 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)   |                        |
| 726-25.21 | 1.00 | LINEAR FOOT | 21 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)   |                        |
| 726-25.24 | 1.00 | LINEAR FOOT | 24 IN. CLASS V REINFORCED CONC. PIPE CULVERT (GASKET TYPE)   |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|--|------------------------|
| 726-25.30 | 1.00 | LINEAR FOOT | 30 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.33 | 1.00 | LINEAR FOOT | 33 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.36 | 1.00 | LINEAR FOOT | 36 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.42 | 1.00 | LINEAR FOOT | 42 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.48 | 1.00 | LINEAR FOOT | 48 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.54 | 1.00 | LINEAR FOOT | 54 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.60 | 1.00 | LINEAR FOOT | 60 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.66 | 1.00 | LINEAR FOOT | 66 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.72 | 1.00 | LINEAR FOOT | 72 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.78 | 1.00 | LINEAR FOOT | 78 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.84 | 1.00 | LINEAR FOOT | 84 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.90 | 1.00 | LINEAR FOOT | 90 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-25.96 | 1.00 | LINEAR FOOT | 96 IN. CLASS V REINFORCED CONC. PIPE CULVERT<br>(GASKET TYPE)      |                        |
| 726-30.04 | 1.00 | LINEAR FOOT | 4 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(STANDARD STRENGTH)    |                        |
| 726-30.06 | 1.00 | LINEAR FOOT | 6 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(STANDARD STRENGTH)    |                        |
| 726-30.08 | 1.00 | LINEAR FOOT | 8 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(STANDARD STRENGTH)    |                        |
| 726-30.10 | 1.00 | LINEAR FOOT | 10 IN. NON-REINFORCED CONCRETE SEWER<br>PIPE (STANDARD STRENGTH)   |                        |
| 726-30.12 | 1.00 | LINEAR FOOT | 12 IN. NON-REINFORCED CONCRETE SEWER<br>PIPE (STANDARD STRENGTH)   |                        |
| 726-30.15 | 1.00 | LINEAR FOOT | 15 IN. NON-REINFORCED CONCRETE SEWER<br>PIPE (STANDARD STRENGTH)   |                        |
| 726-30.18 | 1.00 | LINEAR FOOT | 18 IN. NON-REINFORCED CONCRETE SEWER<br>PIPE (STANDARD STRENGTH)   |                        |
| 726-30.21 | 1.00 | LINEAR FOOT | 21 IN. NON-REINFORCED CONCRETE SEWER<br>PIPE (STANDARD STRENGTH)   |                        |
| 726-30.24 | 1.00 | LINEAR FOOT | 24 IN. NON-REINFORCED CONCRETE SEWER<br>PIPE (STANDARD STRENGTH)   |                        |
| 726-31.04 | 1.00 | LINEAR FOOT | 4 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(EXTRA STRENGTH)       |                        |
| 726-31.06 | 1.00 | LINEAR FOOT | 6 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(EXTRA STRENGTH)       |                        |
| 726-31.08 | 1.00 | LINEAR FOOT | 8 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(EXTRA STRENGTH)       |                        |
| 726-31.10 | 1.00 | LINEAR FOOT | 10 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(EXTRA STRENGTH)      |                        |
| 726-31.12 | 1.00 | LINEAR FOOT | 12 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(EXTRA STRENGTH)      |                        |
| 726-31.15 | 1.00 | LINEAR FOOT | 15 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(EXTRA STRENGTH)      |                        |
| 726-31.18 | 1.00 | LINEAR FOOT | 18 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(EXTRA STRENGTH)      |                        |
| 726-31.21 | 1.00 | LINEAR FOOT | 21 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(EXTRA STRENGTH)      |                        |
| 726-31.24 | 1.00 | LINEAR FOOT | 24 IN. NON-REINFORCED CONCRETE SEWER PIPE<br>(EXTRA STRENGTH)      |                        |
| 726-40.04 | 1.00 | LINEAR FOOT | 4 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE<br>(STANDARD STRENGTH) |                        |
| 726-40.06 | 1.00 | LINEAR FOOT | 6 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE<br>(STANDARD STRENGTH) |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 726-40.08 | 1.00 | LINEAR FOOT | 8 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)         |                        |
| 726-40.10 | 1.00 | LINEAR FOOT | 10 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)        |                        |
| 726-40.12 | 1.00 | LINEAR FOOT | 12 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)        |                        |
| 726-40.15 | 1.00 | LINEAR FOOT | 15 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)        |                        |
| 726-40.18 | 1.00 | LINEAR FOOT | 18 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)        |                        |
| 726-40.21 | 1.00 | LINEAR FOOT | 21 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)        |                        |
| 726-40.24 | 1.00 | LINEAR FOOT | 24 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)        |                        |
| 726-40.27 | 1.00 | LINEAR FOOT | 27 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)        |                        |
| 726-40.30 | 1.00 | LINEAR FOOT | 30 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)        |                        |
| 726-40.33 | 1.00 | LINEAR FOOT | 33 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)        |                        |
| 726-40.36 | 1.00 | LINEAR FOOT | 36 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (STANDARD STRENGTH)        |                        |
| 726-41.04 | 1.00 | LINEAR FOOT | 4 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)            |                        |
| 726-41.06 | 1.00 | LINEAR FOOT | 6 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)            |                        |
| 726-41.08 | 1.00 | LINEAR FOOT | 8 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)            |                        |
| 726-41.10 | 1.00 | LINEAR FOOT | 10 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)           |                        |
| 726-41.12 | 1.00 | LINEAR FOOT | 12 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)           |                        |
| 726-41.15 | 1.00 | LINEAR FOOT | 15 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)           |                        |
| 726-41.18 | 1.00 | LINEAR FOOT | 18 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)           |                        |
| 726-41.21 | 1.00 | LINEAR FOOT | 21 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)           |                        |
| 726-41.24 | 1.00 | LINEAR FOOT | 24 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)           |                        |
| 726-41.27 | 1.00 | LINEAR FOOT | 27 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)           |                        |
| 726-41.30 | 1.00 | LINEAR FOOT | 30 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)           |                        |
| 726-41.33 | 1.00 | LINEAR FOOT | 33 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)           |                        |
| 726-41.36 | 1.00 | LINEAR FOOT | 36 IN. VITRIFIED CLAY CULVERT AND SEWER PIPE (EXTRA STRENGTH)           |                        |
| 726-50.15 | 1.00 | LINEAR FOOT | JACKED 15 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)  |                        |
| 726-50.18 | 1.00 | LINEAR FOOT | JACKED 18 IN. CLASS III REINFORCED CONCRETE PIPE CULVERTS (GASKET TYPE) |                        |
| 726-50.24 | 1.00 | LINEAR FOOT | JACKED 24 IN. CLASS III REINFORCED CONCRETE PIPE CULVERTS (GASKET TYPE) |                        |
| 726-50.30 | 1.00 | LINEAR FOOT | JACKED 30 IN. CLASS III REINFORCED CONCRETE PIPE CULVERTS (GASKET TYPE) |                        |
| 726-50.36 | 1.00 | LINEAR FOOT | JACKED 36 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)  |                        |
| 726-50.42 | 1.00 | LINEAR FOOT | JACKED 42 IN. CLASS III REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)  |                        |
| 726-52.15 | 1.00 | LINEAR FOOT | JACKED 15 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)   |                        |
| 726-52.18 | 1.00 | LINEAR FOOT | JACKED 18 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)   |                        |
| 726-52.24 | 1.00 | LINEAR FOOT | JACKED 24 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)   |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 726-52.30 | 1.00 | LINEAR FOOT | JACKED 30 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) |                        |
| 726-52.36 | 1.00 | LINEAR FOOT | JACKED 36 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) |                        |
| 726-52.42 | 1.00 | LINEAR FOOT | JACKED 42 IN. CLASS IV REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE) |                        |
| 726-54.15 | 1.00 | LINEAR FOOT | JACKED 15 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)  |                        |
| 726-54.18 | 1.00 | LINEAR FOOT | JACKED 18 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)  |                        |
| 726-54.24 | 1.00 | LINEAR FOOT | JACKED 24 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)  |                        |
| 726-54.30 | 1.00 | LINEAR FOOT | JACKED 30 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)  |                        |
| 726-54.36 | 1.00 | LINEAR FOOT | JACKED 36 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)  |                        |
| 726-54.42 | 1.00 | LINEAR FOOT | JACKED 42 IN. CLASS V REINFORCED CONCRETE PIPE CULVERT (GASKET TYPE)  |                        |
| 726-99.02 | 1.00 | EACH        | MISC.   |                        |
| 726-99.03 | 1.00 | LINEAR FOOT | MISC.   |                        |
| 726-99.13 | 1.00 | FOOT        | MISC.   |                        |
| 726-99.21 | 1.00 | LUMP SUM    | SEWER   |                        |
| 726-99.22 | 1.00 | EACH        | SEWER   |                        |
| 726-99.23 | 1.00 | LINEAR FOOT | SEWER   |                        |
| 726-99.24 | 1.00 | CUBIC YARD  | SEWER   |                        |
| 727-10.02 | 1.00 | LINEAR FOOT | 102 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.08 | 1.00 | LINEAR FOOT | 108 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.14 | 1.00 | LINEAR FOOT | 114 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.20 | 1.00 | LINEAR FOOT | 120 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.26 | 1.00 | LINEAR FOOT | 126 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.32 | 1.00 | LINEAR FOOT | 132 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.38 | 1.00 | LINEAR FOOT | 138 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.44 | 1.00 | LINEAR FOOT | 144 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.50 | 1.00 | LINEAR FOOT | 150 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.56 | 1.00 | LINEAR FOOT | 156 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.60 | 1.00 | LINEAR FOOT | 60 IN. STRUCTURAL PLATE PIPE CULVERT                                  |                        |
| 727-10.62 | 1.00 | LINEAR FOOT | 162 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.66 | 1.00 | LINEAR FOOT | 66 IN. STRUCTURAL PLATE PIPE CULVERT                                  |                        |
| 727-10.68 | 1.00 | LINEAR FOOT | 168 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.72 | 1.00 | LINEAR FOOT | 72 IN. STRUCTURAL PLATE PIPE CULVERT                                  |                        |
| 727-10.74 | 1.00 | LINEAR FOOT | 174 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.78 | 1.00 | LINEAR FOOT | 78 IN. STRUCTURAL PLATE PIPE CULVERT                                  |                        |
| 727-10.80 | 1.00 | LINEAR FOOT | 180 IN. STRUCTURAL PLATE PIPE CULVERT                                 |                        |
| 727-10.84 | 1.00 | LINEAR FOOT | 84 IN. STRUCTURAL PLATE PIPE CULVERT                                  |                        |
| 727-10.90 | 1.00 | LINEAR FOOT | 90 IN. STRUCTURAL PLATE PIPE CULVERT                                  |                        |
| 727-10.96 | 1.00 | LINEAR FOOT | 96 IN. STRUCTURAL PLATE PIPE CULVERT                                  |                        |
| 727-20.01 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-1                           |                        |
| 727-20.02 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-2                           |                        |
| 727-20.03 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-3                           |                        |
| 727-20.04 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-4                           |                        |
| 727-20.05 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-5                           |                        |
| 727-20.06 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-6                           |                        |
| 727-20.07 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-7                           |                        |
| 727-20.08 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-8                           |                        |
| 727-20.09 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-9                           |                        |
| 727-20.10 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-10                          |                        |
| 727-20.11 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-11                          |                        |
| 727-20.12 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-12                          |                        |
| 727-20.13 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-13                          |                        |
| 727-20.14 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-14                          |                        |
| 727-20.15 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-15                          |                        |
| 727-20.16 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-16                          |                        |
| 727-20.17 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-17                          |                        |
| 727-20.18 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-18                          |                        |
| 727-20.19 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-19                          |                        |
| 727-20.20 | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT TYPE C-20                          |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|------------|------|-------------|--|------------------------|
| 727-20.21  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-21              |
| 727-20.22  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-22              |
| 727-20.23  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-23              |
| 727-20.24  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-24              |
| 727-20.25  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-25              |
| 727-20.26  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-26              |
| 727-20.27  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-27              |
| 727-20.28  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-28              |
| 727-20.29  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-29              |
| 727-20.30  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-30              |
| 727-20.31  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-31              |
| 727-20.32  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-32              |
| 727-20.33  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-33              |
| 727-20.34  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-34              |
| 727-20.35  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-35              |
| 727-20.36  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-36              |
| 727-20.37  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-37              |
| 727-20.38  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-38              |
| 727-20.39  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-39              |
| 727-20.40  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-40              |
| 727-20.41  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-41              |
| 727-20.42  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-42              |
| 727-20.43  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-43              |
| 727-20.44  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-44              |
| 727-20.45  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-45              |
| 727-20.46  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-46              |
| 727-20.47  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-47              |
| 727-20.48  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-48              |
| 727-20.49  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-49              |
| 727-20.50  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-50              |
| 727-20.51  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-51              |
| 727-20.52  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-52              |
| 727-20.53  | 1.00 | LINEAR FOOT | STRUCTURAL PLATE PIPE-ARCH CULVERT                                   | TYPE C-53              |
| 727-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 730-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 730-99.02  | 1.00 | EACH        | MISC.  |                        |
| 730-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 731-00.48  | 1.00 | FOOT        | PRECAST CONCRETE MANHOLE - 48 IN.                                    |                        |
| 731-00.60  | 1.00 | FOOT        | PRECAST CONCRETE MANHOLE - 60 IN.                                    |                        |
| 731-00.72  | 1.00 | FOOT        | PRECAST CONCRETE MANHOLE - 72 IN.                                    |                        |
| 731-10.22  | 1.00 | FOOT        | PRECAST CONCRETE DROP INLET 2 FT X 2 FT                              |                        |
| 731-10.30  | 1.00 | FOOT        | PRECAST CONCRETE DROP INLET 3 FT X 2 FT-6 IN.                        |                        |
| 731-10.32  | 1.00 | FOOT        | PRECAST CONCRETE DROP INLET 3 FT X 2 FT                              |                        |
| 731-10.33  | 1.00 | FOOT        | PRECAST CONCRETE DROP INLET 3 FT X 3 FT                              |                        |
| 731-10.42  | 1.00 | FOOT        | PRECAST CONCRETE DROP INLET 4 FT X 2 FT                              |                        |
| 731-10.52  | 1.00 | FOOT        | PRECAST CONCRETE DROP INLET 5 FT X 2 FT                              |                        |
| 731-10.53  | 1.00 | FOOT        | PRECAST CONCRETE DROP INLET 5 FT X 3 FT                              |                        |
| 731-99.02  | 1.00 | EACH        | MISC.  |                        |
| 731-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 731-99.13  | 1.00 | FOOT        | MISC.  |                        |
| 732-00.12A | 1.00 | EACH        | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP<br>B FLARED END SECTION  |                        |
| 732-00.15A | 1.00 | EACH        | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP<br>B FLARED END SECTION  |                        |
| 732-00.18A | 1.00 | EACH        | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP<br>B FLARED END SECTION  |                        |
| 732-00.21A | 1.00 | EACH        | 21 IN. (525 MM) OR ALLOWED SUBSTITUTE GROUP<br>B FLARED END SECTION  |                        |
| 732-00.24A | 1.00 | EACH        | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP<br>B FLARED END SECTION  |                        |
| 732-00.30A | 1.00 | EACH        | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP<br>B FLARED END SECTION  |                        |
| 732-00.36A | 1.00 | EACH        | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP<br>B FLARED END SECTION  |                        |
| 732-00.42A | 1.00 | EACH        | 42 IN. (1050 MM) OR ALLOWED SUBSTITUTE<br>GROUP B FLARED END SECTION |                        |

| ITEM NO.   | UNIT | TYPE | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|------------|------|------|--|------------------------|
| 732-00.48A | 1.00 | EACH | 48 IN. (1200 MM) OR ALLOWED SUBSTITUTE<br>GROUP B FLARED END SECTION |                        |
| 732-00.54A | 1.00 | EACH | 54 IN. (1350 MM) OR ALLOWED SUBSTITUTE<br>GROUP B FLARED END SECTION |                        |
| 732-00.60A | 1.00 | EACH | 60 IN. (1500 MM) OR ALLOWED SUBSTITUTE<br>GROUP B FLARED END SECTION |                        |
| 732-00.66A | 1.00 | EACH | 66 IN. (1650 MM) OR ALLOWED SUBSTITUTE<br>GROUP B FLARED END SECTION |                        |
| 732-00.72A | 1.00 | EACH | 72 IN. (1800 MM) OR ALLOWED SUBSTITUTE<br>GROUP B FLARED END SECTION |                        |
| 732-00.78A | 1.00 | EACH | 78 IN. (1950 MM) OR ALLOWED SUBSTITUTE<br>GROUP B FLARED END SECTION |                        |
| 732-00.84A | 1.00 | EACH | 84 IN. (2100 MM) OR ALLOWED SUBSTITUTE<br>GROUP B FLARED END SECTION |                        |
| 732-06.12  | 1.00 | EACH | 12 IN. (300 MM) PRECAST CONCRETE FLARED END<br>SECTION               |                        |
| 732-06.15  | 1.00 | EACH | 15 IN. (375 MM) PRECAST CONCRETE FLARED END<br>SECTION               |                        |
| 732-06.18  | 1.00 | EACH | 18 IN. (450 MM) PRECAST CONCRETE FLARED END<br>SECTION               |                        |
| 732-06.21  | 1.00 | EACH | 21 IN. (525 MM) PRECAST CONCRETE FLARED END<br>SECTION               |                        |
| 732-06.24  | 1.00 | EACH | 24 IN. (600 MM) PRECAST CONCRETE FLARED END<br>SECTION               |                        |
| 732-06.27  | 1.00 | EACH | 27 IN. (675 MM) PRECAST CONCRETE FLARED END<br>SECTION               |                        |
| 732-06.30  | 1.00 | EACH | 30 IN. (750 MM) PRECAST CONCRETE FLARED END<br>SECTION               |                        |
| 732-06.33  | 1.00 | EACH | 33 IN. (825 MM) PRECAST CONCRETE FLARED END<br>SECTION               |                        |
| 732-06.36  | 1.00 | EACH | 36 IN. (900 MM) PRECAST CONCRETE FLARED END<br>SECTION               |                        |
| 732-06.42  | 1.00 | EACH | 42 IN. (1050 MM) PRECAST CONCRETE FLARED END<br>SECTION              |                        |
| 732-06.48  | 1.00 | EACH | 48 IN. (1200 MM) PRECAST CONCRETE FLARED END<br>SECTION              |                        |
| 732-06.54  | 1.00 | EACH | 54 IN. (1350 MM) PRECAST CONCRETE FLARED END<br>SECTION              |                        |
| 732-06.60  | 1.00 | EACH | 60 IN. (1500 MM) PRECAST CONCRETE FLARED END<br>SECTION              |                        |
| 732-06.66  | 1.00 | EACH | 66 IN. (1650 MM) PRECAST CONCRETE FLARED END<br>SECTION              |                        |
| 732-06.72  | 1.00 | EACH | 72 IN. (1800 MM) PRECAST CONCRETE FLARED END<br>SECTION              |                        |
| 732-06.78  | 1.00 | EACH | 78 IN. (1950 MM) PRECAST CONCRETE FLARED END<br>SECTION              |                        |
| 732-06.84  | 1.00 | EACH | 84 IN. (2100 MM) PRECAST CONCRETE FLARED END<br>SECTION              |                        |
| 732-08.12A | 1.00 | EACH | 12 IN. (300 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION  |                        |
| 732-08.15A | 1.00 | EACH | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION  |                        |
| 732-08.18A | 1.00 | EACH | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION  |                        |
| 732-08.21A | 1.00 | EACH | 21 IN. (525 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION  |                        |
| 732-08.24A | 1.00 | EACH | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION  |                        |
| 732-08.30A | 1.00 | EACH | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION  |                        |
| 732-08.36A | 1.00 | EACH | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION  |                        |
| 732-08.42A | 1.00 | EACH | 42 IN. (1050 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION |                        |
| 732-08.48A | 1.00 | EACH | 48 IN. (1200 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION |                        |

| ITEM NO.   | UNIT | TYPE | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|------------|------|------|---|------------------------|
| 732-08.54A | 1.00 | EACH | 54 IN. (1350 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION          |                        |
| 732-08.60A | 1.00 | EACH | 60 IN. (1500 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION          |                        |
| 732-08.66A | 1.00 | EACH | 66 IN. (1650 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION          |                        |
| 732-08.72A | 1.00 | EACH | 72 IN. (1800 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION          |                        |
| 732-08.78A | 1.00 | EACH | 78 IN. (1950 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION          |                        |
| 732-08.84A | 1.00 | EACH | 84 IN. (2100 MM) OR ALLOWED SUBSTITUTE GROUP<br>C FLARED END SECTION          |                        |
| 732-10.02  | 1.00 | EACH | B2 FLARED END SECTION   |                        |
| 732-10.03  | 1.00 | EACH | B3 FLARED END SECTION   |                        |
| 732-10.04  | 1.00 | EACH | B4 FLARED END SECTION   |                        |
| 732-10.05  | 1.00 | EACH | B5 FLARED END SECTION   |                        |
| 732-10.06  | 1.00 | EACH | B6 FLARED END SECTION   |                        |
| 732-10.07  | 1.00 | EACH | B7 FLARED END SECTION   |                        |
| 732-10.08  | 1.00 | EACH | B8 FLARED END SECTION   |                        |
| 732-10.09  | 1.00 | EACH | B9 FLARED END SECTION   |                        |
| 732-10.10  | 1.00 | EACH | B10 FLARED END SECTION  |                        |
| 732-10.11  | 1.00 | EACH | B11 FLARED END SECTION  |                        |
| 732-10.12  | 1.00 | EACH | B12 FLARED END SECTION  |                        |
| 732-10.13A | 1.00 | EACH | 15 IN. (375 MM) OR ALLOWED SUBSTITUTE SAFETY<br>SLOPE END SECTION             |                        |
| 732-10.14A | 1.00 | EACH | 18 IN. (450 MM) OR ALLOWED SUBSTITUTE SAFETY<br>SLOPE END SECTION             |                        |
| 732-10.15A | 1.00 | EACH | 21 IN. (525 MM) OR ALLOWED SUBSTITUTE SAFETY<br>SLOPE END SECTION             |                        |
| 732-10.16A | 1.00 | EACH | 24 IN. (600 MM) OR ALLOWED SUBSTITUTE SAFETY<br>SLOPE END SECTION             |                        |
| 732-10.17A | 1.00 | EACH | 30 IN. (750 MM) OR ALLOWED SUBSTITUTE SAFETY<br>SLOPE END SECTION             |                        |
| 732-10.18A | 1.00 | EACH | 36 IN. (900 MM) OR ALLOWED SUBSTITUTE SAFETY<br>SLOPE END SECTION             |                        |
| 732-10.19A | 1.00 | EACH | 42 IN. (1050 MM) OR ALLOWED SUBSTITUTE<br>SAFETY SLOPE END SECTION            |                        |
| 732-10.20A | 1.00 | EACH | 48 IN. (1200 MM) OR ALLOWED SUBSTITUTE<br>SAFETY SLOPE END SECTION            |                        |
| 732-10.21A | 1.00 | EACH | 54 IN. (1350 MM) OR ALLOWED SUBSTITUTE<br>SAFETY SLOPE END SECTION            |                        |
| 732-10.22A | 1.00 | EACH | 60 IN. (1500 MM) OR ALLOWED SUBSTITUTE<br>SAFETY SLOPE END SECTION            |                        |
| 732-20.12A | 1.00 | EACH | BEVELED PIPE END TREATMENT FOR 12 IN. (300<br>MM) OR ALLOWED SUBSTITUTE PIPE  |                        |
| 732-20.15A | 1.00 | EACH | BEVELED PIPE END TREATMENT FOR 15 IN. (375<br>MM) OR ALLOWED SUBSTITUTE PIPE  |                        |
| 732-20.18A | 1.00 | EACH | BEVELED PIPE END TREATMENT FOR 18 IN. (450<br>MM) OR ALLOWED SUBSTITUTE PIPE  |                        |
| 732-20.21A | 1.00 | EACH | BEVELED PIPE END TREATMENT FOR 21 IN. (525<br>MM) OR ALLOWED SUBSTITUTE PIPE  |                        |
| 732-20.24A | 1.00 | EACH | BEVELED PIPE END TREATMENT FOR 24 IN. (600<br>MM) OR ALLOWED SUBSTITUTE PIPE  |                        |
| 732-20.27A | 1.00 | EACH | BEVELED PIPE END TREATMENT FOR 27 IN. (675<br>MM) OR ALLOWED SUBSTITUTE PIPE  |                        |
| 732-20.30A | 1.00 | EACH | BEVELED PIPE END TREATMENT FOR 30 IN. (750<br>MM) OR ALLOWED SUBSTITUTE PIPE  |                        |
| 732-20.33A | 1.00 | EACH | BEVELED PIPE END TREATMENT FOR 33 IN. (825<br>MM) OR ALLOWED SUBSTITUTE PIPE  |                        |
| 732-20.36A | 1.00 | EACH | BEVELED PIPE END TREATMENT FOR 36 IN. (900<br>MM) OR ALLOWED SUBSTITUTE PIPE  |                        |
| 732-20.42A | 1.00 | EACH | BEVELED PIPE END TREATMENT FOR 42 IN. (1050<br>MM) OR ALLOWED SUBSTITUTE PIPE |                        |
| 732-20.48A | 1.00 | EACH | BEVELED PIPE END TREATMENT FOR 48 IN. (1200<br>MM) OR ALLOWED SUBSTITUTE PIPE |                        |

| ITEM NO.   | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|------------|------|-------------|--|------------------------|
| 732-20.54A | 1.00 | EACH        | BEVELED PIPE END TREATMENT FOR 54 IN. (1350 MM) OR ALLOWED SUBSTITUTE PIPE |                        |
| 732-20.60A | 1.00 | EACH        | BEVELED PIPE END TREATMENT FOR 60 IN. (1500 MM) OR ALLOWED SUBSTITUTE PIPE |                        |
| 732-99.02  | 1.00 | EACH        | MISC.  |                        |
| 733-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 733-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 734-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 734-99.02  | 1.00 | EACH        | MISC.  |                        |
| 734-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 735-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 803-10.00A | 1.00 | SQUARE YARD | TURF TYPE TALL FESCUE SODDING  |                        |
| 803-20.00A | 1.00 | SQUARE YARD | KENTUCKY BLUEGRASS SODDING   |                        |
| 803-30.00  | 1.00 | SQUARE YARD | K-31 TALL FESCUE SODDING   |                        |
| 803-40.00  | 1.00 | SQUARE YARD | BUFFALOGRASS SODDING   |                        |
| 803-50.00  | 1.00 | SQUARE YARD | ZOYSIA SODDING   |                        |
| 803-60.00  | 1.00 | SQUARE YARD | BERMUDA SODDING  |                        |
| 803-99.05A | 1.00 | SQUARE YARD | MISC.  |                        |
| 804-10.00  | 1.00 | CUBIC YARD  | TOPSOIL  |                        |
| 804-99.05A | 0.10 | SQUARE YARD | MISC.  |                        |
| 804-99.07A | 1.00 | CUBIC YARD  | MISC.  |                        |
| 805-10.00A | 0.10 | ACRES       | SEEDING - COOL SEASON MIXTURES   |                        |
| 805-20.00A | 0.10 | ACRES       | SEEDING - WARM SEASON MIXTURES   |                        |
| 805-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 805-99.02  | 1.00 | EACH        | MISC.  |                        |
| 805-99.19  | 0.10 | ACRES       | MISC.  |                        |
| 806-10.10A | 1.00 | LINEAR FOOT | TYPE B BERM  |                        |
| 806-10.11  | 1.00 | LINEAR FOOT | SLOPE DRAINS   |                        |
| 806-10.15  | 1.00 | CUBIC YARD  | SEDIMENT BASIN   |                        |
| 806-10.16  | 1.00 | CUBIC YARD  | SEDIMENT REMOVAL   |                        |
| 806-10.17  | 0.10 | ACRES       | TEMPORARY SEEDING AND MULCHING   |                        |
| 806-10.19  | 1.00 | LINEAR FOOT | SILT FENCE   |                        |
| 806-10.20  | 1.00 | LINEAR FOOT | TEMPORARY PIPE   |                        |
| 806-10.21  | 1.00 | EACH        | TYPE I DITCH CHECK   |                        |
| 806-10.22  | 1.00 | EACH        | TYPE II DITCH CHECK  |                        |
| 806-10.25  | 1.00 | EACH        | INLET CHECK  |                        |
| 806-10.50  | 1.00 | LINEAR FOOT | TYPE C BERM  |                        |
| 806-41.01  | 1.00 | SQUARE YARD | TYPE A EROSION CONTROL BLANKET   |                        |
| 806-41.02  | 1.00 | SQUARE YARD | TYPE B EROSION CONTROL BLANKET   |                        |
| 806-41.03  | 1.00 | SQUARE YARD | TYPE C EROSION CONTROL BLANKET   |                        |
| 806-41.04  | 1.00 | SQUARE YARD | TYPE D EROSION CONTROL BLANKET   |                        |
| 806-41.05  | 1.00 | SQUARE YARD | TYPE E EROSION CONTROL BLANKET   |                        |
| 806-41.06  | 1.00 | SQUARE YARD | TYPE F EROSION CONTROL BLANKET   |                        |
| 806-41.07  | 1.00 | SQUARE YARD | TYPE G EROSION CONTROL BLANKET   |                        |
| 806-41.08  | 1.00 | SQUARE YARD | TYPE H EROSION CONTROL BLANKET   |                        |
| 806-50.00  | 1.00 | SQUARE FOOT | GEOSYNTHETIC REINFORCED SOIL SLOPE SYSTEM                                  |                        |
| 806-99.01  | 1.00 | LUMP SUM    | MISC.  |                        |
| 806-99.02  | 1.00 | EACH        | MISC.  |                        |
| 806-99.03  | 1.00 | LINEAR FOOT | MISC.  |                        |
| 806-99.05  | 0.10 | SQUARE YARD | MISC.  |                        |
| 806-99.07  | 1.00 | CUBIC YARD  | MISC.  |                        |
| 808-01.00  | 1.00 | EACH        | SILVER MAPLE   |                        |
| 808-01.01  | 1.00 | EACH        | NORWAY MAPLE   |                        |
| 808-01.02  | 1.00 | EACH        | RED MAPLE  |                        |
| 808-01.03  | 1.00 | EACH        | SUGAR MAPLE  |                        |
| 808-01.04  | 1.00 | EACH        | WHITE ASH  |                        |
| 808-01.05  | 1.00 | EACH        | GREEN ASH  |                        |
| 808-01.06  | 1.00 | EACH        | GINKGO   |                        |
| 808-01.07  | 1.00 | EACH        | THORNLESS HONEYLOCUST  |                        |
| 808-01.08  | 1.00 | EACH        | SWEET GUM  |                        |
| 808-01.09  | 1.00 | EACH        | RED OAK  |                        |
| 808-01.10  | 1.00 | EACH        | SCARLET OAK  |                        |
| 808-01.11  | 1.00 | EACH        | SHINGLE OAK  |                        |
| 808-01.12  | 1.00 | EACH        | PIN OAK  |                        |
| 808-01.13  | 1.00 | EACH        | CRIMEAN LINDEN   |                        |
| 808-01.14  | 1.00 | EACH        | AMERICAN LINDEN  |                        |

| ITEM NO.  | UNIT | TYPE | ITEM DESCRIPTION         | LAST UPDATED 10/1/2008 |
|-----------|------|------|--------------------------|------------------------|
| 808-01.15 | 1.00 | EACH | LITTLE-LEAF LINDEN       |                        |
| 808-01.16 | 1.00 | EACH | LONDON PLANE TREE        |                        |
| 808-01.17 | 1.00 | EACH | AMERICAN PLANE TREE      |                        |
| 808-01.18 | 1.00 | EACH | COMMON BALD CYPRESS      |                        |
| 808-01.19 | 1.00 | EACH | BLACK GUM                |                        |
| 808-01.20 | 1.00 | EACH | BLACK LOCUST             |                        |
| 808-01.21 | 1.00 | EACH | TULIP TREE               |                        |
| 808-02.00 | 1.00 | EACH | GOLDEN RAIN TREE         |                        |
| 808-02.01 | 1.00 | EACH | GOLDEN CHAIN             |                        |
| 808-02.02 | 1.00 | EACH | AMUR CORK TREE           |                        |
| 808-02.03 | 1.00 | EACH | RIVER BIRCH              |                        |
| 808-02.04 | 1.00 | EACH | BABYLON WEeping WILLOW   |                        |
| 808-02.05 | 1.00 | EACH | WILLOW SPECIES           |                        |
| 808-02.06 | 1.00 | EACH | AMERICAN HOLLY           |                        |
| 808-03.00 | 1.00 | EACH | HEDGE MAPLE              |                        |
| 808-03.01 | 1.00 | EACH | AMUR MAPLE               |                        |
| 808-03.02 | 1.00 | EACH | TATARIAN MAPLE           |                        |
| 808-03.03 | 1.00 | EACH | REDBUD TREE              |                        |
| 808-03.04 | 1.00 | EACH | FLOWERING DOGWOOD        |                        |
| 808-03.05 | 1.00 | EACH | CORNELIAN CHERRY DOGWOOD |                        |
| 808-03.06 | 1.00 | EACH | HAWTHORN SPP.            |                        |
| 808-03.07 | 1.00 | EACH | SAUCER MAGNOLIA          |                        |
| 808-03.08 | 1.00 | EACH | STAR MAGNOLIA            |                        |
| 808-03.09 | 1.00 | EACH | JAPANESE CRAB APPLE      |                        |
| 808-03.10 | 1.00 | EACH | WITCHHAZEL               |                        |
| 808-03.11 | 1.00 | EACH | NANNY BERRY              |                        |
| 808-03.12 | 1.00 | EACH | SERVICE BERRY            |                        |
| 808-04.00 | 1.00 | EACH | WHITE PINE               |                        |
| 808-04.01 | 1.00 | EACH | AUSTRIAN PINE            |                        |
| 808-04.03 | 1.00 | EACH | BLACK HILLS SPRUCE       |                        |
| 808-04.04 | 1.00 | EACH | RED CEDAR                |                        |
| 808-04.05 | 1.00 | EACH | KETELEER JUNIPER         |                        |
| 808-04.06 | 1.00 | EACH | RED PINE                 |                        |
| 808-05.00 | 1.00 | EACH | GLOSSY ABELIA            |                        |
| 808-05.01 | 1.00 | EACH | MENTOR BARBERRY          |                        |
| 808-05.02 | 1.00 | EACH | JAPANESE QUINCE          |                        |
| 808-05.03 | 1.00 | EACH | GRAY DOGWOOD             |                        |
| 808-05.04 | 1.00 | EACH | RED OSIER DOGWOOD        |                        |
| 808-05.05 | 1.00 | EACH | BURNING BUSH             |                        |
| 808-05.06 | 1.00 | EACH | DWARF BURNING BUSH       |                        |
| 808-05.07 | 1.00 | EACH | SHOWY BORDER FORSYTHIA   |                        |
| 808-05.08 | 1.00 | EACH | WEeping FORSYTHIA        |                        |
| 808-05.11 | 1.00 | EACH | TALLHEDGE BUCKTHORN      |                        |
| 808-05.12 | 1.00 | EACH | ANTHONY WATER SPIREA     |                        |
| 808-05.13 | 1.00 | EACH | CORALBERRY SPECIES       |                        |
| 808-05.14 | 1.00 | EACH | ARROW-WOOD               |                        |
| 808-05.15 | 1.00 | EACH | NEW JUDD VIBURNUM        |                        |
| 808-05.16 | 1.00 | EACH | LINDEN VIBURNUM          |                        |
| 808-05.17 | 1.00 | EACH | WAYFARING TREE           |                        |
| 808-05.18 | 1.00 | EACH | BLACK HAW                |                        |
| 808-05.19 | 1.00 | EACH | SIEBOLD VIBURNUM         |                        |
| 808-05.20 | 1.00 | EACH | FRAGRANT SUMAC           |                        |
| 808-05.22 | 1.00 | EACH | BUSH CINQUEFOIL          |                        |
| 808-05.23 | 1.00 | EACH | SMOOTH SUMAC             |                        |
| 808-05.24 | 1.00 | EACH | ROSE ACACIA              |                        |
| 808-06.00 | 1.00 | EACH | PFITZER JUNIPER          |                        |
| 808-06.01 | 1.00 | EACH | HETZII JUNIPER           |                        |
| 808-06.02 | 1.00 | EACH | PROCUMBENS JUNIPER       |                        |
| 808-06.03 | 1.00 | EACH | ANDORRA JUNIPER          |                        |
| 808-06.04 | 1.00 | EACH | PYRACANTHA               |                        |
| 808-06.05 | 1.00 | EACH | MUGO PINE                |                        |
| 808-06.06 | 1.00 | EACH | JAPANESE YEW             |                        |
| 808-06.07 | 1.00 | EACH | SPREADING EUONYMUS       |                        |
| 808-06.08 | 1.00 | EACH | JEWEL EUONYMUS           |                        |
| 808-07.01 | 1.00 | EACH | WINTER CREEPER           |                        |
| 808-07.02 | 1.00 | EACH | VIRGINIA CREEPER         |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 808-07.03 | 1.00 | EACH        | BOSTON IVY  |                        |
| 808-07.04 | 1.00 | EACH        | ROSES SPECIES   |                        |
| 808-99.01 | 1.00 | LUMP SUM    | MISC.   |                        |
| 808-99.02 | 1.00 | EACH        | MISC.   |                        |
| 808-99.03 | 1.00 | LINEAR FOOT | MISC.   |                        |
| 808-99.04 | 1.00 | SQUARE FOOT | MISC.   |                        |
| 808-99.06 | 1.00 | CUBIC FOOT  | MISC.   |                        |
| 808-99.07 | 1.00 | CUBIC YARD  | MISC.   |                        |
| 808-99.11 | 1.00 | POUND       | MISC  |                        |
| 808-99.12 | 0.10 | GALLONS     | MISC.   |                        |
| 808-99.19 | 0.10 | ACRES       | MISC.   |                        |
| 901-10.10 | 1.00 | EACH        | RELOCATED POLE  |                        |
| 901-10.30 | 1.00 | EACH        | LIGHTING POLE, 30 FT. OR 9.0 M, TYPE AT                 |                        |
| 901-10.40 | 1.00 | EACH        | LIGHTING POLE, 30 FT. OR 9.0 M, TYPE B                  |                        |
| 901-10.60 | 1.00 | EACH        | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT<br>DESIGN 1    |                        |
| 901-10.62 | 1.00 | EACH        | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT<br>DESIGN 2    |                        |
| 901-10.64 | 1.00 | EACH        | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT<br>DESIGN 3    |                        |
| 901-10.66 | 1.00 | EACH        | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT<br>DESIGN 4    |                        |
| 901-10.68 | 1.00 | EACH        | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE AT<br>DESIGN 5    |                        |
| 901-10.70 | 1.00 | EACH        | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE B<br>DESIGN 3     |                        |
| 901-10.72 | 1.00 | EACH        | LIGHTING POLE, 45 FT. OR 13.5 M, TYPE MB<br>DESIGN 3    |                        |
| 901-11.04 | 1.00 | EACH        | BRACKET ARM, 4 FT. OR 1.2 M                             |                        |
| 901-11.06 | 1.00 | EACH        | BRACKET ARM, 6 FT. OR 1.8 M                             |                        |
| 901-11.08 | 1.00 | EACH        | BRACKET ARM, 8 FT. OR 2.4 M                             |                        |
| 901-11.10 | 1.00 | EACH        | BRACKET ARM, 10 FT. OR 3.0 M                            |                        |
| 901-11.12 | 1.00 | EACH        | BRACKET ARM, 12 FT. OR 3.6 M                            |                        |
| 901-11.15 | 1.00 | EACH        | BRACKET ARM, 15 FT. OR 4.6 M                            |                        |
| 901-12.50 | 1.00 | EACH        | LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM<br>(UNDERPASS) |                        |
| 901-13.00 | 1.00 | EACH        | LUMINAIRE, 150 WATT HIGH PRESSURE SODIUM                |                        |
| 901-13.10 | 1.00 | EACH        | LUMINAIRE, 250 WATT HIGH PRESSURE SODIUM                |                        |
| 901-13.20 | 1.00 | EACH        | LUMINAIRE, 400 WATT HIGH PRESSURE SODIUM                |                        |
| 901-13.30 | 1.00 | EACH        | LUMINAIRE, 1000 WATT HIGH PRESSURE SODIUM<br>HIGH MAST  |                        |
| 901-22.30 | 1.00 | EACH        | BASE MOUNTED CONTROL STATION 240 VOLT - 4<br>CIRCUIT    |                        |
| 901-22.31 | 1.00 | EACH        | BASE MOUNTED CONTROL STATION 480 VOLT-4<br>CIRCUIT      |                        |
| 901-23.30 | 1.00 | EACH        | SERVICE POLE, 30 FT. OR 9.0 M, CLASS 4                  |                        |
| 901-30.02 | 1.00 | LINEAR FOOT | CONDUIT, 2 IN. RIGID, IN TRENCH                         |                        |
| 901-30.03 | 1.00 | LINEAR FOOT | CONDUIT, 3 IN. RIGID, IN TRENCH                         |                        |
| 901-30.04 | 1.00 | LINEAR FOOT | CONDUIT, 4 IN. RIGID, IN TRENCH                         |                        |
| 901-30.05 | 1.00 | LINEAR FOOT | CONDUIT, 5 IN. RIGID, IN TRENCH                         |                        |
| 901-35.02 | 1.00 | LINEAR FOOT | CONDUIT, 2 IN. RIGID, MEDIAN                            |                        |
| 901-35.03 | 1.00 | LINEAR FOOT | CONDUIT, 3 IN. RIGID, MEDIAN                            |                        |
| 901-40.03 | 1.00 | LINEAR FOOT | CONDUIT, 3 IN. RIGID, PUSHED                            |                        |
| 901-40.04 | 1.00 | LINEAR FOOT | CONDUIT, 4 IN. RIGID, PUSHED                            |                        |
| 901-40.05 | 1.00 | LINEAR FOOT | CONDUIT, 5 IN. RIGID, PUSHED                            |                        |
| 901-45.02 | 1.00 | LINEAR FOOT | CONDUIT, 2 IN. RIGID, EXTERNAL ON STRUCTURE             |                        |
| 901-45.03 | 1.00 | LINEAR FOOT | CONDUIT, 3 IN. RIGID, EXTERNAL ON STRUCTURE             |                        |
| 901-45.04 | 1.00 | LINEAR FOOT | CONDUIT, 4 IN. RIGID, EXTERNAL ON STRUCTURE             |                        |
| 901-50.10 | 1.00 | LINEAR FOOT | TRENCHING TYPE I  |                        |
| 901-50.20 | 1.00 | LINEAR FOOT | TRENCHING TYPE II                                       |                        |
| 901-50.30 | 1.00 | LINEAR FOOT | TRENCHING TYPE III                                      |                        |
| 901-61.10 | 1.00 | EACH        | PULL BOX, PREFORMED CLASS 1                             |                        |
| 901-61.11 | 1.00 | EACH        | PULL BOX, PREFORMED CLASS 2                             |                        |
| 901-61.12 | 1.00 | EACH        | PULL BOX, PREFORMED CLASS 3                             |                        |
| 901-61.20 | 1.00 | EACH        | PULL BOX, CONCRETE, STANDARD                            |                        |
| 901-61.21 | 1.00 | EACH        | PULL BOX, CONCRETE, DOUBLE, TYPE A                      |                        |

| ITEM NO.  | UNIT  | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|-------|-------------|---|------------------------|
| 901-61.24 | 1.00  | EACH        | PULL BOX, CONCRETE, DOUBLE, TYPE B  |                        |
| 901-70.00 | 10.00 | LINEAR FOOT | CABLE, 0 AWG 1 CONDUCTOR  |                        |
| 901-70.01 | 10.00 | LINEAR FOOT | CABLE, 1 AWG 1 CONDUCTOR  |                        |
| 901-70.02 | 10.00 | LINEAR FOOT | CABLE, 2 AWG 1 CONDUCTOR  |                        |
| 901-70.03 | 10.00 | LINEAR FOOT | CABLE, 3 AWG 1 CONDUCTOR  |                        |
| 901-70.04 | 10.00 | LINEAR FOOT | CABLE, 4 AWG 1 CONDUCTOR  |                        |
| 901-70.06 | 10.00 | LINEAR FOOT | CABLE, 6 AWG 1 CONDUCTOR  |                        |
| 901-70.08 | 10.00 | LINEAR FOOT | CABLE, 8 AWG 1 CONDUCTOR  |                        |
| 901-71.10 | 10.00 | LINEAR FOOT | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                                     |                        |
| 901-72.00 | 10.00 | LINEAR FOOT | WIRE, 0 AWG, BARE NEUTRAL   |                        |
| 901-72.01 | 10.00 | LINEAR FOOT | WIRE, 1 AWG, BARE NEUTRAL   |                        |
| 901-72.02 | 10.00 | LINEAR FOOT | WIRE, 2 AWG, BARE NEUTRAL   |                        |
| 901-72.03 | 10.00 | LINEAR FOOT | WIRE, 3 AWG, BARE NEUTRAL   |                        |
| 901-72.04 | 10.00 | LINEAR FOOT | WIRE, 4 AWG, BARE NEUTRAL   |                        |
| 901-72.06 | 10.00 | LINEAR FOOT | WIRE, 6 AWG, BARE NEUTRAL   |                        |
| 901-72.08 | 10.00 | LINEAR FOOT | WIRE, 8 AWG, BARE NEUTRAL   |                        |
| 901-74.01 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 2 AWG                    |                        |
| 901-74.02 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 4 AWG                    |                        |
| 901-74.03 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 3 CONDUCTORS AND 1 BARE NEUTRAL, 4 AWG                    |                        |
| 901-74.04 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG                    |                        |
| 901-74.05 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 3 CONDUCTORS AND 1 BARE NEUTRAL, 6 AWG                    |                        |
| 901-74.07 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 2 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG                    |                        |
| 901-74.08 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 3 CONDUCTORS AND 1 BARE NEUTRAL, 8 AWG                    |                        |
| 901-74.11 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 1/4 IN., 3 CONDUCTORS AND 1 BARE NEUTRAL, 2 AWG                |                        |
| 901-82.30 | 1.00  | EACH        | POLE FOUNDATION (30 FT. OR 9.0 M MOUNTING HEIGHT)                               |                        |
| 901-82.45 | 1.00  | EACH        | POLE FOUNDATION (45 FT. OR 13.5 M MOUNTING HEIGHT)                              |                        |
| 901-86.10 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING ONLY              |                        |
| 901-86.11 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, LIGHTING AND SIGNALS       |                        |
| 901-86.12 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING ONLY              |                        |
| 901-86.13 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, LIGHTING AND SIGNALS       |                        |
| 901-86.20 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 1, 480 VOLT SERVICE, LIGHTING ONLY                  |                        |
| 901-86.21 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 1, 480 & 240/120 VOLT SERVICE, LIGHTING AND SIGNALS |                        |
| 901-86.22 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 2, 480 VOLT SERVICE, LIGHTING ONLY                  |                        |
| 901-86.23 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 2, 480 & 240/120 VOLT SERVICE, LIGHTING AND SIGNALS |                        |
| 901-93.00 | 1.00  | LUMP SUM    | NAVIGATION LIGHTING SYSTEM  |                        |
| 901-93.01 | 1.00  | LUMP SUM    | BRIDGE LIGHTING   |                        |
| 901-94.00 | 1.00  | LUMP SUM    | TEMPORARY LIGHTING  |                        |
| 901-99.01 | 1.00  | LUMP SUM    | MISC.   |                        |
| 901-99.02 | 1.00  | EACH        | MISC.   |                        |
| 901-99.03 | 1.00  | LINEAR FOOT | MISC.   |                        |
| 902-01.11 | 1.00  | EACH        | SIGNAL HEAD, TYPE 1T  |                        |
| 902-01.13 | 1.00  | EACH        | SIGNAL HEAD, TYPE 3T  |                        |
| 902-01.14 | 1.00  | EACH        | SIGNAL HEAD, TYPE 4T  |                        |
| 902-01.15 | 1.00  | EACH        | SIGNAL HEAD, TYPE 5T  |                        |
| 902-01.21 | 1.00  | EACH        | SIGNAL HEAD, TYPE 11T   |                        |
| 902-01.23 | 1.00  | EACH        | SIGNAL HEAD, TYPE 33T   |                        |
| 902-02.11 | 1.00  | EACH        | SIGNAL HEAD, TYPE 1S  |                        |
| 902-02.13 | 1.00  | EACH        | SIGNAL HEAD, TYPE 3S  |                        |

| ITEM NO.  | UNIT | TYPE | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|-----------|------|------|--|------------------------|
| 902-02.14 | 1.00 | EACH | SIGNAL HEAD, TYPE 4S   |                        |
| 902-02.15 | 1.00 | EACH | SIGNAL HEAD, TYPE 5S   |                        |
| 902-02.21 | 1.00 | EACH | SIGNAL HEAD, TYPE 11S  |                        |
| 902-02.23 | 1.00 | EACH | SIGNAL HEAD, TYPE 33S  |                        |
| 902-02.25 | 1.00 | EACH | SIGNAL HEAD, TYPE 34S  |                        |
| 902-02.27 | 1.00 | EACH | SIGNAL HEAD, TYPE 35S  |                        |
| 902-02.29 | 1.00 | EACH | SIGNAL HEAD, TYPE 44S  |                        |
| 902-02.31 | 1.00 | EACH | SIGNAL HEAD, TYPE 45S  |                        |
| 902-04.11 | 1.00 | EACH | SIGNAL HEAD, TYPE 1C   |                        |
| 902-04.13 | 1.00 | EACH | SIGNAL HEAD, TYPE 3C   |                        |
| 902-04.14 | 1.00 | EACH | SIGNAL HEAD, TYPE 4C   |                        |
| 902-04.15 | 1.00 | EACH | SIGNAL HEAD, TYPE 5C   |                        |
| 902-04.23 | 1.00 | EACH | SIGNAL HEAD, TYPE 33C  |                        |
| 902-05.11 | 1.00 | EACH | SIGNAL HEAD, TYPE 1B   |                        |
| 902-05.13 | 1.00 | EACH | SIGNAL HEAD, TYPE 3B   |                        |
| 902-05.14 | 1.00 | EACH | SIGNAL HEAD, TYPE 4B   |                        |
| 902-05.15 | 1.00 | EACH | SIGNAL HEAD, TYPE 5B   |                        |
| 902-05.21 | 1.00 | EACH | SIGNAL HEAD, TYPE 11B  |                        |
| 902-05.25 | 1.00 | EACH | SIGNAL HEAD, TYPE 34B  |                        |
| 902-05.27 | 1.00 | EACH | SIGNAL HEAD, TYPE 35B  |                        |
| 902-05.29 | 1.00 | EACH | SIGNAL HEAD, TYPE 44B  |                        |
| 902-05.31 | 1.00 | EACH | SIGNAL HEAD, TYPE 45B  |                        |
| 902-08.11 | 1.00 | EACH | SIGNAL HEAD, TYPE 1S, PEDESTRIAN   |                        |
| 902-08.21 | 1.00 | EACH | SIGNAL HEAD, TYPE 11S, PEDESTRIAN  |                        |
| 902-11.11 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 1T                                  |                        |
| 902-11.13 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3T                                  |                        |
| 902-11.14 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 4T                                  |                        |
| 902-11.15 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 5T                                  |                        |
| 902-11.23 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 33T                                 |                        |
| 902-12.11 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 1S                                  |                        |
| 902-12.13 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3S                                  |                        |
| 902-12.14 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 4S                                  |                        |
| 902-12.15 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 5S                                  |                        |
| 902-12.23 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 33S                                 |                        |
| 902-14.11 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 1B                                  |                        |
| 902-14.13 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 3B                                  |                        |
| 902-14.14 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 4B                                  |                        |
| 902-14.15 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED, TYPE 5B                                  |                        |
| 902-21.13 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED AND<br>CONVENTIONAL COMBINATION, TYPE 3T  |                        |
| 902-21.14 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED AND<br>CONVENTIONAL COMBINATION, TYPE 4T  |                        |
| 902-21.15 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED AND<br>CONVENTIONAL COMBINATION, TYPE 5T  |                        |
| 902-21.23 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED AND<br>CONVENTIONAL COMBINATION, TYPE 33T |                        |
| 902-22.13 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED AND<br>CONVENTIONAL COMBINATION, TYPE 3S  |                        |
| 902-22.14 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED AND<br>CONVENTIONAL COMBINATION, TYPE 4S  |                        |
| 902-22.15 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED AND<br>CONVENTIONAL COMBINATION, TYPE 5S  |                        |
| 902-22.23 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED AND<br>CONVENTIONAL COMBINATION, TYPE 33S |                        |
| 902-24.13 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED AND<br>CONVENTIONAL COMBINATION, TYPE 3B  |                        |
| 902-24.14 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED AND<br>CONVENTIONAL COMBINATION, TYPE 4B  |                        |
| 902-24.15 | 1.00 | EACH | SIGNAL HEAD, OPTICALLY LIMITED AND<br>CONVENTIONAL COMBINATION, TYPE 5B  |                        |
| 902-26.50 | 1.00 | EACH | 150 WATT 120 VOLT HIGH PRESSURE SODIUM<br>LUMINAIRE                      |                        |
| 902-27.08 | 1.00 | EACH | POST, SIGNAL 8 FT. OR 2.4 M  |                        |
| 902-27.15 | 1.00 | EACH | POST, SIGNAL 15 FT. OR 4.6 M   |                        |
| 902-31.15 | 1.00 | EACH | POST, TYPE CL, 15 FT. ARM OR 4.6 M ARM                                   |                        |
| 902-31.20 | 1.00 | EACH | POST, TYPE CL, 20 FT. ARM OR 6.1 M ARM                                   |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|--|------------------------|
| 902-31.25 | 1.00 | EACH        | POST, TYPE CL, 25 FT. ARM OR 7.6 M ARM                                 |                        |
| 902-31.30 | 1.00 | EACH        | POST, TYPE CL, 30 FT. ARM OR 9.1 M ARM                                 |                        |
| 902-31.35 | 1.00 | EACH        | POST, TYPE CL, 35 FT. ARM OR 10.7 M ARM                                |                        |
| 902-31.40 | 1.00 | EACH        | POST, TYPE CL, 40 FT. ARM OR 12.2 M ARM                                |                        |
| 902-31.45 | 1.00 | EACH        | POST, TYPE CL, 45 FT. ARM OR 13.7 M ARM                                |                        |
| 902-31.50 | 1.00 | EACH        | POST, TYPE CL, 50 FT. ARM OR 15.2 M ARM                                |                        |
| 902-31.55 | 1.00 | EACH        | POST, TYPE CL, 55 FT. ARM  |                        |
| 902-32.15 | 1.00 | EACH        | POST, TYPE C, 15 FT. ARM OR 4.6 M ARM                                  |                        |
| 902-32.20 | 1.00 | EACH        | POST, TYPE C, 20 FT. ARM OR 6.1 M ARM                                  |                        |
| 902-32.25 | 1.00 | EACH        | POST, TYPE C, 25 FT. ARM OR 7.6 M ARM                                  |                        |
| 902-32.30 | 1.00 | EACH        | POST, TYPE C, 30 FT. ARM OR 9.1 M ARM                                  |                        |
| 902-32.35 | 1.00 | EACH        | POST, TYPE C, 35 FT. ARM OR 10.7 M ARM                                 |                        |
| 902-32.40 | 1.00 | EACH        | POST, TYPE C, 40 FT. ARM OR 12.2 M ARM                                 |                        |
| 902-32.45 | 1.00 | EACH        | POST, TYPE C, 45 FT. ARM OR 13.7 M ARM                                 |                        |
| 902-32.50 | 1.00 | EACH        | POST, TYPE C, 50 FT. ARM OR 15.2 M ARM                                 |                        |
| 902-32.55 | 1.00 | EACH        | POST, TYPE C, 55 FT. ARM   |                        |
| 902-33.15 | 1.00 | EACH        | POST, TYPE B, LONGEST ARM 15 FT. OR 4.6 M                              |                        |
| 902-33.20 | 1.00 | EACH        | POST, TYPE B, LONGEST ARM 20 FT. OR 6.1 M                              |                        |
| 902-33.25 | 1.00 | EACH        | POST, TYPE B, LONGEST ARM 25 FT. OR 7.6 M                              |                        |
| 902-33.30 | 1.00 | EACH        | POST, TYPE B, LONGEST ARM 30 FT. OR 9.1 M                              |                        |
| 902-33.35 | 1.00 | EACH        | POST, TYPE B, LONGEST ARM 35 FT. OR 10.7 M                             |                        |
| 902-33.40 | 1.00 | EACH        | POST, TYPE B, LONGEST ARM 40 FT. OR 12.2 M                             |                        |
| 902-33.45 | 1.00 | EACH        | POST, TYPE B, LONGEST ARM 45 FT. OR 13.7 M                             |                        |
| 902-33.50 | 1.00 | EACH        | POST, TYPE B, LONGEST ARM 50 FT. OR 15.2 M                             |                        |
| 902-33.55 | 1.00 | EACH        | POST, TYPE B, LONGEST ARM 55 FT.                                       |                        |
| 902-34.15 | 1.00 | EACH        | POST, TYPE BL, LONGEST ARM 15 FT. OR 4.6 M                             |                        |
| 902-34.20 | 1.00 | EACH        | POST, TYPE BL, LONGEST ARM 20 FT. OR 6.1 M                             |                        |
| 902-34.25 | 1.00 | EACH        | POST, TYPE BL, LONGEST ARM 25 FT. OR 7.6 M                             |                        |
| 902-34.30 | 1.00 | EACH        | POST, TYPE BL, LONGEST ARM 30 FT. OR 9.1 M                             |                        |
| 902-34.35 | 1.00 | EACH        | POST, TYPE BL, LONGEST ARM 35 FT. OR 10.7 M                            |                        |
| 902-34.40 | 1.00 | EACH        | POST, TYPE BL, LONGEST ARM 40 FT. OR 12.2 M                            |                        |
| 902-34.45 | 1.00 | EACH        | POST, TYPE BL, LONGEST ARM 45 FT. OR 13.7 M                            |                        |
| 902-34.50 | 1.00 | EACH        | POST, TYPE BL, LONGEST ARM 50 FT. OR 15.2 M                            |                        |
| 902-34.55 | 1.00 | EACH        | POST, TYPE BL, LONGEST ARM 55 FT.                                      |                        |
| 902-35.01 | 1.00 | EACH        | POST, STEEL SPAN WIRE  |                        |
| 902-35.02 | 1.00 | EACH        | POST, STEEL SPAN WIRE, FOR 30 FT. OR 9.0 M LUMINAIRE MOUNTING          |                        |
| 902-35.50 | 1.00 | EACH        | POST, WOOD SPAN WIRE, CLASS II   |                        |
| 902-35.51 | 1.00 | EACH        | POST, WOOD SPAN WIRE, CLASS II, FOR 30 FT. OR 9.0 M LUMINAIRE MOUNTING |                        |
| 902-35.52 | 1.00 | EACH        | POST, WOOD SPAN WIRE, CLASS IV   |                        |
| 902-35.53 | 1.00 | EACH        | POST, WOOD SPAN WIRE, CLASS IV, FOR 30 FT. OR 9.0 M LUMINAIRE MOUNTING |                        |
| 902-36.01 | 1.00 | LINEAR FOOT | SPAN WIRE ASSEMBLY, SINGLE MESSENGER                                   |                        |
| 902-36.02 | 1.00 | LINEAR FOOT | SPAN WIRE ASSEMBLY, MESSENGER WITH TETHER                              |                        |
| 902-40.10 | 1.00 | EACH        | CONTROLLER ASSEMBLY HOUSING, TYPE S-S CONTROLLER                       |                        |
| 902-40.20 | 1.00 | EACH        | CONTROLLER ASSEMBLY HOUSING, TYPE S-M CONTROLLER                       |                        |
| 902-40.30 | 1.00 | EACH        | CONTROLLER ASSEMBLY HOUSING, TYPE S-N CONTROLLER                       |                        |
| 902-41.70 | 1.00 | EACH        | CONTROLLER ASSEMBLY HOUSING, TYPE 170                                  |                        |
| 902-42.81 | 1.00 | EACH        | CONTROLLER ASSEMBLY HOUSING, KEYBOARD ENTRY, 8 PHASE NEMA CONTROLLER   |                        |
| 902-42.82 | 1.00 | EACH        | CONTROLLER ASSEMBLY HOUSING, DOUBLE, 8 PHASE NEMA CONTROLLER           |                        |
| 902-42.83 | 1.00 | EACH        | CONTROLLER ASSEMBLY HOUSING, NEMA TS2 CONTROLLER                       |                        |
| 902-42.95 | 1.00 | EACH        | SPLICE CABINET   |                        |
| 902-43.00 | 1.00 | EACH        | SYSTEM MASTER  |                        |
| 902-43.10 | 1.00 | EACH        | CLOSED LOOP SYSTEM TRAINING  |                        |
| 902-43.11 | 1.00 | EACH        | NEMA TS2 TRAINING  |                        |
| 902-43.20 | 1.00 | EACH        | CLOSED LOOP SYSTEM SOFTWARE  |                        |
| 902-43.30 | 1.00 | EACH        | DIAL-UP MODEM  |                        |
| 902-43.40 | 1.00 | EACH        | SPREAD SPECTRUM TELEMETRY RADIO  |                        |
| 902-43.43 | 1.00 | EACH        | 900 MHZ OMNIDIRECTIONAL ANTENNA, 3DB GAIN                              |                        |

| ITEM NO.   | UNIT  | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|------------|-------|-------------|---|------------------------|
| 902-43.46  | 1.00  | EACH        | 900 MHZ OMNIDIRECTIONAL ANTENNA, 6DB GAIN                           |                        |
| 902-43.49  | 1.00  | EACH        | 900 MHZ OMNIDIRECTIONAL ANTENNA, 9DB GAIN                           |                        |
| 902-43.50  | 1.00  | EACH        | 900 MHZ OMNIDIRECTIONAL ANTENNA, 10DB GAIN                          |                        |
| 902-49.20  | 1.00  | EACH        | DETECTOR, PUSHBUTTON  |                        |
| 902-49.44  | 1.00  | EACH        | DETECTOR, VEHICLE INDUCTION LOOP (2 CHANNEL<br>- RACK MOUNTED)      |                        |
| 902-49.60  | 1.00  | EACH        | DETECTOR, INDUCTION PROBE   |                        |
| 902-49.65  | 1.00  | EACH        | DETECTOR, MICROWAVE   |                        |
| 902-49.75  | 1.00  | EACH        | VIDEO DETECTION SYSTEM  |                        |
| 902-50.20  | 1.00  | LINEAR FOOT | CONDUIT, 1 IN., LOOP DETECTOR                                       |                        |
| 902-52.00  | 1.00  | LINEAR FOOT | CONDUIT, 2 IN., TRENCH  |                        |
| 902-53.00  | 1.00  | LINEAR FOOT | CONDUIT, 3 IN., TRENCH  |                        |
| 902-54.00  | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., TRENCH  |                        |
| 902-62.00  | 1.00  | LINEAR FOOT | CONDUIT, 2 IN., MEDIAN  |                        |
| 902-63.00  | 1.00  | LINEAR FOOT | CONDUIT, 3 IN., MEDIAN  |                        |
| 902-72.00  | 1.00  | LINEAR FOOT | CONDUIT, 2 IN., PUSHED  |                        |
| 902-73.00  | 1.00  | LINEAR FOOT | CONDUIT, 3 IN., PUSHED  |                        |
| 902-74.00  | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., PUSHED  |                        |
| 902-75.01  | 1.00  | LINEAR FOOT | CONDUIT, 1 1/4 IN., ON STRUCTURE                                    |                        |
| 902-75.02  | 1.00  | LINEAR FOOT | CONDUIT, 2 IN., EXTERNAL ON STRUCTURE                               |                        |
| 902-75.03  | 1.00  | LINEAR FOOT | CONDUIT, 2 1/2 IN., ON STRUCTURE                                    |                        |
| 902-75.04  | 1.00  | LINEAR FOOT | CONDUIT, 3 IN., EXTERNAL ON STRUCTURE                               |                        |
| 902-75.05  | 1.00  | LINEAR FOOT | CONDUIT, 3 1/2 IN., ON STRUCTURE                                    |                        |
| 902-75.06  | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., EXTERNAL ON STRUCTURE                               |                        |
| 902-81.00  | 10.00 | LINEAR FOOT | CABLE, 10 AWG 1 CONDUCTOR, POLE AND BRACKET                         |                        |
| 902-82.00A | 10.00 | LINEAR FOOT | CABLE, 1/0 AWG 1 CONDUCTOR, POWER                                   |                        |
| 902-82.01  | 10.00 | LINEAR FOOT | CABLE, 1 AWG 1 CONDUCTOR, POWER                                     |                        |
| 902-82.02  | 10.00 | LINEAR FOOT | CABLE, 2 AWG 1 CONDUCTOR, POWER                                     |                        |
| 902-82.03  | 10.00 | LINEAR FOOT | CABLE, 3 AWG 1 CONDUCTOR, POWER                                     |                        |
| 902-82.04  | 10.00 | LINEAR FOOT | CABLE, 4 AWG 1 CONDUCTOR, POWER                                     |                        |
| 902-82.06  | 10.00 | LINEAR FOOT | CABLE, 6 AWG 1 CONDUCTOR, POWER                                     |                        |
| 902-82.08  | 10.00 | LINEAR FOOT | CABLE, 8 AWG 1 CONDUCTOR, POWER                                     |                        |
| 902-82.19  | 10.00 | LINEAR FOOT | CABLE, 10 AWG 1 CONDUCTOR, POWER                                    |                        |
| 902-82.20  | 10.00 | LINEAR FOOT | CABLE, 12 AWG 1 CONDUCTOR, POWER                                    |                        |
| 902-83.02  | 10.00 | LINEAR FOOT | CABLE, 12 AWG 2 CONDUCTOR   |                        |
| 902-83.08  | 10.00 | LINEAR FOOT | CABLE, 16 AWG 2 CONDUCTOR   |                        |
| 902-83.09  | 10.00 | LINEAR FOOT | CABLE, 16 AWG 3 CONDUCTOR   |                        |
| 902-83.10  | 10.00 | LINEAR FOOT | CABLE, 16 AWG 5 CONDUCTOR   |                        |
| 902-83.11  | 10.00 | LINEAR FOOT | CABLE, 16 AWG 7 CONDUCTOR   |                        |
| 902-83.12  | 10.00 | LINEAR FOOT | CABLE, 12 AWG 12 CONDUCTOR  |                        |
| 902-83.15  | 1.00  | LINEAR FOOT | CABLE, 16 AWG 3-PAIR CONDUCTOR, INTERCONNECT                        |                        |
| 902-83.40  | 1.00  | EACH        | RG-8/U COAXIAL CABLE  |                        |
| 902-83.50  | 10.00 | LINEAR FOOT | FIBER OPTIC CABLE, 6 - FIBER, SINGLE MODE                           |                        |
| 902-83.52  | 10.00 | LINEAR FOOT | FIBER OPTIC CABLE, 6 - FIBER, MULTIMODE                             |                        |
| 902-83.54  | 10.00 | LINEAR FOOT | FIBER OPTIC CABLE, 24 - FIBER, 18 SINGLE<br>MODE, 6 MULTIMODE       |                        |
| 902-84.00  | 10.00 | LINEAR FOOT | WIRE, 6 AWG, SOLID NEUTRAL  |                        |
| 902-85.00  | 10.00 | LINEAR FOOT | CABLE, LOOP DETECTOR, IN DUCT                                       |                        |
| 902-85.10  | 10.00 | LINEAR FOOT | CABLE, LOOP DETECTOR, LEAD-IN                                       |                        |
| 902-86.10  | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 1                                       |                        |
| 902-86.11  | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 1 WITH 120V<br>LIGHTING CONTROL CABINET |                        |
| 902-86.20  | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 2                                       |                        |
| 902-86.21  | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE-2 WITH 120V<br>LIGHTING CONTROL CABINET |                        |
| 902-87.20  | 1.00  | EACH        | SERVICE POLE, 20 FT. OR 6.0 M                                       |                        |
| 902-87.25  | 1.00  | EACH        | SERVICE POLE, 25 FT. OR 7.5 M                                       |                        |
| 902-87.30  | 1.00  | EACH        | SERVICE POLE, 30 FT. OR 9.0 M                                       |                        |
| 902-87.35  | 1.00  | EACH        | SERVICE POLE, 35 FT. OR 10.5 M                                      |                        |
| 902-88.10  | 1.00  | EACH        | PULL BOX, PREFORMED CLASS 1   |                        |
| 902-88.11  | 1.00  | EACH        | PULL BOX, PREFORMED CLASS 2   |                        |
| 902-88.12  | 1.00  | EACH        | PULL BOX, PREFORMED CLASS 3   |                        |
| 902-88.16  | 1.00  | EACH        | PULL BOX, PREFORMED CLASS 5   |                        |
| 902-88.20  | 1.00  | EACH        | PULL BOX, CONCRETE, STANDARD  |                        |
| 902-88.21  | 1.00  | EACH        | PULL BOX, CONCRETE, DOUBLE, TYPE A                                  |                        |
| 902-88.24  | 1.00  | EACH        | PULL BOX, CONCRETE, DOUBLE TYPE B                                   |                        |

| ITEM NO.   | UNIT  | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|------------|-------|-------------|---|------------------------|
| 902-91.00  | 0.10  | CUBIC YARD  | BASE, CONCRETE  |                        |
| 902-94.00  | 1.00  | LUMP SUM    | TEMPORARY TRAFFIC SIGNALS                                   |                        |
| 902-94.01  | 1.00  | LUMP SUM    | TEMPORARY TRAFFIC SIGNALS AND LIGHTING                      |                        |
| 902-94.04  | 1.00  | LUMP SUM    | TEMPORARY TRAFFIC DETECTION, INDUCTION<br>DETECTOR PROBES   |                        |
| 902-94.05  | 1.00  | LUMP SUM    | TEMPORARY TRAFFIC DETECTION, INDUCTION LOOP<br>DETECTORS    |                        |
| 902-94.06  | 1.00  | LUMP SUM    | TEMPORARY TRAFFIC DETECTION, MICROWAVE<br>DETECTORS         |                        |
| 902-94.07  | 1.00  | LUMP SUM    | TEMPORARY TRAFFIC DETECTION, VIDEO DETECTION<br>SYSTEM      |                        |
| 902-99.01  | 1.00  | LUMP SUM    | MISC.   |                        |
| 902-99.02  | 1.00  | EACH        | MISC.   |                        |
| 902-99.03  | 1.00  | LINEAR FOOT | MISC.   |                        |
| 902-99.07  | 1.00  | CUBIC YARD  | MISC.   |                        |
| 903-10.10  | 0.10  | CUBIC YARD  | CONCRETE FOOTINGS, EMBEDDED                                 |                        |
| 903-10.20  | 0.10  | CUBIC YARD  | CONCRETE FOOTINGS, BOLT DOWN                                |                        |
| 903-10.26  | 0.10  | CUBIC YARD  | OPTIONAL OVERHEAD SIGN TRUSS SUBSTRUCTURES                  |                        |
| 903-12.10  | 10.00 | POUND       | STRUCTURAL STEEL POSTS                                      |                        |
| 903-12.20  | 10.00 | POUND       | PIPE POSTS  |                        |
| 903-12.40  | 1.00  | EACH        | BREAKAWAY ASSEMBLY  |                        |
| 903-12.50A | 1.00  | LINEAR FOOT | U-CHANNEL POST, 3 LB  |                        |
| 903-12.52  | 1.00  | EACH        | 7 FT. CHANNEL POST DELINEATOR, DOUBLE<br>STACKED WHITE      |                        |
| 903-12.53  | 1.00  | EACH        | 7 FT. CHANNEL POST DELINEATOR, DOUBLE<br>STACKED AMBER      |                        |
| 903-12.56  | 1.00  | EACH        | 7 FT. CHANNEL POST DELINEATOR, WHITE                        |                        |
| 903-12.57  | 1.00  | EACH        | 7 FT. CHANNEL POST DELINEATOR, AMBER                        |                        |
| 903-12.58  | 1.00  | EACH        | 7 FT. CHANNEL POST DELINEATOR, WHITE/RED                    |                        |
| 903-12.59  | 1.00  | EACH        | 7 FT. CHANNEL POST DELINEATOR, AMBER/RED                    |                        |
| 903-12.60  | 1.00  | LINEAR FOOT | WOOD POST, 4 IN. BY 4 IN.                                   |                        |
| 903-12.61  | 1.00  | LINEAR FOOT | WOOD POST, 4 IN. BY 6 IN.                                   |                        |
| 903-12.62  | 1.00  | LINEAR FOOT | WOOD POST, 6 IN. BY 6 IN.                                   |                        |
| 903-12.70A | 1.00  | LINEAR FOOT | PERFORATED SQUARE STEEL TUBE POST, 2 IN., 12<br>GA.         |                        |
| 903-12.71  | 1.00  | LINEAR FOOT | PERFORATED SQUARE STEEL TUBE POST ANCHOR                    |                        |
| 903-50.04  | 1.00  | SQUARE FOOT | TYPE SHR2L-1 SIGN   |                        |
| 903-50.08  | 1.00  | SQUARE FOOT | HIGH DENSITY PLYWOOD SIGN                                   |                        |
| 903-50.09  | 1.00  | EACH        | 36 IN. OR 900 MM STOP SIGN                                  |                        |
| 903-50.11  | 1.00  | SQUARE FOOT | SIGN, TYPE STR2L-3  |                        |
| 903-50.12  | 1.00  | EACH        | 30 IN. OR 750 MM STOP SIGN                                  |                        |
| 903-50.13  | 1.00  | EACH        | EMERGENCY REFERENCE MARKER                                  |                        |
| 903-50.15  | 1.00  | EACH        | TYPE IV OBJECT MARKER                                       |                        |
| 903-50.64  | 0.10  | SQUARE FOOT | TYPE STR2L-1 SIGN   |                        |
| 903-50.65  | 0.10  | SQUARE FOOT | TYPE SHR2L-3 SIGN   |                        |
| 903-50.66  | 0.10  | SQUARE FOOT | SIGNAL SIGN, TYPE SHR2L-3                                   |                        |
| 903-60.30  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-1710-12                             |                        |
| 903-60.31  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-1710-18                             |                        |
| 903-60.32  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-1310-12                             |                        |
| 903-60.33  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-1310-18                             |                        |
| 903-60.34  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-2315-12                             |                        |
| 903-60.35  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-2315-16                             |                        |
| 903-60.36  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-2315-20                             |                        |
| 903-60.37  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-2315-24                             |                        |
| 903-60.38  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-2318-18                             |                        |
| 903-60.39  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-2318-22                             |                        |
| 903-60.40  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-2318-26                             |                        |
| 903-60.41  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-2018-24                             |                        |
| 903-60.42  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-2018-28                             |                        |
| 903-60.43  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE C-2018-34                             |                        |
| 903-60.50  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE B-2018, 12 FT. OR 3.7<br>M ARM LENGTH |                        |
| 903-60.51  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE B-2018, 16 FT. OR 4.9<br>M ARM LENGTH |                        |
| 903-60.52  | 1.00  | EACH        | TUBULAR SUPPORT, TYPE B-2018, 20 FT. OR 6.1<br>M ARM LENGTH |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 903-60.53 | 1.00 | EACH        | TUBULAR SUPPORT, TYPE B-2018, 24 FT. OR 7.3 M ARM LENGTH          |                        |
| 903-60.60 | 1.00 | EACH        | TUBULAR SUPPORT, TYPE B-23318, 18 FT. OR 5.5 M ARM LENGTH         |                        |
| 903-60.61 | 1.00 | EACH        | TUBULAR SUPPORT, TYPE B-23318, 22 FT. OR 6.7 M ARM LENGTH         |                        |
| 903-60.62 | 1.00 | EACH        | TUBULAR SUPPORT, TYPE B-23318, 26 FT. OR 7.9 M ARM LENGTH         |                        |
| 903-60.70 | 1.00 | EACH        | TUBULAR SUPPORT, TYPE B-20018, 24 FT. OR 7.3 M ARM LENGTH         |                        |
| 903-60.71 | 1.00 | EACH        | TUBULAR SUPPORT, TYPE B-20018, 28 FT. OR 8.5 M ARM LENGTH         |                        |
| 903-60.72 | 1.00 | EACH        | TUBULAR SUPPORT, TYPE B-20018, 34 FT. OR 10.4 M ARM LENGTH        |                        |
| 903-80.00 | 1.00 | EACH        | TEMPORARY GROUND MOUNTED LOGO SIGNS                               |                        |
| 903-99.01 | 1.00 | LUMP SUM    | MISC.   |                        |
| 903-99.02 | 1.00 | EACH        | MISC.   |                        |
| 903-99.03 | 1.00 | LINEAR FOOT | MISC.   |                        |
| 903-99.04 | 1.00 | SQUARE FOOT | MISC.   |                        |
| 903-99.05 | 0.10 | SQUARE YARD | MISC.   |                        |
| 903-99.07 | 1.00 | CUBIC YARD  | MISC.   |                        |
| 903-99.11 | 0.10 | POUND       | MISC.   |                        |
| 910-11.12 | 1.00 | EACH        | SIGNAL HEAD, 2T, OPTICALLY LIMITED, INSTALLED                     |                        |
| 910-12.18 | 1.00 | EACH        | SIGNAL HEAD, 22S, OPTICALLY LIMITED, INSTALLED                    |                        |
| 910-37.00 | 1.00 | EACH        | CCTV CAMERA ASSEMBLY, INSTALLED                                   |                        |
| 910-37.10 | 1.00 | EACH        | CCTV POLE FOUNDATION, 20 FT OR 6.1M MOUNTING HEIGHT, INSTALLED    |                        |
| 910-37.11 | 1.00 | EACH        | CCTV POLE FOUNDATION, 30 FT OR 9.1M MOUNTING HEIGHT, INSTALLED    |                        |
| 910-37.12 | 1.00 | EACH        | CCTV POLE FOUNDATION, 35 FT OR 10.7M MOUNTING HEIGHT, INSTALLED   |                        |
| 910-37.13 | 1.00 | EACH        | CCTV POLE FOUNDATION, 40 FT OR 12.2M MOUNTING HEIGHT, INSTALLED   |                        |
| 910-37.14 | 1.00 | EACH        | CCTV POLE FOUNDATION, 45 FT OR 13.7M MOUNTING HEIGHT, INSTALLED   |                        |
| 910-37.15 | 1.00 | EACH        | CCTV POLE FOUNDATION, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED   |                        |
| 910-37.16 | 1.00 | EACH        | CCTV POLE FOUNDATION, 55 FT OR 16.8M MOUNTING HEIGHT, INSTALLED   |                        |
| 910-37.17 | 1.00 | EACH        | CCTV POLE FOUNDATION, 60 FT OR 18.3M MOUNTING HEIGHT, INSTALLED   |                        |
| 910-37.18 | 1.00 | EACH        | CCTV POLE FOUNDATION, 90 FT OR 27.4M MOUNTING HEIGHT, INSTALLED   |                        |
| 910-37.40 | 1.00 | EACH        | CCTV POLE, 20 FT OR 6.1M MOUNTING HEIGHT, INSTALLED               |                        |
| 910-37.41 | 1.00 | EACH        | CCTV POLE, 30 FT OR 9.1M MOUNTING HEIGHT, INSTALLED               |                        |
| 910-37.42 | 1.00 | EACH        | CCTV POLE, 35 FT OR 10.7M MOUNTING HEIGHT, INSTALLED              |                        |
| 910-37.43 | 1.00 | EACH        | CCTV POLE, 40 FT OR 12.2M MOUNTING HEIGHT, INSTALLED              |                        |
| 910-37.44 | 1.00 | EACH        | CCTV POLE, 45 FT OR 13.7M MOUNTING HEIGHT, INSTALLED              |                        |
| 910-37.45 | 1.00 | EACH        | CCTV POLE, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED              |                        |
| 910-37.46 | 1.00 | EACH        | CCTV POLE, 55 FT OR 16.8M MOUNTING HEIGHT, INSTALLED              |                        |
| 910-37.47 | 1.00 | EACH        | CCTV POLE, 60 FT OR 18.3M MOUNTING HEIGHT, INSTALLED              |                        |
| 910-37.48 | 1.00 | EACH        | CCTV POLE, 90 FT OR 27.4M MOUNTING HEIGHT, INSTALLED              |                        |
| 910-37.60 | 1.00 | EACH        | CCTV POLE, BRIDGE MOUNT, 5 FT OR 1.5M MOUNTING HEIGHT, INSTALLED  |                        |
| 910-37.61 | 1.00 | EACH        | CCTV POLE, BRIDGE MOUNT, 10 FT OR 3.0M MOUNTING HEIGHT, INSTALLED |                        |

| ITEM NO.  | UNIT | TYPE | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|-----------|------|------|--|------------------------|
| 910-37.62 | 1.00 | EACH | CCTV POLE, BRIDGE MOUNT, 15 FT OR 4.6M MOUNTING HEIGHT, INSTALLED  |                        |
| 910-37.63 | 1.00 | EACH | CCTV POLE, BRIDGE MOUNT, 20 FT OR 6.1M MOUNTING HEIGHT, INSTALLED  |                        |
| 910-37.64 | 1.00 | EACH | CCTV POLE, BRIDGE MOUNT, 30 FT OR 9.1M MOUNTING HEIGHT, INSTALLED  |                        |
| 910-37.65 | 1.00 | EACH | CCTV POLE, BRIDGE MOUNT, 35 FT OR 10.7M MOUNTING HEIGHT, INSTALLED |                        |
| 910-37.66 | 1.00 | EACH | CCTV POLE, BRIDGE MOUNT, 40 FT OR 12.2M MOUNTING HEIGHT, INSTALLED |                        |
| 910-37.67 | 1.00 | EACH | CCTV POLE, BRIDGE MOUNT, 45 FT OR 13.7M MOUNTING HEIGHT, INSTALLED |                        |
| 910-37.68 | 1.00 | EACH | CCTV POLE, BRIDGE MOUNT, 50 FT OR 15.2M MOUNTING HEIGHT, INSTALLED |                        |
| 910-37.69 | 1.00 | EACH | CCTV POLE, BRIDGE MOUNT, 55 FT OR 16.8M MOUNTING HEIGHT, INSTALLED |                        |
| 910-37.70 | 1.00 | EACH | CCTV POLE, BRIDGE MOUNT, 60 FT OR 18.3M MOUNTING HEIGHT, INSTALLED |                        |
| 910-37.80 | 1.00 | EACH | CCTV POLE, TRUSS MOUNT, 5 FT OR 1.5M MOUNTING HEIGHT, INSTALLED    |                        |
| 910-37.81 | 1.00 | EACH | CCTV POLE, TRUSS MOUNT, 10FT OR 3.0M MOUNTING HEIGHT, INSTALLED    |                        |
| 910-37.82 | 1.00 | EACH | CCTV POLE, TRUSS MOUNT, 15FT OR 4.6M MOUNTING HEIGHT, INSTALLED    |                        |
| 910-37.83 | 1.00 | EACH | CCTV POLE, TRUSS MOUNT, 20FT OR 6.1M MOUNTING HEIGHT, INSTALLED    |                        |
| 910-37.84 | 1.00 | EACH | CCTV POLE, TRUSS MOUNT, 30FT OR 9.1M MOUNTING HEIGHT, INSTALLED    |                        |
| 910-37.85 | 1.00 | EACH | CCTV POLE, TRUSS MOUNT, 35FT OR 10.7M MOUNTING HEIGHT, INSTALLED   |                        |
| 910-37.86 | 1.00 | EACH | CCTV POLE, TRUSS MOUNT, 40FT OR 12.2M MOUNTING HEIGHT, INSTALLED   |                        |
| 910-38.00 | 1.00 | EACH | DETECTOR POLE FOUNDATION, 20FT OR 6.1M MOUNTING HEIGHT, INSTALLED  |                        |
| 910-38.01 | 1.00 | EACH | DETECTOR POLE FOUNDATION, 30FT OR 9.1M MOUNTING HEIGHT, INSTALLED  |                        |
| 910-38.02 | 1.00 | EACH | DETECTOR POLE FOUNDATION, 35FT OR 10.7M MOUNTING HEIGHT, INSTALLED |                        |
| 910-38.03 | 1.00 | EACH | DETECTOR POLE FOUNDATION, 40FT OR 12.2M MOUNTING HEIGHT, INSTALLED |                        |
| 910-38.04 | 1.00 | EACH | DETECTOR POLE FOUNDATION, 45FT OR 13.7M MOUNTING HEIGHT, INSTALLED |                        |
| 910-38.21 | 1.00 | EACH | DETECTOR POLE, 20FT OR 6.1M MOUNTING HEIGHT, INSTALLED             |                        |
| 910-38.22 | 1.00 | EACH | DETECTOR POLE, 30FT OR 9.1M MOUNTING HEIGHT, INSTALLED             |                        |
| 910-38.23 | 1.00 | EACH | DETECTOR POLE, 35FT OR 10.7M MOUNTING HEIGHT, INSTALLED            |                        |
| 910-38.24 | 1.00 | EACH | DETECTOR POLE, 40FT OR 12.2M MOUNTING HEIGHT, INSTALLED            |                        |
| 910-38.25 | 1.00 | EACH | DETECTOR POLE, 45FT OR 13.7M MOUNTING HEIGHT, INSTALLED            |                        |
| 910-41.20 | 1.00 | EACH | RAMP METER CONTROLLER ASSEMBLY, INSTALLED                          |                        |
| 910-41.21 | 1.00 | EACH | LANE CONTROL SIGNAL ASSEMBLY, INSTALLED                            |                        |
| 910-43.30 | 1.00 | EACH | DIAL-UP MODEM  |                        |
| 910-43.35 | 1.00 | EACH | FIBER OPTIC MODEM, DATA, SINGLE MODE, INSTALLED                    |                        |
| 910-43.36 | 1.00 | EACH | FIBER OPTIC MODEM, VIDEO, SINGLE MODE, INSTALLED                   |                        |
| 910-43.39 | 1.00 | EACH | HIGHWAY ADVISORY RADIO   |                        |
| 910-43.40 | 1.00 | EACH | SPREAD SPECTRUM TELEMETRY RADIO                                    |                        |
| 910-43.43 | 1.00 | EACH | 900 MHZ OMNIDIRECTIONAL ANTENNA, 3 DB GAIN                         |                        |
| 910-43.46 | 1.00 | EACH | 900 MHZ OMNIDIRECTIONAL ANTENNA, 6 DB GAIN                         |                        |
| 910-43.49 | 1.00 | EACH | 900 MHZ OMNIDIRECTIONAL ANTENNA, 9 DB GAIN                         |                        |
| 910-43.50 | 1.00 | EACH | 900 MHZ OMNIDIRECTIONAL ANTENNA, 10 DB GAIN                        |                        |

| ITEM NO.  | UNIT  | TYPE        | ITEM DESCRIPTION  | LAST UPDATED 10/1/2008 |
|-----------|-------|-------------|---|------------------------|
| 910-43.55 | 1.00  | EACH        | 900 MHZ OMNIDIRECTIONAL ANTENNA, 10 DB GAIN                               |                        |
| 910-43.95 | 1.00  | EACH        | SPLICE CABINET  |                        |
| 910-49.20 | 1.00  | EACH        | DETECTOR, PUSH BUTTON, INSTALLED  |                        |
| 910-49.43 | 1.00  | EACH        | DETECTOR, VEHICLE INDUCTION LOOP, 1 CHANNEL<br>- SHELF MOUNTED, INSTALLED |                        |
| 910-49.44 | 1.00  | EACH        | DETECTOR, VEHICLE INDUCTION LOOP, 2 CHANNEL<br>- SHELF MOUNTED, INSTALLED |                        |
| 910-49.60 | 1.00  | EACH        | DETECTOR, INDUCTION PROBE, INSTALLED                                      |                        |
| 910-49.65 | 1.00  | EACH        | DETECTOR, MICROWAVE, INSTALLED  |                        |
| 910-49.69 | 1.00  | EACH        | DETECTOR, PIEZOELECTRIC, INSTALLED  |                        |
| 910-49.72 | 1.00  | EACH        | DETECTOR, TRUCK HEIGHT, INSTALLED   |                        |
| 910-49.75 | 1.00  | EACH        | VIDEO DETECTION SYSTEM, INSTALLED   |                        |
| 910-49.80 | 1.00  | EACH        | DETECTOR ASSEMBLY, INSTALLED  |                        |
| 910-50.01 | 1.00  | LINEAR FOOT | TRENCHING TYPE I  |                        |
| 910-50.02 | 1.00  | LINEAR FOOT | TRENCHING TYPE II   |                        |
| 910-50.03 | 1.00  | LINEAR FOOT | TRENCHING TYPE III  |                        |
| 910-50.20 | 1.00  | LINEAR FOOT | CONDUIT, 1 IN., LOOP DETECTOR   |                        |
| 910-52.00 | 1.00  | LINEAR FOOT | CONDUIT, 2 IN., RIGID, IN TRENCH  |                        |
| 910-52.01 | 1.00  | LINEAR FOOT | CONDUIT, 3 IN., RIGID, IN TRENCH  |                        |
| 910-52.02 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., RIGID, IN TRENCH  |                        |
| 910-52.03 | 1.00  | LINEAR FOOT | CONDUIT, 5 IN., RIGID, IN TRENCH  |                        |
| 910-54.01 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID, IN<br>TRENCH                         |                        |
| 910-54.02 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID, IN<br>TRENCH                         |                        |
| 910-62.01 | 1.00  | LINEAR FOOT | CONDUIT, 2 IN., RIGID, MEDIAN   |                        |
| 910-62.02 | 1.00  | LINEAR FOOT | CONDUIT, 3 IN., RIGID, MEDIAN   |                        |
| 910-62.03 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., RIGID, MEDIAN   |                        |
| 910-62.04 | 1.00  | LINEAR FOOT | CONDUIT, 5 IN., RIGID, MEDIAN   |                        |
| 910-64.01 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID, MEDIAN                               |                        |
| 910-64.02 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID, MEDIAN                               |                        |
| 910-72.01 | 1.00  | LINEAR FOOT | CONDUIT, 3 IN., RIGID, PUSHED   |                        |
| 910-72.02 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., RIGID, PUSHED   |                        |
| 910-72.03 | 1.00  | LINEAR FOOT | CONDUIT, 5 IN., RIGID, PUSHED   |                        |
| 910-74.01 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID, PUSHED                               |                        |
| 910-74.02 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID, PUSHED                               |                        |
| 910-75.01 | 1.00  | LINEAR FOOT | CONDUIT, 1 1/4 IN., RIGID, EXTERNAL ON<br>STRUCTURE                       |                        |
| 910-75.02 | 1.00  | LINEAR FOOT | CONDUIT, 2 IN., RIGID, EXTERNAL ON STRUCTURE                              |                        |
| 910-75.03 | 1.00  | LINEAR FOOT | CONDUIT, 2 1/2 IN., RIGID, EXTERNAL ON<br>STRUCTURE                       |                        |
| 910-75.04 | 1.00  | LINEAR FOOT | CONDUIT, 3 IN., RIGID, EXTERNAL ON STRUCTURE                              |                        |
| 910-75.05 | 1.00  | LINEAR FOOT | CONDUIT, 3 1/2 IN., RIGID, EXTERNAL ON<br>STRUCTURE                       |                        |
| 910-75.06 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., RIGID, EXTERNAL ON STRUCTURE                              |                        |
| 910-75.07 | 1.00  | LINEAR FOOT | CONDUIT, 5 IN., RIGID, EXTERNAL ON STRUCTURE                              |                        |
| 910-75.41 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., 3 MULTI-DUCT, RIGID,<br>EXTERNAL ON STRUCTURE             |                        |
| 910-75.42 | 1.00  | LINEAR FOOT | CONDUIT, 4 IN., 4 MULTI-DUCT, RIGID,<br>EXTERNAL ON STRUCTURE             |                        |
| 910-76.01 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 2 AWG, 2 CONDUCTORS<br>AND 1 BARE NEUTRAL           |                        |
| 910-76.02 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 4 AWG, 2 CONDUCTORS<br>AND 1 BARE NEUTRAL           |                        |
| 910-76.03 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 4 AWG, 3 CONDUCTORS<br>AND 1 BARE NEUTRAL           |                        |
| 910-76.04 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 6 AWG, 2 CONDUCTORS<br>AND 1 BARE NEUTRAL           |                        |
| 910-76.05 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 6 AWG, 3 CONDUCTORS<br>AND 1 BARE NEUTRAL           |                        |
| 910-76.06 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 8 AWG, 2 CONDUCTORS<br>AND 1 BARE NEUTRAL           |                        |
| 910-76.07 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 IN., 8 AWG, 3 CONDUCTORS<br>AND 1 BARE NEUTRAL           |                        |

| ITEM NO.  | UNIT  | TYPE        | ITEM DESCRIPTION   | LAST UPDATED 10/1/2008 |
|-----------|-------|-------------|--|------------------------|
| 910-76.09 | 10.00 | LINEAR FOOT | CABLE-CONDUIT, 1 1/4 IN., 2 AWG, 3 CONDUCTORS AND 1 BARE NEUTRAL   |                        |
| 910-81.00 | 10.00 | LINEAR FOOT | CABLE, 10 AWG, 1 CONDUCTOR, POLE AND BRACKET                       |                        |
| 910-82.00 | 10.00 | LINEAR FOOT | CABLE, 0 AWG, 1 CONDUCTOR, POWER                                   |                        |
| 910-82.01 | 10.00 | LINEAR FOOT | CABLE, 1 AWG, 1 CONDUCTOR, POWER                                   |                        |
| 910-82.02 | 10.00 | LINEAR FOOT | CABLE, 2 AWG, 1 CONDUCTOR, POWER                                   |                        |
| 910-82.03 | 10.00 | LINEAR FOOT | CABLE, 3 AWG, 1 CONDUCTOR, POWER                                   |                        |
| 910-82.04 | 10.00 | LINEAR FOOT | CABLE, 4 AWG, 1 CONDUCTOR, POWER                                   |                        |
| 910-82.06 | 10.00 | LINEAR FOOT | CABLE, 6 AWG, 1 CONDUCTOR, POWER                                   |                        |
| 910-82.08 | 10.00 | LINEAR FOOT | CABLE, 8 AWG, 1 CONDUCTOR, POWER                                   |                        |
| 910-82.50 | 10.00 | LINEAR FOOT | CABLE, 22 AWG, 6 PAIR, PHONE                                       |                        |
| 910-83.02 | 10.00 | LINEAR FOOT | CABLE, 12 AWG, 2 CONDUCTOR   |                        |
| 910-83.03 | 10.00 | LINEAR FOOT | CABLE, 12 AWG, 3 CONDUCTOR   |                        |
| 910-83.04 | 1.00  | EACH        | DETECTOR POLE FOUNDATION, 45FT OR 13.7M MOUNTING HEIGHT, INSTALLED |                        |
| 910-83.05 | 10.00 | LINEAR FOOT | CABLE, 12 AWG, 5 CONDUCTOR   |                        |
| 910-83.07 | 10.00 | LINEAR FOOT | CABLE, 12 AWG, 7 CONDUCTOR   |                        |
| 910-83.35 | 1.00  | LINEAR FOOT | CABLE, 16 AWG, 3-PAIR CONDUCTOR, INTERCONNECT                      |                        |
| 910-83.40 | 10.00 | LINEAR FOOT | CABLE, 12 AWG, 2 CONDUCTORS AND 1 BARE NEUTRAL                     |                        |
| 910-83.43 | 10.00 | LINEAR FOOT | CABLE, 14 AWG, 2 CONDUCTOR SPEAKER WIRE, SHIELDED                  |                        |
| 910-83.46 | 1.00  | LINEAR FOOT | COAXIAL CABLE, RG-6/U  |                        |
| 910-83.48 | 1.00  | LINEAR FOOT | COAXIAL CABLE, RG-8/U  |                        |
| 910-83.50 | 10.00 | LINEAR FOOT | FIBER OPTIC CABLE, 6-STRAND, SINGLE MODE                           |                        |
| 910-83.51 | 10.00 | LINEAR FOOT | FIBER OPTIC CABLE, 6-STRAND, MULTIMODE                             |                        |
| 910-83.52 | 10.00 | LINEAR FOOT | FIBER OPTIC CABLE, 24-STRAND, 18 SINGLE MODE, 6 MULTIMODE          |                        |
| 910-83.53 | 10.00 | LINEAR FOOT | FIBER OPTIC CABLE, 12-STRAND, SINGLE MODE                          |                        |
| 910-83.54 | 10.00 | LINEAR FOOT | FIBER OPTIC CABLE, 48-STRAND, SINGLE MODE                          |                        |
| 910-83.71 | 10.00 | LINEAR FOOT | CABLE, 18 AWG, 6 PAIR, SHIELDED                                    |                        |
| 910-83.72 | 10.00 | LINEAR FOOT | CABLE, 18 AWG, 8 PAIR, SHIELDED                                    |                        |
| 910-83.80 | 1.00  | LINEAR FOOT | FIBER OPTIC TERMINATION CABLE, ST, SINGLE MODE                     |                        |
| 910-83.81 | 1.00  | LINEAR FOOT | FIBER OPTIC TERMINATION CABLE, ST, MULTIMODE                       |                        |
| 910-83.82 | 1.00  | LINEAR FOOT | FIBER OPTIC TERMINATION CABLE, SC, SINGLE MODE                     |                        |
| 910-83.83 | 1.00  | LINEAR FOOT | FIBER OPTIC TERMINATION CABLE, SC, MULTIMODE                       |                        |
| 910-84.00 | 10.00 | LINEAR FOOT | WIRE, 0 AWG, BARE NEUTRAL  |                        |
| 910-84.01 | 10.00 | LINEAR FOOT | WIRE, 1 AWG, BARE NEUTRAL  |                        |
| 910-84.02 | 10.00 | LINEAR FOOT | WIRE, 2 AWG, BARE NEUTRAL  |                        |
| 910-84.03 | 10.00 | LINEAR FOOT | WIRE, 3 AWG, BARE NEUTRAL  |                        |
| 910-84.04 | 10.00 | LINEAR FOOT | WIRE, 4 AWG, BARE NEUTRAL  |                        |
| 910-84.06 | 10.00 | LINEAR FOOT | WIRE, 6 AWG, BARE NEUTRAL  |                        |
| 910-84.08 | 10.00 | LINEAR FOOT | WIRE, 8 AWG, BARE NEUTRAL  |                        |
| 910-85.01 | 10.00 | LINEAR FOOT | CABLE, LOOP DETECTOR, IN DUCT                                      |                        |
| 910-85.10 | 10.00 | LINEAR FOOT | CABLE, LOOP DETECTOR, LEAD IN                                      |                        |
| 910-86.10 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 1, 240/120 VOLT SERVICE, ITS           |                        |
| 910-86.11 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 1, 480 VOLT SERVICE, ITS               |                        |
| 910-86.12 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 1, 480 & 240/120 VOLT SERVICE, ITS     |                        |
| 910-86.21 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 2, 240/120 VOLT SERVICE, ITS           |                        |
| 910-86.22 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 2, 480 VOLT SERVICE, ITS               |                        |
| 910-86.23 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, TYPE 2, 480 & 240/120 VOLT SERVICE, ITS     |                        |
| 910-86.60 | 1.00  | EACH        | POWER SUPPLY ASSEMBLY, WEIGH IN MOTION                             |                        |
| 910-86.81 | 1.00  | EACH        | SERVICE POLE, 20 FT. OR 6.1 M, INSTALLED                           |                        |
| 910-86.82 | 1.00  | EACH        | SERVICE POLE, 25 FT. OR 7.6 M, INSTALLED                           |                        |
| 910-86.83 | 1.00  | EACH        | SERVICE POLE, 30 FT. OR 9.1 M, INSTALLED                           |                        |
| 910-86.84 | 1.00  | EACH        | SERVICE POLE, 35 FT. OR 10.7 M, INSTALLED                          |                        |
| 910-88.10 | 1.00  | EACH        | PULL BOX, PREFORMED CLASS 1  |                        |
| 910-88.11 | 1.00  | EACH        | PULL BOX, PREFORMED CLASS 2  |                        |

| ITEM NO.  | UNIT | TYPE        | ITEM DESCRIPTION                                  | LAST UPDATED 10/1/2008 |
|-----------|------|-------------|---|------------------------|
| 910-88.12 | 1.00 | EACH        | PULL BOX, PREFORMED CLASS 3                       |                        |
| 910-88.16 | 1.00 | EACH        | PULL BOX, PREFORMED CLASS 5                       |                        |
| 910-88.20 | 1.00 | EACH        | PULL BOX, CONCRETE, STANDARD                      |                        |
| 910-88.21 | 1.00 | EACH        | PULL BOX, CONCRETE, DOUBLE, TYPE A                |                        |
| 910-88.24 | 1.00 | EACH        | PULL BOX, CONCRETE, DOUBLE, TYPE B                |                        |
| 910-91.00 | 1.00 | CUBIC YARD  | BASE, CONCRETE                                    |                        |
| 910-92.01 | 1.00 | EACH        | WEIGH-IN-MOTION SCALE, INSTALLED                  |                        |
| 910-92.02 | 1.00 | EACH        | STATIC WEIGH SCALE, INSTALLED                     |                        |
| 910-92.10 | 1.00 | EACH        | CURB-MOUNTED FLOOD LIGHT, INSTALLED               |                        |
| 910-92.30 | 1.00 | EACH        | DYNAMIC MESSAGE SIGN ASSEMBLY, INSTALLED          |                        |
| 910-92.31 | 1.00 | EACH        | DYNAMIC WEIGHT DISPLAY MESSAGE SIGN,<br>INSTALLED |                        |
| 910-92.40 | 1.00 | EACH        | FIELD CONNECTOR, TYPE FC                          |                        |
| 910-92.41 | 1.00 | EACH        | FIELD CONNECTOR, TYPE SC                          |                        |
| 910-92.42 | 1.00 | EACH        | FIELD CONNECTOR, TYPE ST                          |                        |
| 910-99.01 | 1.00 | LUMP SUM    | MISC.   |                        |
| 910-99.02 | 1.00 | EACH        | MISC.   |                        |
| 910-99.03 | 1.00 | LINEAR FOOT | MISC.   |                        |
| 910-99.07 | 1.00 | CUBIC YARD  | MISC.   |                        |